



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Lenovo ThinkPad C14 Gen 1 Chromebook				
Model number *	21C9,21CA				
Issue date *	2022/6/9				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		21C9,21CA	Logo	Long	N/C	
Issue date *		2022/6/9		Lenc	)VC	TH.
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		• •		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\boxtimes$		
	hydrobro trichloroe concentr	emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	aximum			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*		edo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\square$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) (see legal r	gal reference).			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
	Required	d information is;				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.	/, cadmium a	nd 🔀		
P5.2*	The pack	caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material	(s) 🔀		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Nal reference).	nontreal Protoc	col 🔀		
		nt: Legal reference has no maximum concentration values.				
P6		nt information		K - A	_	
P6.1*	Intormati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

	anava
Issue date * 2022/6/9	-eiiovo

Produc	t environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		<u> </u>	
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: AL Material type:		_	
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.	$\boxtimes$		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin	d 🔼		
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ☒ are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🔀		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: 35948-25-5 CAS #: DOPO			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i	n		
	concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 8.97%.  or b) The weight of recycled material is 57.9 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	21C9,21CA	Logo	Lanova
Issue date *	2022/6/9		LEI IOVO"

Product environmental attributes - Market requirements (continued)	Requi	remer	t met
Item	Yes	No	n.a.

	Material and subs	stance requirements	(continued)		
P7.21*	Biobased plastic m	naterial content is use	d in the product (See N	NOTE B7):	
		c parts' weight > 25 g	es below shall be answ , the biobased plastic r		ated as a percentage of
	or	the biobased plastic	material is q.		
P7.22*	Light sources are f	ree from mercury, i.e.	less than 0,1 mg/lam	ρ.	$\square$ $\square$ $\square$
		specify: Number of la	mps: and maxir	num mercury content p	er lamp: mg
<b>P8</b> P8.1*	Batteries	aman a aiti a na 1 ith ia na	la n		
_	•	omposition: Lithium	ION		
<b>P9</b>		tion (See NOTE B8)	els or energy consumpt	tions are reported:	
Energy mod	•	Power level at	Power level at	Power level at	Reference/Standard for energy
Liloigy illoc	10	100 V AC	115 V AC	230 V AC	modes and test method *
Peak (On-n	nax)	65 W	65 W	65 W	Full load
Category	<u>/ 1</u>				
Short Idle S Enabled	State - WOL	4.692W	4.572W	4.848W	ENERGY STAR Computers V8 (P <sub>idle</sub> )
Long Idle S Enabled	State - WOL	<b>0.48</b> W	0.492W	0.564W	ENERGY STAR Computers V8 (P <sub>idle</sub> )
Sleep (S3)	- WOL Disabled	0.48W	0.492W	0.564W	ENERGY STAR Computers V8
Off (S5) - W	VOL Disabled	<b>0.264</b> W	0.264W	<b>0.324</b> W	ENERGY STAR Computers V8
Category	<u>/ 2</u>				
Short Idle S Enabled	State - WOL	4.836W	4.944W	5.112W	ENERGY STAR Computers V8 (P <sub>idle</sub> )
Long Idle S Enabled	State - WOL	0.504W	0.516W	0.576W	ENERGY STAR Computers V8 (P <sub>idle</sub> )
Sleep (S3)	- WOL Disabled	<b>0.504</b> W	0.516W	0.576W	ENERGY STAR Computers V8
Off (S5) - W	VOL Disabled	0.312W	0.324W	0.408W	ENERGY STAR Computers V8
EPS No-loa (External power su wall outlet but disc	ad upply / charger plugged in the connected from the product.)	<b>0.10</b> W	<b>0.10</b> W	<b>0.10</b> W	
ETEC *(1) Annual Ene	ergy Consumption	<b>14.42</b> kWh/year	<b>14.53</b> kWh/year	<b>15.67</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_idle</sub> x 0.10+ P <sub>short_idle</sub> x 0.30)
ETEC *(2) Annual Ene	ergy Consumption	<b>15.38</b> kWh/year	<b>15.74</b> kWh/year	<b>16.60</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_idle</sub> x 0.10+ P <sub>short_idle</sub> x 0.30)
					ed; P <sub>idle</sub> : Idle State - WOL Enabled
			al Efficiency Marking P	rotocol) * : VI	
	olution * : <b>2.074</b> me				1920*1080
Default time	e to enter energy sa	ve mode: 10 minutes			
P9.2*	Information about t	the energy save funct	ion is provided with the	e product.	
P9.3	Energy efficiency of	class (monitors only):			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

P10	Emissions				
	Noise emission	on – Declared according to ISO 9296 (See NOTE)	B9)		
P10.1 Mode Mode description Statistical upper limit A-weighted sound power			Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)		
	Idle	* Idle mode	* 2.7		
	Operation	* Operating (CPU)	* 3.6		
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$			
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	29.9 (operator position desktop – operating-CPU)		
	Measured according to: ☐ ISO 7779 ☐ ECMA-74				
		Other (only if not covered by E	ECMA-74)		

Model nur	nber *	21C9,21CA				Logo	Long		
Issue date	*	2022/6/9					Lenc		
Product	environr	nental attribi	utes - Market requireme	ents (con	itinued)		Require	ement	met
Item				•	<u>,                                    </u>		Yes	No	n.a.
	Electron	nagnetic emis	sions						
P10.4			s the requirement for low frein AC adapter only)	equency el	ectromagnetic fields	of the following volunta	ary 🔀		
P12			uting products						
P12.1*			ergonomic requirements of	ISO 9241-3	307 for visual displa	y technologies.			П
P12.2*			ce meets the requirements						
P13	Packagi	ng and docun	nentation						
P13.1*				weight (kg weight (kg					
P13.2*	Product	plastic primary	packaging is free from PVC				$\boxtimes$		
P13.3*			orrugated fiberboard packa per content: 60 %	ging, spec	cify the contained p	ercentage of minimum	post-		
P13.4*		media for user ronic, <mark>⊠</mark> Pape	and product documentation r,Other	(tick box):					
P13.5	Ùser and		this item if paper documenta mentation on paper media is						
	•	hlorine-free al chlorine-free							
	Process	ed chlorine-free	e				Ħ		
P14	Volunta	ry programs							
P14.1	The prod	duct meets the	requirements of the following	ng voluntar	y program(s):				
	Eco-labe Eco-labe		Criteria version: V8 Criteria version: IEEE 168 Criteria version: 14.0 Criteria version: 9.0	30.1-2018	Date: 2022/04/07 Date: 2022/6/19 Date: 2022/6/19 Date: 2022/6/19	Product category: 1, 2 Product category: Not Product category: Not Product category: Not	tebook tebook		
P15			n (See NOTE B10)						
P9			of specific configuration I						
	the info supplied informa	rmation conta r's knowledge tion. The infor	s no representations, gua ined in this document. All available at the time of co mation provided here is a ive for more information.	informati ompletion,	on provided by su , and supplier shal	pplier in this documen I have no obligation to	nt is provided update such	based	on
P9	See Ene	ergy Star Qual	ified Notebooks & Tablet ( r.gov/index.cfm?fuseactio				=CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ThinkPad C14 Gen 1 Chromebook	Logo					
Model Number	21C9,21CA		Longvo				
Issue Date	2022/6/9		Lenovo.				
Additional information			·				
-	•						
P7.1.1 Product environr	P7.1.1 Product environmental attributes						
(d) year of manufac	ture:						
, ,			2022				

(d)	year of manufacture:				2022					
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) disabled and if the system is tested with switchable graphics mode with UMA driving the display.									
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	cards (dGfx) are								
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)					
capability adjustments applied during testing	Memory over base [GB]	8	16							
	Additional internal storage	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)					
	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)					
	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)					
capa	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 0 (Yes / No)	#: (Yes / No)	#: (Yes / No)					
	Category of discrete graphics Card(s)									
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	4.43	N/A							
	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	N/A	4.5							
(g)	Idle state power demand (Watts);	0.56; 0.58								
h)	Sleep mode power demand (Watts);									
i)	Sleep mode with WOL enabled power demand (Watts) (where enabled);									
j)	Off mode power demand (Watts);	0.32; 0.41								
(k)	Off mode with WOL enabled power dem	N/A								
[1)	ver (if applicable):									
	10% 20% 50%	100% Avera	age							
(m)	external power supply efficiency (if applie	cable)*:								
	Average active efficiency: 65W:90.17%	,89.92%,88.82%,89.6	7%; 45W: 89.76%,89.	62%,88.04%,88.03%;						
	*internal note: show values for all available external po									
(o)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 500 cycles									
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:									
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  EN 50563:2011 measurement methodology									

(p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  **IEC 61960 measurement methodology**											
(p-4)											
	power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC 62623 / IEC EN50564:2011 measurement methodology										
(q)	Sequence of steps for achieving a stable condition with respect to power demand::										
	IEC 62623 / IEC EN50564:2011 measurement methodology										
(r) Description of how sleep and/or off mode was selected or programmed:											
By selecting sleep and/or off mode thru Windows operating system											
(s)	Sequence of e	events r	required to reach the mode where	the equipment au	tomatically changes to s	sleep and/or					
Automatically changes to sleep after 10 minutes											
(t)	(t) Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):										
(u)											
(v)			re the display sleep mode is set			es):	10 mins				
(w)	information on	i the en	ergy-saving potential of power ma	inagement function	nality:						
User information described in User Guide and Power Manager under ThinkVantage menu in all programs											
(x)	user information	on on h	ow to enable the power managem	ent functionality:							
User information described in User Guide and Power Manager under ThinkVantage menu in all programs											
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  230V, 50GHz, Total Harmonic Distortion <2 %											
(1) At ambient temperature: 24.8 °C											
(2) Input AC Voltage (V) & Frequency (Hz): <u>100-230</u> V, <u>50/60</u> Hz											
	(3) Line Impedance: less than <u>0.25</u> ohm										
	(4) Total Harmonic Distortion (voltage):<2%_										
(5) Relative Humidity:											
	(6) Ambient light:Lux										
	( [	(7) <b>Equ</b>	ipment list:			ſ					
					odel name						
			Yokogawa	WT210							
Addition	al Notebook I	Batter	y Information:								
			Battery[ies] not user replace	ceable	Battery[ies] user r	eplaceable	n/a				
			The battery[ies] in this product replaced by users themselves. 1)	cannot be easily							
Internal/built-in Battery											
External/detachable Battery											
Bios Backup Battery											
Other:											
Additiona	I information										

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami užívatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutaiad ei sas selle toota akufkalvatid ies phipseati assandada.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.
A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistghux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuita (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.