



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs						
e-mail address	Alvin L Carter	Lenovo					
	alcarter@lenovo.com						
Internet site *	https://www.lenovo.com/us/en/about/sustainability	os://www.lenovo.com/us/en/about/sustainability					
Additional information	The latest version of this document can be found at: http://www.	he latest version of this document can be found at: http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	Type of product * Notebook					
Commercial name *	Lenovo 100e Chromebook 2nd Gen AST					
Model number *	82CD					
Issue date *	2020-2-16					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	82CD L	.ogo	Long		
Issue dat	e *	2020-2-16		Lend) _{TH}
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B	31)	\boxtimes		
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlor ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlor /I (PCT) in preparations (see legal reference).	rinated	\boxtimes		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	n atoms in the			
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	μg/cm²/week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail con www.lenovo.com/us/en/about/sustainability	ntact):	\boxtimes		
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	disposal	\boxtimes		
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmiule)	m. (See legal	\boxtimes		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal claration of Conformity can be requested at: https://www.lenovo.com/us/en/about/susta		\boxtimes		
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).				
	Require	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/ecc	a declaration			
P5	Droduct	packaging	J-ueciaration			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury,	cadmium and	d 🔀		
		ent chromium by weight of these together.	- Jaannani an	<u> </u>	<u> </u>	
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the legal reference).	the material(s	s) 🔀		
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the Moi al reference). nt: Legal reference has no maximum concentration values.	ntreal Protoco	ol 🔀		
P6		ent information				
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).		\square	П	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	82CD	Logo	Lonovo
Issue date *	2020-2-16		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		Щ.	
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: PC/ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	<u> </u> _		<u> </u>
P7.13	Insulation materials of internal electrical cables are PVC free.	<u></u> _	$\underline{\underline{X}}$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing	d L		Ш
D7 15	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	ı 📙		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >PC+ABS-TD15FR(40)< >PC+ABS-FR(40)<			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	_	_	_
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other <i>Brominated epoxy resin</i> . CAS #:	\boxtimes		
	26265-08-7 Alt 2: Chamical analifications of flows extendents in printed sirguit boards (without components) > 25 c			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			\boxtimes
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	า		
	concentrations above 0,1%:	\boxtimes		
	1. Chemical name: BPADP , CAS #: 181028-79-5 (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	•			
D7.40	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	<u> </u>		<u> </u>
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		\boxtimes	
	assigned the following Risk phrases; and Hazard statements:			
D7 20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		Ш	Ш
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 2.0 %. or b) The weight of recycled material is 9.6 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82CD	Logo	Lanava
Issue date *	2020-2-16		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requir	remen	nt met
Item	Yes	No	n.a.

	Material and sul	ostance requirement	s (continued)			
P7.21*	Biobased plastic	material content is us	ed in the product (See N	NOTE B7):		
P7.22*			e. less than 0,1 mg/lamp			
		d specify: Number of la	amps: and maxin	num mercury content p	per lamp: mg	
P8	Batteries		<u>. </u>			
P8.1*		composition: Lithium				
P9		ption (See NOTE B8)				
P9.1	For the product the		els or energy consumpt		In (10) I I (1	
Energy mo	ode ^	Power level at	Power level at	Power level at	Reference/Standard for energy	
Peak (On-	mayl	100 V AC 43.83 W	115 V AC	230 V AC	modes and test method * Full load	
reak (OII-	iliax)	43.03 VV	43.70 VV	43.4 VV	- Full load	
Categor	y 1					
01	000	0.50\\\	0.0714	0.4710/	Was far ENEDOV OTAD VO O	
Snort Idle Disabled	State - WOL	3.53 W	3.37 W	3.47 W	Use for ENERGY STAR V8.0 registration (P _{idle})	
					registration (Fidle)	
	State - WOL	0.58 W	0.58 W	0.62 W	Use for ENERGY STAR V8.0	
Disabled					registration (Pidle)	
01(00)	WOLDS IN	0.50\\\	0.5014	0.0014/	Was far ENEDOV OTAD VO O	
Sleep (S3)	- WOL Disabled	0.58 W	0.58 W	0.62 W	Use for ENERGY STAR V8.0 registration	
					registration	
Off (S5) -	WOL Disabled	0.44 W	0.44W	0.48 W	Use for ENERGY STAR V8.0	
()					registration	
EDO N. I.	- 4	0.0434/	0.04.107	0.410/		
EPS No-lo	aɑ supply / charger plugged in the	0.01 W	0.01 W	0.1 W		
wall outlet but dis	sconnected from the product.)					
PTEC *		16.68 W	16.68 W	16.68 W		
ETEC *	ergy Consumption	42 E Is\N/b/voor	42.4 k\\/\b\/\squar	42 € Is\N/b/s cor	E = (9760/4000) × /D × 0.25	_
_	ergy Consumption	12.5 kWh/year	12.1 kWh/year	12.6 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long Idle} \times 0.10 +$	
Ailliuai Lii	ergy Consumption				P _{short_Idle} x 0.30)	
		Poff: Off Mode(S5) - I	NOL Enabled; P _{sleep} : Slee	p Mode(S3) - WOL Enab	oled; P _{idle} : Idle State - WOL Enabled	
External P	ower Supply Efficie	ency Level (Internation	al Efficiency Marking Pr	rotocol) * : V/		
Display res	solution * : 1366x7	68megapixels				=
		save mode: 25 minutes	S			=
P9.2*			ction is provided with the	nroduct		=
P9.3		class (monitors only)	•	o product.		┽
P10	Emissions	class (monitors only)	•			_
FIU		- Declared according	to ISO 9296 (See NOT	F R9)		
P10.1		Mode description	10 10 0 0200 (000 110 1		mit A-weighted sound power level, Lwa,c (B)
	Idle	* System Idle		*17.3		$\overline{}$
	Operation	* CPU;Operation		* 16.4		十
			and pressure level (dB) $L_{p extsf{A}}$		Dosition desktop – idle)	
	Other mode	Declared A-weighted so	und pressure level (dB) $L_{ m pA}$	(operator p	position desktop – operating)	
				m (Operator p	osition desktop – operating)	
	Measured accord	ling to: X ISO 7779				
		Other	(only if not covered b	v FCMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	82CD	Logo	Lonovo
Issue date *	2020-2-16		Leliovo.

Product e	environmental attributes	- Market requirements (co	ntinued)		Require	ment	met
Item					Yes	No	n.a.
	Electromagnetic emissions						
P10.4	Computer display meets the program(s): <i>EN55035</i>	requirement for low frequency e	lectromagnetic fields	s of the following voluntary			
P12	Ergonomics for computing						
P12.1*	The display meets the ergon	omic requirements of ISO 9241-	307 for visual displa	y technologies.	\boxtimes		
P12.2*	The physical input device me	eets the requirements of ISO 99	95 and ISO 9241-41	0.	\boxtimes		
P13	Packaging and documenta	tion					
P13.1*	Product packaging material t Product packaging material t Product packaging material t	ype(s): <i>carton</i> weight (kgype(s): <i>PE</i> weight (kg	g): 0.2745				
P13.2*	Product plastic primary pack						
P13.3*	consumer recovered fiber co		•	percentage of minimum post	;-		
P13.4*	Specify media for user and p Electronic, Paper,	roduct documentation (tick box) Other	:				
P13.5		em if paper documentation used ation on paper media is chlorine					
	Totally chlorine-free						
	Elemental chlorine-free				Ц		
	Processed chlorine-free						
P14	Voluntary programs						
P14.1	The product meets the requi	rements of the following volunta	ry program(s):				
	ENERGY STAR®	Criteria version: 8.0	Date: 2020-2-11	Product category: 1			
	EPEAT	Criteria version: 2018	Date: 2020-2-16	Product category:			
	PCGL	Criteria version: V13	Date: 2020-2-16	Product category:			
	TCO	Criteria version: 8.0	Date: 2020-3-10	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
P15	Additional information (Sec	e NOTE B10)					
P9	Energy consumption of sp	ecific configuration may vary,	description of the	tested product configuration	on:		
	information contained in this knowledge available at the ti	presentations, guarantees, assi document. All information provid- me of completion, and supplier e and provided for informational	ded by supplier in thi shall have no obligat	s document is provided base ion to update such information	ed on suppon. The inf	olier's format	ion
P9	See Energy Star Qualified N	otebooks & Tablet Computers for dex.cfm?fuseaction=find_a_pro					
		<u> </u>					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo 100e Chromebook 2nd Gen AST	Logo	
Model Number	82CD		Lonovo
Issue Date	2020-2-16		Lenovo
Additional information			

	Product environmental attributes						
d)	Year of manufacture:				2020		
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable						
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
capability adjustments applied during testing	Memory over base [GB]	4					
	Additional internal storage	YES (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	NO					
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	12.65					
	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
g)	Idle state power demand (Watts);	<u> </u>			3.4		
h)	Sleep mode power demand (Watts);						
)	Sleep mode with WOL enabled power demand (Watts) (where enabled);						
)	Off mode power demand (Watts);						
k)	Off mode with WOL enabled power demand (Watts) (where enabled);						
(I) Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):							
	10% 20% 50%	100% Aver	age				
m)	External power supply efficiency (if ap	plicable)*:					
	Average active efficiency: 87,98%,88						
	*internal note: show values for all available externa						
0)	Minimum number of loading cycles that	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 800					
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA						
p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EN 50563:2011 measurement methodology						

(p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology							
	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodology						
(q) Sequence of steps for	Sequence of steps for achieving a stable condition with respect to power demand: EN 62623:2013 measurement methodology						
(r) Description of how s	Description of how sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Select sleep or off mode** *						
(s) Sequence of events off mode:	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: NA						
condition which does	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):						
	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):						
(x) User information on	User information on how to enable the power management functionality: 230V/50Hz						
z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50Hz, Total Harmonic Distortion <2 %							
Additional Notebook Battery Information:							
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)						
Internal/built-in Battery							
External/detachable Battery							
Bios Backup Battery							
Other:							
Additional information							

The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Τασύαβα θε αστο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.