



Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo ThinkSystem	Logo
Company name *	Lenovo	
Contact information *	Lenovo DCG Storage Development	
e-mail address	Rick Lin	
	Lenovo Taiwan Branch	Lenovo
	8F., No. 66, Sanchong Rd.,	
	Nangang Dist., Taipei City, Zipcode: 11502	
	Rlin12@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/about/sustainability	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Data Storage				
Commercial name *	DE4000H				
Model number *	7Y77				
Issue date *	02/28/2020				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		7Y77	Logo	Lon		
Issue date *		02/28/2020		Lend	JVC) _{TM}
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	N/A
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	· · · · · · · · · · · · · · · · · · ·					
P1.4*	P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	ne 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail oww.lenovo.com/us/en/sustainability-resources	contact):			
P2	Batterie					
P2.1*	If the pro	duct contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal			
		Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	reference	- 1	nium. (See leg			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				
P2.4*	Docume	ntation includes the number of cycles the (secondary) battery can withstand. (See le	egal reference)		
P2.5*		ternal batteries of a notebook computer cannot be "accessed and replaced by a nor e related text is present and legible on the external packaging (see legal reference)	nprofessional			
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at: https://www.lenovo.com/us/en/complian				
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
		l information is; given in item P15 or added to this document,				
DE	Drodust		eco-deciaration	<u> </u>		
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercury	/ cadmium o	nd 🔽		
	hexavale	ent chromium by weight of these together.				
P5.2*	used (se	caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).		. ,		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Mal reference). It reference). It: Legal reference has no maximum concentration values.	Montreal Proto	col 🔀		
P6		nt information				

Information for recyclers/treatment facilities is available (see legal reference).

P6 P6.1*

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	7Y77	Logo	Lanava
Issue date *	02/28/2020		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	·	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	N/A
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			<u>Ц</u>
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: Metal (Steel) Material type: PC ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	<u> </u>		
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See ⁵ NOTE B2)	า 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: Only MIDPLANE,440.7MMX81.7MM,6.38MM" includes halogen. All other PCBs	\boxtimes		
P7.18	 are halogen free. Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in 			
F1.10	concentrations above 0.1%:	'		\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\boxtimes
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\boxtimes
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\boxtimes	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %.			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7Y77	Logo	Lonovo
Issue date *	02/28/2020		Lei IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	N/A

		bstance requirements					
P7.21*	Biobased plastic	material content is used	in the product (See No	OTE B7):			
	If YES; at least of	one of the two alternative	s below shall be answe	ered;			
		stic parts' weight > 25 g,	the biobased plastic m	aterial content (calcula	ted as a percentage of		
	•	by weight) is %.					
	or b) The weight	of the biobased plastic n	naterial is g.				
P7.22*	-,	e free from mercury, i.e.	•				
	If mercury is use	d specify: Number of lan	nps: and maxim	um mercury content pe	r lamp: mg		
P7.23*	If product include	es an integral display, the	e total mercury content	in the integrated displa	ay: mg 🗌 🔲		
P8	Batteries						
P8.1*	Battery chemica	composition: Magnesiu	ım Dioxide Lithium				
P9	Energy consumption (See NOTE B8)						
P9.1		he following power level			<u> </u>		
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy		
				modes and test method * Full load			
reak (OII-	IIIax)	V V	V V	7207 VV	T un load		
Categor	<u>y</u>						
EPS No-loa		W	W	W			
	ower supply /						
	igged in the wall						
outlet but disconnected from							
the product.) PTEC * W W W							
PTEC *	ergy Consumption		W	W			
ETEC *	crgy consumption	kWh/year	kWh/year	kWh/year			
_	ergy Consumption		KVVIII YOU	KVVIII y Gai			
External Po	ower Supply Effici	ency Level (International	Efficiency Marking Pro	otocol) *:			
Display res	solution * :	megapixels					
Default tim	e to enter energy	save mode: minut	tes				
P9.2*	Information abou	it the energy save function	on is provided with the	product.			
P9.3	Energy efficiency	y class (monitors only):					
P10	Emissions	, , ,					
		- Declared according to	ISO 9296 (See NOTE	B9)			
P10.1	Mode	Mode description			t A-weighted sound power level, LwA,c (B)		
	Idle	* 35% loading		* 7.2			
	Operation	* 80% loading		* 8.5			
	Other mode	Declared A-weighted sound	d pressure level (dB)	(operator pos	sition desktop – idle)		
		L_{pAm}					
Other mode Declared A-weighted sound pressure level (dB)			(operator pos	sition desktop – operating)			
		L_{pAm}					
	Measured accor	ding to: X ISO 7779	ECMA-74				
		Other	(only if not covered by	ECMA-74)			
	Electromagneti	c emissions		,			
P10.4		y meets the requirement	for low frequency elec	tromagnetic fields of th	e following voluntary		
	program(s):						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model number *		7Y77			Logo	Lonov	
Issue date *		02/28/2020				Lenov	O _{TH}
Product	environn	nental attribute	es - Market requirement	ts (continued)		Requireme	ent met
Item				•		Yes N	lo N/A
P12	Ergonor	nics for computi	ng products				
P12.1*	The disp	lay meets the erg	onomic requirements of ISC	9241-307 for visual	display technologies.		
P12.2*	The phys	sical input device	meets the requirements of I	SO 9995 and ISO 92	41-410.		
P13		ng and documen					
P13.1*				eight (kg): 4.05			
				eight (kg): 10.21			
		packaging materia		eight (kg): 0.25 eight (kg): 10.20			
Product packaging material type(s): Laminated LDPE/EPE weight (kg): 0.01							
			al type(s): PP Harden Plas t				
P13.2*	Product	plastic primary pa	ckaging is free from PVC.	<u> </u>			
P13.3*		luct primary corruer recovered fiber	igated fiberboard packagin	g, specify the conta	ined percentage of minim		
P13.4*			d product documentation (tie	ck box):			
	Electr		Other				
P13.5	Ùser and		titem if paper documentation intation on paper media is cl				
	•	hlorine-free al chlorine-free					
						H	
		ed chlorine-free					
P14		ry programs		1 1			
P14.1	The prod	luct meets the req	uirements of the following v	oluntary program(s):			
	ENERGY	Y STAR®	Criteria version:	Date:	Product category:		
	Eco-labe	:l:	Criteria version:	Date:	Product category:		
	Eco-labe		Criteria version:	Date:	Product category:		
P15		nal information (S	,				
P9			computer products; desci				
	the information	rmation containe ''s knowledge av tion. The informa	o representations, guarar d in this document. All in ailable at the time of com ation provided here is app for more information.	formation provided pletion, and supplie	by supplier in this docur r shall have no obligation	nent is provided bas n to update such	sed on
P9			d Enterprise Servers for t	he latest informatio	n:		
			gov/products/data center				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

General information			
Commercial name (3.1 (b))	DE4000H	Logo	
		i	

Contact Address (3.1 (b))		
Model Number (3.1 (c))	7Y77	Lenovo
Issue Date	02/28/2020	
Additional information		

	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3			
1.a	Is product considered to be in scope of ErP Lot 9 in scope out of scope, product is out of scope as:			
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC)			
(5.1 (a))	Tower Server Multi Node Server			
	☐ Blade Server ☐ Data Storage product (Please go to "DATA STORAGE PRODUCTS" section			
1.c (3.1 (d))	Year of manufacture:			
1.d	Product model part of a server product family? No Yes			
(3.1 (p))	List of all model configurations that are represented by the model:			
1.e	Information on the secure data deletion functionality			
(3.1 (n))	(a) instructions on how to use the functionality:			
	(b) techniques used:			
	(c) supported secure data deletion standard (if any):			
4.6	OR - Reference to other information:			
1.f (3.1 (o))	Blade servers? No Yes			
	list of recommended combinations with compatible chassis:			
Recycling Data				
2.a	Indicative weight range at component level, of the (a) Cobalt in the batteries (b) Neodymium in the HDDs			
(3.3 (a))	following critical raw materials:			
	☐ between 5 g and 25 g ☐ between 5 g and 25 g			
	above 25 g above 25 g			
2.b	Instructions on the disassembly operations			
(3.3 (b))	(a) the type of operation;			
	(b) the type and number of fastening technique(s) to be unlocked;			
	(c) the tool(s) required.			
	OR - Reference to other information:			
2.c	Firmware			
	Reference to information on last available firmware:			
Additional information				
I				

DATA STORAGE PRODUCTS

2				
Commercial name (3.2 (b))	DE4000H	Logo		
Contact Address (3.2 (b))	Lenovo DCG Storage Development Rick Lin Lenovo Taiwan Branch 8F., No. 66, Sanchong Rd., Nangang Dist., Taipei City, Zipcode: 11502 Rlin12@lenovo.com	Lenovo.		
Model Number (3.2 (c))	7Y77			
Issue Date	02/28/2020			
Additional information				

	roduct environmental attributes (EU) 2019/424 – Annex II points 3.2 and 3.3			
A.1	Is product considered to be in scope of ErP Lot 9 in scope out of scope Product is out of scope as:			
A.2 (3.2 (a))	Data Storage type Online Data Storage Product Small Data Storage Product Other:			
A.3	Year of manufacture: 2018			
(3.2 (d)) A.4	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power			
(3.2 (e))	(expressed in % and rounded to the first decimal place): : Multi-output Single-output 10% 20% 91.9 50% 94.4 100% 93.4 Average			
A.5 (3.2 (f))	Power factor at 50 % of the rated load level (rounded to three decimal places)			
A.6 (3.2 (g))	Operating condition class (as defined in Table 6 or ErP lot 9) Exception comments			
	This product has been tested in order to verify that it will function within the boundaries (such as temperature and humidity) of the declared operating condition class.			
A.6 (3.2 (h))	Information on the secure data deletion tool(s) (a) instructions on how to use the functionality: Follow Secure Data Deletion README, starting from SANtricity 11.50.3R1P1 via https://datacentersupport.lenovo.com/us/zc/products/storage/lenovo-storage/thinksystem- de4000h/7y77/documentation (b) techniques used: Python script to purge all user data (c) supported secure data deletion standard (if any):			
	OR - Reference to other information: Go through SecureDataDeletion README and run .py accordingly via https://drive.google.com/open?id=1EZ1QLbbM4w8zeUIRwJ-J8iF-AS2VwKOt			
RECYCLING DATA				
B.1 (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs less than 5 g less than 5 g between 5 g and 25 g above 25			
B.2	Instructions on the disassembly operations			
(3.3 (b))	 (a) the type of operation; Refer to the installation guide, use reverse process. https://datacentersupport.lenovo.com/us/zc/products/storage/lenovo-storage/thinksystem-de4000h/7y77/documentation (b) the type and number of fastening technique(s) to be unlocked; Refer to the installation guide. (c) the tool(s) required. Phillips screwdriver, Flat blade screw driver, Hex driver, Torx driver, and Allen wrenches of appropriate size 			
	OR - Reference to other information:			
B.3	Firmware			
	Reference to information on last available firmware: https://datacentersupport.lenovo.com/us/zc/products/storage/lenovo-storage/thinksystem-de4000h/7y77/downloads/driver-list/ After EOL'ed, firmware would be available at: https://download.lenovo.com/eol/index.html			
Additional information				