

Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo ThinkSystem	Logo
Company name *	Lenovo	
Contact information *	Lenovo DCG Storage Development	
e-mail address	Rick Lin	
	Lenovo Taiwan Branch	Lenovo
	8F., No. 66, Sanchong Rd.,	
	Nangang Dist., Taipei City, Zipcode: 11502	
	Rlin12@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/about/sustainability	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Data Storage			
Commercial name *	DM240N			
Model number *	7Y60, 7Y62			
Issue date *	01/15/2020			
Intended market *	🔀 Global 🛛 Europe 🔀 Asia, Pacific & Japan 🔀 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	7Y60, 7Y62 Logo			
Issue date *		01/15/2020	Len		Этм
Produc	t environ	mental attributes - Legal requirements	Require	ement	t met
Item			Yes	No	N/A
P1	Hazard	ous substances and preparations			
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\square		
P1.3*	hydrobr trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in t intaining at least 48% per mass of chlorine in the SCCP (see legal reference).	he 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ək 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/sustainability-resources	\boxtimes		
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg	al 🔀		
P2.3*		s and accumulators are readily removable. (See legal reference)	\boxtimes		
P2.4*	Docume	entation includes the number of cycles the (secondary) battery can withstand. (See legal reference	e)		
P2.5*		ternal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional e related text is present and legible on the external packaging (see legal reference)			
P3		nity verification & Eco design (ErP)			
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at: <u>https://www.lenovo.com/us/en/compliance/eu-doc</u>			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
	. 0	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Droduce	t packaging	<u>,</u>		
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.	and 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material ee legal reference).	l(s) 🔀		
P5.3*	The pro (see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Proto al reference). nt: Legal reference has no maximum concentration values.	col 🔀		
P6	Treatme	ent information			
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).	\square		
		,			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	7¥60, 7¥62	Logo				
Issue date *		01/15/2020		Len	Lenovo		
Product		mental attributes - Market requirements (See General NOTE GN	below)				
		onmental conscious design		Require			
Item P7		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	N/A	
P7.1*		It have to be treated separately are easily separable					
P7.2*		naterials in covers/housing have no surface coating.			╞	╞	
P7.3*		arts > 100 g consist of one material or of easily separable materials.			╞	╞	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞	╞	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools		╞	╞	
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).			╞	╞	
	Product						
P7.7*		ing can be done e.g. with processor, memory, cards or drives					
P7.8*		ig can be done using commonly available tools			H	Ħ	
P7.9		arts are available after end of production for: 5 years				Ħ	
P7.10		s available after end of production for: 5 years				Ħ	
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
	Material		al type:				
P7.12		n materials of external electrical cables are PVC free.			\square		
P7.13		n materials of internal electrical cables are PVC free.			\square		
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, ar	nd 🔼			
P7.15		ircuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 g \square ed in IEC 61249-2-21. (See ⁵ NOTE B2)	are low haloge	n	\boxtimes		
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\square	
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c additive), TBBPA (reactive) (See NOTE B3), Other: chemical name:	omponents): , CAS #:				
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4: Only MIDPLANE,440MMX81MM,6MM" includes halogen. All oth free.					
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in			
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104				\square	
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	h have been			\boxtimes	
	•	I the following Risk phrases; and Hazard statements:					
P7.20*		ce(s) for these classifications is/are found at (add URL(s)): , (S sumer recycled plastic material content is used in the product (See Note B6):	See note B5)				
	lfYES;a a) Oft ape or	annel recycled plastic matchial content is used in the product (occ note bo). It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is %.	nt (calculated as				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7Y60, 7Y62	Logo	
Issue date *	01/15/2020		LEIIOVO

Product environmental attributes - Market requirements (continued)

Item

Requirement metYesNoN/A

	Material and su	bstance requirements	(continued)					
P7.21*		material content is used		DTE B7):				
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g. 							
P7.22*	, ,	e free from mercury, i.e.	<u>v</u>					
==		d specify: Number of lan		um mercury content pe	r lamp: mg			
P7.23*	If product include	es an integral display, the	e total mercury content	in the integrated displa	ıy: mg 🗌 🗌 🔀			
P8	Batteries							
P8.1*	Battery chemical	•						
P9		ption (See NOTE B8)						
P9.1		he following power level						
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy X modes and test method *			
Peak (On-I	max)	923 W	895 W	862 W	Full load			
Categor	v							
EPS No-loa		W	W	W				
	ower supply /							
	igged in the wall							
	isconnected from							
the product	i.)	W	14/	W				
PTEC * Typical Energy Consumption			W	VV				
ETEC *	ergy consumption	kWh/year	kWh/year	kWh/year				
Annual Energy Consumption		5	KWII/year	Kwii/year				
External Po	ower Supply Efficie	ency Level (International	Efficiency Marking Pro	tocol) * :				
Display res	olution * :	megapixels						
Default time	e to enter energy	save mode: minut	es					
P9.2*	Information abou	it the energy save function	on is provided with the	product.				
P9.3	Energy efficiency	v class (monitors only):						
P10	Emissions	- Declared according to	150 9296 (See NOTE	B0)				
P10.1	Mode	Mode description			A-weighted sound power level, <i>L_{WA,c}</i> (B)			
	Idle	* 35% loading		* 6.3				
	Operation	* 35% loading		* 6.4				
	Other mode	Declared A-weighted sound $L_{p Am}$	d pressure level (dB)	8.5 (operator position	n desktop – idle)			
	Other modeDeclared A-weighted sound pressure level (dB)8.5 (operator position desktop – operating) L_{pAm}			n desktop – operating)				
	Measured according to: X ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)							
	Electromagneti		(,					
P10.4		y meets the requirement	for low frequency elec	tromagnetic fields of th	e following voluntary			
	program(s):	•		-				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	mber *	7Y60, 7Y62				Logo			
Issue dat	e *	01/15/2020					Lend	ovo), TH
Product	environ	nental attribu	tes - Market requiremen	ts (continued)			Require	ement	tmet
Item				`			Yes	No	N/A
P12		mics for compu							
P12.1*	The disp	lay meets the e	gonomic requirements of ISC	O 9241-307 for visual o	display technolo	gies.			\square
P12.2*	The phy	sical input devic	e meets the requirements of	ISO 9995 and ISO 924	41-410.				\square
P13	Packagi	ng and docum	entation						
P13.1*	Product	packaging mate		eight (kg): 1.55 eight (kg): 9.10 E/EPE weight (kg): 0.	38				
P13.2*			ackaging is free from PVC.	0 (0)			\square		
P13.3*		luct primary con er recovered fibe	rugated fiberboard packagir r content: 35 %	ng, specify the contain	ned percentage	of minimum	n post-		
P13.4*		media for user a ronic, ⊠Paper,	nd product documentation (ti	ck box):					
P13.5	Ùser an		is item if paper documentation entation on paper media is c						
	,	hlorine-free al chlorine-free							
		ed chlorine-free					H		
P14									
P14.1		ry programs	equirements of the following	voluntary program(s):					
1 14.1	The proc		squirements of the following	voluntary program(3).					
	ENERG	Y STAR®	Criteria version:	Date:	Product	category:			
	Eco-labe		Criteria version:	Date:		category:			
	Eco-labe		Criteria version:	Date:	Product	category:			
P15			(See NOTE B10)						
P9			f computer products; desc						
	the info supplie informa	rmation contaiı r's knowledge a tion. The inforn	no representations, guara ned in this document. All in wailable at the time of com nation provided here is app e for more information.	formation provided pletion, and supplier	by supplier in t shall have no	his docume obligation to	nt is provideo o update sucl	l based 1	d on
P9			ied Enterprise Servers for t r.gov/products/data_center						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

General information			
Commercial name (3.1 (b))	DM240N	Logo	
Contact Address (3.1 (b))			
Model Number (3.1 (c))	7Y60, 7Y62		Lenovo
Issue Date	01/15/2020		
Additional information			

Product	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3
1.a	Is product considered to be in scope of ErP Lot 9 🛛 🔀 in scope 🗌 out of scope, product is out of scope as:
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC) Tower Server Multi Node Server Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section
1.c (3.1 (d))	Year of manufacture:
1.d (3.1 (p))	Product model part of a server product family? No Yes
1.e (3.1 (n))	 Information on the secure data deletion functionality (a) instructions on how to use the functionality: (b) techniques used: (c) supported secure data deletion standard (if any): OR - Reference to other information:
1.f (3.1 (o))	Blade servers? No Yes list of recommended combinations with compatible chassis:
Recyclin	
2.a (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image
2.b (3.3 (b))	 Instructions on the disassembly operations (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required.
	OR - Reference to other information:
2.c	Firmware Reference to information on last available firmware:
Additional	I information

DATA STORAGE PRODUCTS

Commercial name (3.2 (b))	DM240N	Logo
Contact Address (3.2 (b))	Lenovo DCG Storage Development Rick Lin Lenovo Taiwan Branch 8F., No. 66, Sanchong Rd., Nangang Dist., Taipei City, Zipcode: 11502 Rlin12@lenovo.com	Lenovo.
Model Number (3.2 (c))	7Y60, 7Y62	
Issue Date	01/15/2020	
Additional information		

Product e	nvironmental attributes (EU) 2019/424 – Annex II points 3.2 and 3.3
A.1	Is the product consider to be in scope of ErP Lot 9 🔀 in scope 🗌 out of scope Product is out of scope as:
A.2 (3.2 (a))	Data Storage type Online Data Storage Product Small Data Storage Product Large Data Storage Product Other:
A.3 (3.2 (d))	Year of manufacture: 2020
A.4	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power
(3.2 (e))	(expressed in % and rounded to the first decimal place): : Multi-output Single-output 20% 92.7 50% 94.4 100% 92.7 Average
A.5 (3.2 (f))	Power factor at 50 % of the rated load level (rounded to three decimal places) 1.000
A.6 (3.2 (g))	Operating condition class A1 A2 A3 A4 (as defined in Table 6 or ErP lot 9)
	Exception comments
	This product has been tested in order to verify that it will function within the boundaries (such as temperature and humidity) of the declared operating condition class.
A.6	Information on the secure data deletion tool(s)
(3.2 (h))	 (a) instructions on how to use the functionality: Follow DM series security hardening guide for ontap9 via https://download.lenovo.com/storage/lenovo_dm_series_security_hardening_guide_for_ontap9.pdf from datacenter support (b) techniques used: ONTAP 9 feature:
	1) Securely purges the deleted files on vol1 on SVM vs1:
	cluster1::> volume encryption secure-purge start -vserver vs1 -volume vol1
	2) Overridden by entering the following command: (Starting from Ontap 9.7) cluster1::*> options -option-name encryption.data_at_rest_encryption.disable_by_default true
	(c) supported secure data deletion standard (if any): Secure Erase/block Erase/Crypto Erase, Sanitize
	OR - Reference to other information:
RECYCL	ING DATA
B.1 (3.3 (a))	Indicative weight range at component (a) Cobalt in the batteries (b) Neodymium in the HDDs level, of the following critical raw
	materials:
	between 5 g and 25 g between 5 g and 25 g
	above 25 🔀 above 25
B.2 (3.3 (b))	Instructions on the disassembly operations (a) the type of operation; Refer to the installation guide, use reverse process. https://datacentersupport.lenovo.com/tw/zh/products/storage/lenovo-storage/thinksystem- dm240n/7y62/documentation
	 (b) the type and number of fastening technique(s) to be unlocked; <i>Refer to the installation guide</i>. (c) the tool(s) required. <i>Phillips screwdriver</i>, <i>Flat blade screw driver</i>, <i>Hex driver</i>, <i>Torx driver</i>, <i>and Allen wrenches of appropriate size</i>
	OR - Reference to other information:
B.3	Firmware
	Reference to information on last available firmware:
	https://datacentersupport.lenovo.com/uu/en/products/storage/lenovo-storage/thinksystem-DM240N/7Y62/downloads/driver-
	list/component?name=Product%20Firmware
	After EOL'ed, firmware would be available at:
	https://download.lenovo.com/eol/index.html
Additional	information