



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	rmation * Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Idress Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statemer	conforms to the statements given in this declaration.						
Type of product *	All in One Computer						
Commercial name *	IdeaCentre AIO 3 24"						
Model number *	FOEU, FOEW						
Issue date *	2020/4/10						
Intended market *	Global Europe Asia, Pacific & Japan Americas Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number "		F0EU, F0EW, F0EW	Logo	Lend	WC	
Issue dat	te *	2020/4/10		Lein		тн
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in	the 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\boxtimes		
P2	Batterie	s				
P2.1*	symbol.	duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference) ww.lenovo.com/us/en/social_responsibility/EU_DoC_desktops	the disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See leç	jal 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar				
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
		d information is; given in item P15 or added to this document,				
		available at: https://www.lenovo.com/us/en/compliance/e	eco-declaratio	n.		
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.	y, cadmium a	and 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature le legal reference).	of the materia	l(s)		
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). 1t: Legal reference has no maximum concentration values.	in the Monti	real 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	F0EU, F0EW, F0EW	Logo	Lonovo
Issue date *	2020/4/10		LEI IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: PC			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in par containing more than 25% post-consumer recycled content.	.5		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	w		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >ABS<,>ABS+PC-FR(40)<			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			\boxtimes
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations	in		
1 7.10	concentrations above 0,1%:			\boxtimes
	1. Chemical name:, CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: (See NOTE B4)			
	3. Chemical name: , CAS #: (See NOTE B4)			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:>ABS+PC-	\boxtimes		
	FR(40)<			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			\boxtimes
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 3.67%. (black) 3.67%. (White)			
	Or			
	b) The weight of recycled material is 97.7 g. (black) 97.7 g. (White)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

woder number "	FOEU, FOEV	V, F0EW			Logo	Lenovo.
Issue date *	2020/4/10	2020/4/10				
Product environn	nental attril	outes - Market re	equirements (conti	nued)		Requirement met
Item						Yes No n.a.
		nce requirements				
	•		I in the product (See N	·		
		from mercury, i.e. cify: Number of lan	less than 0,1 mg/lamp	ium mercury content per	· lamp: mg	
P8 Batteries		city. Number of lan	nps. and maxim	din mercury content per	ianip. ing	
P8.1* Battery c	hemical com	position: <i>Lithium N</i>	Manganese Dioxide			
		(See NOTE B8)				
P9.1 For the p	roduct the fo		s or energy consumpti		In 6 (0)	
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standar modes and test me	
Peak (On-max)		91.12 W	91.12W	91.12 W	Full load	
Category2						
Short Idle State - W	OL Enabled	16.1W	16.3W	17.4W		
Long Idle State - Wo	OL Enabled	5.04 W	4.7 W	4.59W		
Sleep (S3) - WOL Er	nabled	0.77 W	0.79W	0.77W		
Sleep (S3) - WOL Di	isabled	0.74 W	0.74W	0.74W	Use for ErP	
Off (S5) - WOL Enak	oled	0.4W	0.41W	0.42W		
Off (S5) - WOL Disa	bled	0.403 W	0.403 W	0.403 W	Use for ErP	
Category1						
Short Idle State - W	OL Enabled	15.5W	15.8W	17.6W		
Long Idle State - Wo	OL Enabled	4.34W	4.14W	4.84W		
Sleep (S3) - WOL Er	nabled	0.75 W	0.77W	0.75W		
Sleep (S3) - WOL Di	isabled	0.78 W	0.78W	0.78W	Use for ErP	
Off (S5) - WOL Enak	oled	0.4 W	0.42 W	0.42W		
Off (S5) - WOL Disa	bled	0.41 W	0.41W	0.41W	Use for ErP	
EPS No-load (External power supply / charger		0.126 W	0.126 W	0.157 W		
outlet but disconnected from the p	product.)	W	W	W		
Typical Energy Cons	umption					
ETEC * Annual Energy Cons	umption	2:50.18 kWh/year 1:48.11 kWh/year	2:50.57 kWh/year 1:48.84 kWh/year	2:53.39 kWh/year 1:53.97 kWh/year	$E_{TEC} = (8760/1000)$ $P_{sleep} \times 0.45 + P_{long}$ $P_{short_Idle} \times 0.30)$	
		P _{off} : Off Mode		_{leep} : Sleep Mode(S3) - WOL		
External Power Supp	ly Efficiency	Level (International	l Efficiency Marking Pro	otocol) * : VI	International Efficiency Marking Protocol Power Supplies	
Display resolution * :	2.07 megapi	xels				
Default time to enter	energy save	mode: 25 minutes				
P9.2* Informati	on about the	energy save function	on is provided with the	product.		
P9.3 Energy e	efficiency clas	s (monitors only):				

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

D40									
P10	Emissio		D. d. d. d. d. d. d. 100 0000 (0	DO					
D40.4		mission	n – Declared according to ISO 9296 (See NOTE		unimba di c				D)
P10.1	Mode		Mode description	Statistical upper limit A-v	veighted soul	nd power	level,	LWA,c (<u>B)</u>
	Idle		* HDD:Idle	* 2.8					Щ
	Operation	on	* HDD: Operating	* 3.1					
	Other m	ode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	18.5 (operator position of	desktop – idle))			
	Other m	ode	Declared A-weighted sound pressure level (dB) $L_{p{ m Am}}$	22.0 (operator position of	desktop – ope	rating)			
	Measured according to: Sign ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)								
Model nun	nher*	EOEU	F0EW, F0EW		Logo				
Issue date		2020/4	<u> </u>			Le	no	VO	TM
		2020/							<u> </u>
Product e	environi	mental	attributes - Market requirements (contin	ued)		Red	quire	ment	met
Item							Yes	No	n.a
	Electro	magneti	ic emissions						
P10.4			ay meets the requirement for low frequency elect MI,CE,FCC,VCCI,C-Tick	romagnetic fields of the fol	lowing volunt	tary			
P12			r computing products						
P12.1*			ets the ergonomic requirements of ISO 9241-307	for visual display technology	ogies.		\Box	\square	\Box
P12.2*	-	•	out device meets the requirements of ISO 9995 a	• •	J • •		H	X	+
P13			documentation						
P13.1*				ight (kg): 1.899					
			ing material type(s): Cushion weight (kg): O						
	Product	packagi	ing material type(s): Bag weight (kg): 0	.0405					
P13.2*	Product	plastic p	orimary packaging is free from PVC.				\boxtimes		
P13.3*	For proc	duct prir er recov	mary corrugated fiberboard packaging, specify ered fiber content: 80 %	the contained percentage	of minimun	n post-			
P13.4*			or user and product documentation (tick box): Paper, Other						
P13.5			mplete this item if paper documentation used)						
			ct documentation on paper media is chlorine-free):			\boxtimes		
	If Yes, please specify:								
	Totally o	hlorine-	free				\square		
	Element						Ħ		
	Process						Ħ		
P14	Volunta								
P14.1			ets the requirements of the following voluntary pr	rogram(s):					
	Coo Joh	al.	Criteria version: Da	oto. Drodust					
	Eco-labe				category: category:				
	Eco-lab				category:				
P15			rmation (See NOTE B10)						
P9	Energy	consun	nption of specific configuration may vary; dea /G6400T Memory : 16G HDD:1T SSD:512G AN		oduct config	guration:			
			makes no representations, guarantees, assuran		express or in	nnlied red	nardin	a the	
	informat knowled	ion cont ge avail I here is	ained in this document. All information provided able at the time of completion, and supplier shall approximate and provided for informational purp	by supplier in this docume I have no obligation to upd	nt is provided ate such info	d based or rmation. T	n supp The in	olier's formati	ion
P9			r Qualified Notebooks & Tablet Computers for th	e latest information:					
-			gystar.gov/index.cfm?fuseaction=find_a_product		_code=CO				
	•	,		. 10 -					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaCentre AIO 3 24"	Logo
Model Number	F0EU, F0EW, F0EW	Lenovo
Issue Date	2020/4/10	Lenovo.
Additional information		

	Product environmental attributes							
d)	year of manufacture:				2020			
e)	Etec value (kWh) per ErP Lot 3 Categorial disabled and if the system is tested with	ry and capability adjust n switchable graphics n	tments applied when a node with UMA driving	all discrete graphics of the display.	cards (dGfx) are			
f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]		16		16			
ents ting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)			
adjustm ring tes	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)			
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)			
cap; app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: (Yes / No)	#: (Yes / No)	Yes #: (Yes / No)			
	Category of discrete graphics Card(s)		G2		G2			
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		N/A		N/A			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		19.31		18.44			
(g)	Idle state power demand (Watts);	<u> </u>	I	-	B: 4.84W; D: 4.59W			
(h)	Sleep mode power demand (Watts);			ı	B: 0.78W; D: 0.74W			
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		B: 0.75W; D: 0.77W			
j)	Off mode power demand (Watts);			E	3: 0.41W; D: 0.403W			
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		B: 0.42W; D: 0.42W			
(1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Avera	age					
(m)	External power supply efficiency (if appli	icable)*:						
	Average active efficiency: 90w 88.26%	120w 89.8%						
	*internal note: show values for all available external p							
(o)	Minimum number of loading cycles that		tand (applies only to n	notebook computers):	NA			
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency	:			
(p-2)	Measurement methodology used to dete				cy:			

(p-3)	Measurement metho	dolog	y used to determine information menti NA	oned in p	points (o) – loading cycles batteries:			
(p-4)	power as defined in F	oint	y used to determine information menti P9.1 in the Product IT Eco Declaration 13-Desktop and notebook computer	1:				
(q)			ieving a stable condition with respect to on user manual/Power on->Wait 5 n					
(r)			and/or off mode was selected or progranuser manual/Begin menu -> Power		et sleep or off mode			
(s)	Sequence of events off mode:	requi	red to reach the mode where the equip	ment au	tomatically changes to sleep and/or			
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan							
(t)			ndition before the computer automa	-	•	25 minutes		
(u)	Length of time after	a pe	exceed the applicable power demand re priod of user inactivity in which the control of the contr	compute	r automatically reaches a power			
(v)			e display sleep mode is set to activa			10 minutes		
(w)	Information on the energy-saving potential of power management functionality: NA							
(x)	User information on I	now t	o enable the power management function		-1			
	Set the power	· pla	Based on user manual-Set the	e power	pian			
		com	pliant computers, the following power p	olan takes	s effect when your computers have			
	Table 1. Default power	r plan	(when plugged into ac power)					
	Turn off the display	/: Afte	r 10 minutes					
	Put the computer to							
	To awaken the comp	outer	from Sleep mode, press any key on you	ır keyboa	rd.			
	To reset the power p	lan to	achieve the best balance between per	formance	e and power saving:			
			and view by large icons or small icons.	ar nlan of	Vour preference			
(z)	Test parameters for i	neas	urements: — test voltage in V and free em, — information and documentation	uency in	Hz, — total harmonic distortion of			
	used for electrical tes	sting:		_				
	Instrument		230 Volts AC, 50 H Range Used	Z		•		
	Type		Or ***		Make and Model **			
	AC Power Source	e	230V;50Hz		EXTECH;6810;SN:1450172			
	Power Meter		0~200V;0~20A	YOK	COGAWA;WT210;SN:91H427511			
	Hygrothermograp	,h	004 50% 004 000/					
	Light Measuring		-20 to 50°C;20 to 90% 1°; 0.01 to 999,900 cd/m2		SEKONIC;ST-50 Konica Minolta;LS-150			
	Light Measuring)	1 , 0.01 to 999,900 cd/m2		Konica Minoita,LS-150			
Additiona	I Notebook Batter							
		Bat	tery[ies] <u>not</u> user replaceable		Battery[ies] user replaceable	n/a		
			battery[ies] in this product cannot b aced by users themselves. 1)	e easily				
Internal/bu	uilt-in Battery							
External/d	etachable Battery							
Bios Back	up Battery			_				
Other:								
Additional	information					1		

The battery[ies] in this product cannot be easily replaced by users themselves

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.