



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo IdeaPad 1 14
Model number *	81VS, 82GW
Issue date *	2020/8/4
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	81VS, 82GW	Logo	Long		
Issue dat	:e *	2020/8/4		Lend) _{TM}
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlethane, methyl bromide (see legal reference). Comment: Legal reference has no material values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl vl (PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms in the	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0, al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	5 μg/cm²/week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail oww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	ontact):	\boxtimes		
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	ne disposal			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See lega	l 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see legal ration of Conformity can be requested at: https://www.lenovo.com/us/en/complian		\boxtimes		
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
		d information is;	co-declaration			
P5	Product	packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	, cadmium an	d 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the material(s	s) 🔀		
P5.3*	The prod (see lega	Juct packaging material is free from ozone depleting substances as specified in the M al reference). ht: Legal reference has no maximum concentration values.	ontreal Protoco	ol 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference)		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81VS, 82GW	Logo	Lanava
Issue date *	2020/8/4		LEI IOVO

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: PC+ABS Material type: PC+ABS Material type: PC+ABS			
P7.12	Insulation materials of external electrical cables are PVC free.		<u> </u>	
P7.13	Insulation materials of internal electrical cables are PVC free.		Щ.	Щ.
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		\boxtimes	
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	\boxtimes		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #: 79-94-7	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			\boxtimes
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	,			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)		Щ.	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\boxtimes
	assigned the following Risk phrases; and Hazard statements:			
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6): If YES; at least one of the two alternatives below shall be answered;	\bowtie		
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 1.1% .			
	or			
	b) The weight of recycled material is 5.5 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81VS, 82GW	Logo	Lanava
Issue date *	2020/8/4		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

		stance requirements				
P7.21*	•		d in the product (See No	,		
P7.22*		free from mercury, i.ed specify: Number of la	less than 0,1 mg/lamp. mps: and maxim	um mercury content pe	er lamp: mg	
P8	Batteries			, , , , , , , , , , , , , , , , , , , ,	<u> </u>	
P8.1*	Battery chemical	composition: Lithium	Ion/Lithium Manganes	e Dioxide		
P9	Energy consum	ption (See NOTE B8)				
P9.1	For the product the	ne following power leve	els or energy consumption	ons are reported:		
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-	max)	45 W	45 W	45 W	Full load	
Categor	<u>y 1</u>					
Short Idle Enabled	State - WOL	4.76 W	4.80 W	4.90 W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle Enabled	State - WOL	3.21 W	3.23 W	3.82W	Use for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3)	- WOL Enabled	0.26 W	0.28 W	0.34W	Use for ENERGY STAR V6 registration(P _{sleep})	
Off (S5) - I	WOL Enabled	0.26 W	0.28 W	0.34W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - I	WOL Disabled	0.26 W	0.28 W	0.34 W	Use for ErP	
EPS No-loa (External power s	supply / charger plugged in the	0.08 W	0.09 W	0.08 W		
PTEC *	connected from the product.) ergy Consumption	1.61W	1.64W	1.72W		
TEC * Typical En	ergy Consumption	0.27kWh/week	0.276 kWh/week	0.289 kWh/week		
ETEC * Annual En	ergy Consumption	16.72 kWh/year	16.89kWh/year	17.98 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)	
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enable	ed; P _{idle} : Idle State - WOL Enabled	1
External Po	ower Supply Efficie	ency Level (Internationa	al Efficiency Marking Pro	otocol) * : VI		
Display res	solution * : 2.07 me	gapixels				$\overline{\Box}$
Default time	e to enter energy s	ave mode: 20 minutes				Ħ
P9.2*			ion is provided with the	product.		\dashv
P9.3		class (monitors only):		F		X
P10	Emissions	oldoo (mormoro omy).				
. 10	Noise emission	- Declared according t	to ISO 9296 (See NOTE	B9)		
P10.1		Mode description	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		it A-weighted sound power level, L _{WA.c} ((B)
	Idle	* Idle mode		* 2.7	F	\Box
	Operation	* Operating (CPU)		* 2.7		一
	Other mode		nd pressure level (dB) $L_{p{ m Am}}$		on desktop – idle)	
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{p{\sf Am}}$	18 (operator position	on desktop – operating)	
			•	ro (operator positio	лі чеэктор – орегаціїў)	
	Measured accord	ling to: ISO 7779	ECMA-74	ECMA_74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	ımber *	81VS, 82GW				L	ogo	Leno	V/0	
Issue dat	e *	2020/8/4						Leilo	VU,	*
Product	environn	mental attributes	- Market requiren	nents (cor	ntinued)			Require	ment	met
Item								Yes	No	n.a.
	Electron	nagnetic emission	s							
P10.4			requirement for low	frequency e	lectromagnetic field	ls of the follow	ing voluntary	\boxtimes		
		(s): MPR-II(3 pin A	• • • • • • • • • • • • • • • • • • • •							
P12		mics for computing		(100,0044	007 ('				_	
P12.1*			nomic requirements o				S		<u>Ц</u>	Щ.
P12.2*		·	eets the requirements	s of ISO 999	95 and ISO 9241-41	10.		\boxtimes	Ш	
P13		ng and documenta								
P13.1*		packaging material		weight (kg						
		packaging material i packaging material i		weight (kg						
P13.2*			taging is free from PV	0 1	j). 0.0003					
P13.3*			ated fiberboard pack		rify the contained	nercentage of	minimum nos			+
1 10.0		er recovered fiber co		taging, spec	ony the contained	percentage of	minimum pos	J		Ш
P13.4*	Specify r	media for user and p	product documentation	n (tick box):						\Box
			Other							
P13.5	(Please	only complete this it	em if paper documer	ntation used)					
			ation on paper media	is chlorine-	free:					
	If Yes, p	lease specify:								
	Totally c	hlorine-free								
	Element	al chlorine-free								
	Processo	ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The prod	duct meets the requi	rements of the follow	ing voluntar	ry program(s):					
	ENEDO	Y STAR®	Criteria version: V8	•	Date: 2020/8/4	Product cat	000n# 1			
		el: EPEAT	Criteria version: 1.0		Date: 2020/8/4	Product cat				
		el: PCGL	Criteria version:		Date: 2020/8/4	Product cat				
	Eco-labe		Criteria version:		Date:	Product cat				
P15	Addition	nal information (Se	e NOTE B10)							
P9			ecific configuration							
			epresentations, guara							
			document. All inform							
			ime of completion, ar e and provided for inf							on
	informati		c and provided for itil	ionnational	purposes orny. See	a Lenovo Acc	ount ixepiesei	itative ioi ii	IOIE	
P9			lotebooks & Tablet C	omputers fo	r the latest informa	tion:				
			dex cfm2fuseaction=				de=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo IdeaPad 1 14AST05/14ADA05	Logo		
Model Number	81VS, 82GW		Longvo	
Issue Date	2020/8/4		Lenovo.	
Additional information				

d)	year of manufacture:				2019
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	27.0	()		, , , , , , , , , , , , , , , , , , , ,
ents ting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	31.8			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	N/A			
g)	Idle state power demand (Watts);				3.82
1)	Sleep mode power demand (Watts);				0.34
)	Sleep mode with WOL enabled power do	emand (Watts) (where	enabled);		0.34
)	Off mode power demand (Watts);				0.34
κ)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.34
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
,	10% N/A 20% N/A 50% N/A 100%			,	
m)	external power supply efficiency (if appli	cable)*:			
	Average active efficiency: 45W: 88.48%	%,87.89%,88.12%,89.7	3%		
	*internal note: show values for all available external pr				
o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300 cycles
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) - in	nternal PSU efficiency	:
p-2)	Measurement methodology used to dete	armine information mer	ationed in points (m)	evternal PSII efficienc	ov.

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 61960 measurement methodology		
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodology			
(q)	q) Sequence of steps for achieving a stable condition with respect to power demand: EN 62623:2013 measurement methodology			
(r)	Description of how sleep and/or off mode was selected or programmed: **Based on user manual**			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: **Based on user manual** **Based			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30 mins
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			180 mins
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):		10 mins	
(w)	Information on the er	nergy-saving potential of power management functio Based on user manual	nality:	
(x) user information on how to enable the power management functionality: **Based on user manual** **Based on user manua				
(z)	•	neasurements: — test voltage in V and frequency in tem, — information and documentation on the instru	,	
		230V, 50GHz, Total Harmonic Distortion	1 <2 %	
Additio	onal Notebook Batter	y Information:		
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Addition	nal information			
)				
<i>)</i> he hattervlir	est in this product cannot be e	asily replaced by users themselves		

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami užívatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.