



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs	ODOVO			
e-mail address	Alvin L Carter	Lenovo			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	IdeaPad 3 14ITL05				
Model number *	81X7				
Issue date *	2020-12-10				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		81X7	Logo	Lone	200		
Issue da	te *	2020-12-10		Lend	אכ)_	
Produc	t environ	mental attributes - Legal requirements		Require	ment	met	
Item				Yes	No	n.a.	
P1		us substances and preparations		•			
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)				
P1.2*		Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.					
P1.4*	Products	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	lorinated				
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀			
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/we	ek 🔀			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):				
P2	Batterie	5					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal				
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See leg	ıal 🔀			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes			
P3	Conforn	nity verification & Eco design (ErP)					
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see legal aration of Conformity can be requested at: https://www.lenovo.com/us/en/complian		. 🔀			
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes			
	Required	I information is; Silven in item P15 or added to this document,		\boxtimes			
		available at: https://www.lenovo.com/us/en/compliance/e	co-declaratior	1			
P5	Product	packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	•				
P5.2*		raging materials are marked with abbreviations and numbers indicating the nature elegal reference).	of the materia	l(s)			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6	Treatme	nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Wiodei iid	IIIIDEI	UIAI	Logo	Len	OVO	
Issue dat	te *	2020-12-10		Leil		6
Product	- Enviro	mental attributes - Market requirements (See General NOTE GN l Inmental conscious design	below)	Require	ment r	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		t have to be treated separately are easily separable			Ц_	Щ
P7.2*		aterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.		\boxtimes		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradin	g can be done using commonly available tools		\boxtimes		
P7.9	Spare pa	rts are available after end of production for: 5 years				
P7.10	Service is	s available after end of production for: 5 years				
		and substance requirements		,		
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: AI				
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulation	n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine ir n 25% post-consumer recycled content.	retardants, an	d 🔼		
P7.15	as define	ircuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌		
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co				
	TBBF 26265-08	PA (additive), TBBPA (reactive) (See NOTE B3) , Other: <i>Brominated Epoxy</i> 3-7	Resins , CAS ‡	# :		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentra 1. Chemi	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: cal name: CAS #: cal name: CAS #:	s/preparations i	in		
	Chemica FR(40)	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been	\boxtimes		
	The sour	the following Risk phrases; and Hazard statements: ce(s) for these classifications is/are found at (add URL(s)): https://www.msds-red				
D7 00*		-s-phrases/, https://www.msds-europe.com/h-statements/, (See note	R2)			
P7.20*	If YES; a a) Of t	sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 0%.	t (calculated as			

1000

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

b) The weight of recycled material is

Model number * 04V7

Model number * Issue date *	81X7 2020-12-10	Logo	Lenovo
Product environr	nental attributes - Market requirements (continued)		Requirement met

D7 04*		stance requirements		NOTE D7\.						
P7.21*	·	Biobased plastic material content is used in the product (See NOTE B7):								
		one of the two alternatives below shall be answered;								
		Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0 %.								
	or	y weight/15 0 /	•							
			oiobased plastic material is g.							
P7.22*			. less than 0,1 mg/lam							
Do		specify: Number of la	mps: and maxii	num mercury content p	per lamp: mg					
P8.1*	Battery chemical of	omnosition: LLION P	position: LI-ION Polymer battery and lithium-metal battery							
P9		•	Olymer battery and it	tillulli-liletai battery						
P9.1		tion (See NOTE B8)	els or energy consump	tions are reported:						
Energy m		Power level at	Power level at	Power level at	Reference/Standard for energy	\square				
		100 V AC	115 V AC	230 V AC	modes and test method *					
Peak (On	n-max)	65 W	65 W	65 W	Full load					
Catego	<u>ry 1</u>									
Short Idl	e State - WOL	6.59 W	6.67 W	6.83 W						
Enabled										
I ona Idla	State - WOL	3.70 W	3.73 W	3.81 W						
Enabled	otate - WOL	0.70 11	0.70 **	0.07 **						
Sleep (S	3) - WOL Enabled	0.62 W	0.65 W	0.70 W						
Off (S5) -	WOL Enabled	0.33 W	0.33 W	0.33 W						
Off (S5) -	WOL Disabled	0.33 W	0.33 W	0.33 W	Use for ErP					
PTEC *		W	W	W	_	\boxtimes				
Typical E	nergy Consumption									
ETEC *		22.81 kWh/year	22.9 kWh/year	23.69 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$					
	nergy Consumption	ZZ.OTKVVII/year	ZZ.O KVVIII you	20.00 KWIII/yeai	$+ P_{sleep} \times 0.35 + P_{long_Idle} \times 0.10 +$	Ш				
					P _{short_Idle} x 0.30)					
Catego	<u>ry 2</u>									
Short Idle	e State - WOL	6.87 W	6.92 W	7.10 W						
Enabled										
Lona Idle	State - WOL	3.85 W	3.89 W	4.10 W						
Enabled										
Sleep (S	3) - WOL Enabled	0.7 W	0.71 W	0.75 W						
Off (S5) -	WOL Enabled	0.34 W	0.34 W	0.34 W						
Off (SE)	WOL Disabled	0.34 W	0.34 W	0.34 W	Use for Ern					
					Use for Erp					
EPS No-l		0.113 W	0.114 W	0.116 W						
wall outlet but o	er supply / charger plugged in the disconnected from the product.)									
PTEC *		W	W	W		\boxtimes				
	nergy Consumption	24 661/1/15/5/5	22 40 1/1/1/2 2 2 2	22 77 1/\/\/\/\/\/	E = (9760/4000) = (D = 0.05					
ETEC * Annual Fi	nergy Consumption	21.66 kWh/year	22.10 kWh/year	22.77 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long Idle} \times 0.10 +$	Ш				
, unidai Li	norgy Consumption				P _{short_Idle} x 0.30)					
		Poff: Off Mode(\$5) - W	OL Enabled; Psleep: Slee	ep Mode(S3) - WOL Enab	led; P _{idle} : Idle State - WOL Enabled					

No

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

External Po	ower Supply Effic	ciency Level (Intern	ational Efficiency N	Marking Proto	col) * : VI				
Display res	olution * :2.07 m	negapixels	`		<u> </u>				
Default time	e to enter energy	save mode: 10 mi	nutes						
P9.2*	Information abo	out the energy save	function is provide	d with the pro	oduct.		\square		
P9.3	Energy efficiency class (monitors only):								
P10	Emissions								
	Noise emissio	n – Declared accor	ding to ISO 9296 (See NOTE B	9)				
P10.1	Mode	Mode description				limit A-weighted sound po	ower level,	$L_{W_{A,c}}$ (E	3)
	Idle	* Idle (Operatin	*		* 2.8				
	Operation	* HDD:Operation CPU:Operation			* 2.8 4.4				
	Other mode								
	Other mode	Declared A-weighte	d sound pressure lev	el (dB) L _p Am	34.2 (operator p	osition desktop – operating	g)		
	Measured acco	ording to: X ISO 7		covered by E	CMA-74)				
Product	environmenta	l attributes - Ma	rket requiremen	its (continu	ıed)		Require	ment	met
Item			•	•	•		Yes	No	n.a.
	Electromagne								
P10.4		lay meets the requi PR-II(3 pin AC ada		uency electro	omagnetic fields o	f the following voluntary			
P12		or computing prod							
P12.1*		ets the ergonomic				echnologies.	\boxtimes		
P12.2*	The physical in	put device meets the	ne requirements of	ISO 9995 an	d ISO 9241-410.				
P13		d documentation							
P13.1*	Product package	ging material type(s ging material type(s ging material type(s ging material type(s): paper(manual)): corner paper w		ht (kg): 0.045 038				
P13.2*	Product plastic	primary packaging	is free from PVC.				\boxtimes		
P13.3*	consumer reco	vered fiber content:	100 %		he contained per	centage of minimum po	st-		
P13.4*		for user and produc Paper ⊠, Other	t documentation (t	ick box):					
P13.5	(Please only co	omplete this item if uct documentation of							
	Totally chlorine Elemental chlorine								
	Processed chlo								
P14	Voluntary prog								
P14.1		eets the requiremen	nts of the following	voluntary pro	gram(s):				
			g		J(- /·				
	ENERGY STAF		eria version:	Dat		Product category:			
	Eco-label: Eco-label:		eria version: eria version:	Dat Dat		Product category: Product category:			
P15		ormation (See NO		Dat	.c. 1	Toduct category.			
P9				ay vary; des	cription of the te	sted product configura	tion:		
	NOTE: Supplie information con knowledge ava	r makes no representained in this docur ilable at the time of	entations, guarante ment. All informatio completion, and s	es, assuranc on provided b upplier shall l	es or warranties v y supplier in this on nave no obligation	whether express or implie document is provided bas n to update such informat Lenovo Account Represe	ed, regardin sed on supp tion. The int	olier's formati	on
P9	See Energy Sta	ar Qualified Notebo ls.enerhttps://www.							_
				· <u> </u>					_

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 3 14ITL05	Logo
Model number *	81X7	Longvo
Issue date *	2020-12-10	Lenovo.
Additional information		

d)	Year of manufacture:				2020
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categorenable	y and capability adjust	ments applied when a	III discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	12			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	14.66			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);				A: 4.1
1)	Sleep mode power demand (Watts);				A: 0.75
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A: 0.75
)	Off mode power demand (Watts);				A: 0.34
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A: 0.34
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
-	10% 20% 50%	100% Avera	ige	,	
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89.03% 89.7	0% 90.88%			
	*internal note: show values for all available external p				
o)	Minimum number of loading cycles that the	the batteries can withs	tand (applies only to n	otebook computers):	300 CYCLE
p-1)	Measurement methodology used to dete	rmine information men	tioned in points (I) – in	nternal PSU efficiency:	
o-2)	Measurement methodology used to dete	rmine information men	itioned in points (m) –	external PSI Lefficienc	cv.

(p-3)	EN 50563:2011 measurement methodology					
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodology					
(d)	Sequence of steps for	or achieving a stable condition with respect to power EN 62623:2013 measurement methodo	demand: plogy			
(r)	Description of how sl	eep and/or off mode was selected or programmed: EN 62623:2013 measurement methodo	ology			
(s)	off mode:	required to reach the mode where the equipment au	eaches sleep mode			
(t)		te condition before the computer automatically re not exceed the applicable power demand requirement		30		
(u)		r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA		
(v)		re the display sleep mode is set to activate after		10		
(w)		nergy-saving potential of power management functio refer to user manual				
(x)	User information on l	now to enable the power management functionality: refer to user manual				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V, 50GHz, Total Harmonic Distortion	strumentation, set-up and circuits			
Addition	nal Notebook Batter	y Information:				
		Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily	Battery[ies] user replaceable	n/a		
		replaced by users themselves. 1)				
Internal/I	built-in Battery					
External	detachable Battery					
Bios Backup Battery						
Other:	Other:					
Additiona	al information					

The battery[ies] in this product cannot be easily replaced by users themselves.
 Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistax/jistghux tiģi/jiģu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.