



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs	Lenovo			
e-mail address	Alvin L Carter	LEHOVO			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	Type of product * Notebook					
Commercial name *	IdeaPad 4G LTE 14					
Model number *	82KE					
Issue date *	2020/10/21					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	82KE	Logo	Lanava	
Issue date *	Error! Reference source not found.		Leliovo	тм

Product	roduct environmental attributes - Legal requirements					
Item	<u> </u>	Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTEB1)	\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes				
	Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-					
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum					
D4 4*	concentration values.	<u> </u>	_			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes				
D4.5*	terphenyl (PCT)in preparations (see legal reference).		_			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the		Ш			
D4 C*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5μg/cm²/week	\boxtimes	Ш	Ш		
	(see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):		$\overline{}$			
F 1.7	https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\bowtie	Ш	Ш		
DO	•					
P2	Batteries		_			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes	Ш			
P2.2*	symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	<u> </u>	$\overline{}$			
P2.2	reference)		Ш	Ш		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes				
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\square				
	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc					
P3.2*	The product complies with the Eco design requirements for energy-related products,	\boxtimes				
	(see legal reference).	_	_	_		
	Required information is;given in item P15 or added to this document,	\boxtimes				
	available at: https://www.lenovo.com/us/en/compliance/eco-declaration					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	d 🔀	П			
	hexavalent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	s) <u> </u>				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀				
1 3.3	Protocol (see legal reference).	" 🔼	Ш	ш		
	Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	82KE	Logo	Lopovo
Issue date *	Error! Reference source not found.		Lei Iovo.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		Щ	
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: Aluminum Material type: PC+ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in part			
	containing more than 25% post-consumer recycled content.	•		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen	n 🔀		
	as defined in IEC 61249-2-21. (See 1NOTEB2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >PC+ABS-TD15FR(40)<			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA(reactive)(See NOTEB3), Other: DOPO, CAS #: 35948-25-5	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components)> 25 g			
	according ISO 1043-4:			\boxtimes
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	1		
	concentrations above 0,1%:			
	1. Chemical name: Confidential, CAS #: Confidential (See NOTE B4)		_	_
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\square
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
1 7.13	assigned the following Risk phrases; and Hazard statements:			ш
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
0			ш	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g,the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 1.1%.			
	or			
	b) The weight of recycled material is 3.5 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	82KE				Logo	Lend		
		2020/10/	21				Len	JVC	ТМ
Product e	environn	nental at	tributes - Market re	equirements (contin	ued)		Require	emen	t met
Item					•		Yes	No	n.a.
			stance requirements						
P7.21*	Biobaseo	d plastic m	naterial content is used	I in the product (See NC	OTE B7):			\boxtimes	
				s below shall be answe					
					naterial content (calculat	ted as a percent	age		
	of to	otal plastic	by weight) is %						
		weight of	the biobased plastic r	naterial is g.					
P7.22				less than 0,1 mg/lamp.					
			specify: Number of lan	nps: and maximu	ım mercury content per la	amp: mg			
P8	Batteries								
P8.1*			omposition: Li-polyme	<u>er </u>					
P9		Energy consumption (See NOTE B8) For the product the following power levels or energy consumptions are reported:							
Energy mo		TOUUCI IIIE	Power level at	Power level at		Reference/Stand	ard for en	erav	
			100 V AC	115V AC		modes and test r		0.9)	
Peak (On-I	max)		45 W	45 W	45 W	Full load			
Categor	· · · · · ·								
Oatcyon	<u>y</u>								
Short Idle	State - W	OL	2.55 W	2.58 W		Use for ENERG			
Enabled					1	registration (P _{id}	le)		
Long Idle	State - Wo	OL	0.84 W	0.84 W		Use for ENERG			
Enabled					1	registration (P _{id}	le)		
Sleep (S3)	WOL E	aablad	0.50 W	0.52 W	0.53 W	Use for ENERG	V STAD 1/9		
Sieep (33)	- WOL EI	labieu	0.30 VV	0.32 VV		registration	I STAR VO		
01: (00)	WOL D		0.5014/	0.50\\\			V 0745 1/0		
Sleep (S3)	- WOL DI	sabled	0.50 W	0.52 W		Use for ENERG` registration	Y STAR V8		
Off (S5) - V	NOL Enak	oled	0.22 W	0.24 W		Use for ENERG` registration Us			
						registration os	e ioi Eir		
EPS No-loa			0.028 W	0.028 W	0.054 W				
(External power s wall outlet but dis	connected from	plugged in the the product.)							
PTEC *			W	W	W				\boxtimes
Typical Ene	ergy Cons	umption	9.45kWh/year	9.64kWh/year	9.91kWh/year	E _{TEC} = (8760/100	10) v /D v 0	25	
Annual Ene	ergy Cons	umption	3.43KVVII/yeai	9.04KVVII/yeai		+ <i>P_{sleep} x 0.35</i> + <i>l</i>			
	0,	·				P _{short Idle} x 0.30)			
					Mode(S3) - WOL Enabled;	P _{idle} : Idle State - V	NOL Enabled		
		•	,	Efficiency Marking Pro	tocol)* :V/				
			30megapixels						
			ve mode: 25 minutes						
P9.2*				on is provided with the p	product.		\boxtimes		
P9.3	Energy e	fficiency o	class (monitors only):						
P10	Emissio								
D10 1				ISO 9296 (See NOTE		woighted course	l nower level	1	'D\
P10.1	Mode Idle		lode description		Statistical upper limit A	-weignted sound	i power ievel	⊢ WA,c	(م)
	Operatio		CPU Operating		*2.7				
	Other mo			d pressure level (dB) $L_{p{ m Am}}$	17.3(operator position of	dockton idle)			
		, L	and Annal Annal State State	L _{pAm}					
	Other mo			d pressure level (dB) $L_{p{\sf Am}}$	17.4(operator position of	desktop – operatir	ng)		
	Measure	d accordir	ng to: 🔀 ISO 7779 🗌	ECMA-74					
			Other (onl	y if not covered by ECM	IA-74)				

NOTE B8 A Guidance document on Energy Efficiency is available; seehttp://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nui	mber *	82KE			Logo	Long	V/0	
Issue date	*	2020/10/21				Leno	VO.	гм
Product	environr	nental attributes	- Market requirements (continued)		Require	ment	met
Item						Yes	No	n.a.
	Electron	nagnetic emission	s					
P10.4	program	(s):	requirement for low frequenc	y electromagnetic fields	s of the following voluntary	′		
P12 硬件	Ergonor	nics for computing	g products					
P12.1*	The disp	lay meets the ergor	nomic requirements of ISO 92	41-307 for visual displa	y technologies.		\boxtimes	
P12.2*	The phys	sical input device m	eets the requirements of ISO	9995 and ISO 9241-41	0.		\boxtimes	
P13 包材	Packagi	ng and documenta	ation					
P13.1*	Product packaging material type(s): Carton board weight (kg): 0.947 Product packaging material type(s): Plastic weight (kg): 0.108							
P13.2*	Product plastic primary packaging is free from PVC.				\boxtimes			
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 %							
P13.4*	Specify media for user and product documentation (tick box): Electronic, Paper, Other							
P13.5	Ùser and		tem if paper documentation us ation on paper media is chlori					
	Element	hlorine-free al chlorine-free ed chlorine-free						
P14		ry programs						
P14.1		<i>,</i> , , , , , , , , , , , , , , , , , ,	irements of the following volu	ntary program(s):				
	Eco-labe	el:	Criteria version: <i>V8.0</i> Criteria version: Criteria version:	Date: 2020/10/21 Date: Date:	Product category: 2 Product category: Product category:			
P15		nal information (Se	,					
P9			pecific configuration may va					
	informati knowled	on contained in this ge available at the t here is approximat	epresentations, guarantees, a document. All information pro- ime of completion, and suppli e and provided for information	ovided by supplier in thi er shall have no obligat	s document is provided ba ion to update such informa	ased on suppation. The inf	olier's formati	ion
P9			lotebooks & Tablet Computer gystar.gov/index.cfm?fuseacti		wProductGroup&pgw_coc	le=CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 4G 14Q8C05	Logo	
Model Number	82KE		Lenovo
Issue Date	2020/10/21		reliovo"
Additional information			

27.1.1 d)	Product environmental attributes D Year of manufacture:					
1)	real of manufacture.				2020	
)	Etec value (kWh) perErP Lot 3 Categor disabled and if the system is tested with	switchable graphics m	node with UMA driving	the display.	, ,	
	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjus	iments applied when a	an discrete graphics	cards (dGrx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	8				
ents	Additional internal storage	NO (Yes / No)	NO (Yes / No)	NO (Yes / No)	NO (Yes / No)	
adjustm ring tes	Discrete television tuner	NO (Yes / No)	NO (Yes / No)	NO (Yes / No)	NO (Yes / No)	
capability adjustments applied during testing	Discrete Audio Card	NO (Yes / No)	NO (Yes / No)	NO (Yes / No)	NO (Yes / No)	
cap	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)				
sults	Category of discrete graphics Card(s)					
	Etec Value (kWh) - dGfxdisabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	8.5				
Test results	Etec Value (kWh) - dGfxenabled all discrete graphics cards (dGfx) are enabled	8.5				
g)	Idle state power demand (Watts);	1	1	1	2.58	
1)	Sleep mode power demand (Watts);				0.52	
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.52	
)	Off mode power demand (Watts);				0.24	
()	Off mode with WOL enabled power dem	and (Watts) (where er	nabled);		0.24	
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	age			
1)	External power supply efficiency (if appli	icable)*:				
	Average active efficiency: 87.49%,81.4	4%,89.44%,89.42%				
))	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300					
o-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – i	nternal PSU efficiency	:	

(p-2)	-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin						
(p-4)	Measurement metho power as defined in F	dology used to determine information mentioned in n Point P9.1 in the Product IT Eco Declaration: IEC 62623	naximum, idle, sleep, off mode				
(q)	Sequence of steps for	or achieving a stable condition with respect to power Begin menu -> Power -> Select sleep or o					
(r)	Description of how sl	eep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or o	ff mode				
(s)	Sequence of events off mode:	required to reach the mode where the equipment aut Energy-star requirement	tomatically changes to sleep and/or				
(t)		te condition before the computer automatically rendered the applicable power demand requirements		10 min			
(u)		a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA			
(v)	Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	10 min			
(w)	Information on the er	nergy-saving potential of power management function Refer to User Guide	nality:				
(x)	User information on h	now to enable the power management functionality: **Refer to User Guide**					
(z)	the electricity supply used for electrical tes	measurements: — test voltage in V and frequency in system, — information and documentation on the insting: rogram Requirements for Single Voltage External Eligibility Criteria (Version 2.0)	strumentation, set-up and circuits				
Additiona	al Notebook Batter	y Information:					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/b	uilt-in Battery						
External/o	detachable Battery						
	cup Battery						
Other:	Other:						
Additional	I information						
1) The battery[ies) The battery[ies] in this product cannot be easily replaced by users themselves.						

Акумулаторната[ите] батерия[и] в тозипродуктнеможедасезамени[ят] лесноотсамитепотребители.

Las baterías de esteproducto no puedensersustituidasfácilmentepor los propiosusuarios. Výměnubaterie/baterií v tomtovýrobku by neměliprovádětsamiuživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Ημπαταρία[-ες] στοπροϊόναυτόδενμπορούννααντικατασταθούνεύκολααπότουςίδιουςτουςχρήστες La/les batterie(s présente(s) dansceproduit ne peuventêtrefacilementremplacée(s) par les utilisateurseux-mêmes. Korisnik ne moželakozamijenitiBaterijusam u ovomproizvodu.

Konsnik ne mozelakozamijeniubaterijusam u ovomproizvodu.
La batteria/le batterie in questoprodotto non può/possonoesserefacilmentesostituita/e dall'utente.
Lietotäjipašinevarnomainītšāražojumaakumulatoru(-us).
Šiogaminiobaterijos [baterijų] pats vartotojasnegalilengvaipakeisti.
A termékakkumulátorát/akkumulátorait a felhasználónemtudjaegyedülegyszerűenkicserélni.
Il-batterija/batterijif danil-prodott ma tistax/jistgħuxtiġi/jiġusostitwita/i mill-utentistess.
Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selvi.
De hatterij(o) in dit paduet is (zijn) dose dephyliker piet genekkelik vangapabas.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie. Aou as bateriasdesteprodutonãopodemserfacilmentesubstituídaspelosprópriosutilizadores.

Bateria (bateriile) din acestprodus nu poate (pot) fi uşorînlocuită (înlocuite) de utilizatoriiînşişi. Batériu(-ie) v tomtovýrobkunemôževymieňaťpoužívateľ. Baterij/baterije v temizdelkuuporabnikisami ne morejozlahkazamenjati.

Tämäntuotteenakku [akut] ei[vät] ole helpostikäyttäjänvaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.