



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs	ODOVO		
e-mail address	Alvin L Carter	Lenovo		
	alcarter@lenovo.com			
Internet site *	https://www.lenovo.com/us/en/about/sustainability			
Additional information	e latest version of this document can be found at: http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	IdeaPad 5 Pro 14ACN6, Lenovo XiaoXin Air 14+ ACN 2021			
Model number *	82L7			
Issue date *	2021/2/8			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nui	mber *	82L7	Logo	Long	2016	
Issue date) *	2021/2/8		Lend		J _{tH.}
Product	environi	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference). tt: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in t	ne 🔀		
P1.6*	Parts wit (see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). it: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	ek 🔀		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/about/sustainability					
P2	Batteries					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		uct is CE-marked to show conformance with applicable legal requirements (see legal requirements) are legal aration of Conformity can be requested at: https://www.lenovo.com/us/en/comp				
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	, ,	l information is; given in item P15 or added to this document,				
	de eleve 4	available at: https://www.lenovo.com/us/en/complian	ce/eco-			
DE	<u>declarat</u>	packaging				
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercur	v cadmium a	nd 🔀		
1 3.1	hexavale	nt chromium by weight of these together.			Ш	
P5.2*		raging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the material	(s) 🔀		
P5.3*	The prod	uct packaging material is free from ozone depleting substances as specified in the Naterial reference).	Montreal Proto	col 🔀		
DC		nt: Legal reference has no maximum concentration values.				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
		,				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	mber *	82L7 82L7	Logo	Lon	01/6			
Issue dat	e *	2021/2/8		Len		тн		
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)					
		onmental conscious design		Require		net		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
P7 P7.1*		Disassembly, recycling It have to be treated separately are easily separable		\square	_	_		
P7.2*		naterials in covers/housing have no surface coating.			X	+		
P7.3*		arts > 100 g consist of one material or of easily separable materials.				\vdash		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\overline{\mathbb{X}}$	∺	H		
P7.5		Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. abels are easily separable. (This requirement does not apply to safety/regulatory labels).						
P7.6*	•		H	Ħ				
	Product	lifetime						
P7.7*	Upgradir			\boxtimes				
P7.8*	Upgradir			\boxtimes				
P7.9	Spare pa	arts are available after end of production for: 5 years						
P7.10	Service i	s available after end of production for: 5 years						
		and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):	.1.6	- 50000				
	Materiai		al type: Covestr al type: Covestr					
			al type: Covestr					
			al type: KU400G					
P7.12		n materials of external electrical cables are PVC free.			<u>Ц</u>	Щ_		
P7.13		n materials of internal electrical cables are PVC free.			Ц_	Щ_		
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame						
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in						
	more tha	n 25% post-consumer recycled content.	•					
P7.15		circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🛚				
P7.16	Flame re Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:						
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co						
		PA (additive), TBBPA (reactive) (See NOTE B3), Other: Bisphenol A, epich	lorohydrin,	\boxtimes				
		mobisphenol A polymer, CAS #: 26265-08-7						
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>			Ш			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%:	s/preparations i	n _				
		ical name: , CAS #: (See NOTE B4)			Ш	Ш		
		ical name: , CAS #: "						
	3. Chem	ical name: , CAS #: "						
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: >PC+ABS -					
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been					
	-	I the following Risk phrases; and Hazard statements:						
D7.00*			ee note B5)					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):			Ш	Ш		
	a) Of t	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 3.8%.	t (calculated as					
	b) The	weight of recycled material is 9.85 g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

	MO
Issue date * 2021/2/8	VO _m

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and subs	stance requirements	(continued)			
P7.21*	Biobased plastic m	naterial content is used	in the product (See NO	OTE B7):		
	,	c parts' weight > 25 g,	s below shall be answe the biobased plastic ma	,	ted as a percentage of	
	or b) The weight of	the biobased plastic n	naterial is g.			
P7.22*	Light sources are t	ree from mercury, i.e.	less than 0,1 mg/lamp.			
		specify: Number of lan	nps: and maximu	um mercury content pe	r lamp: mg	
P8	Batteries		<u>.</u>			
P8.1*	•	omposition: Lithium-io	on polymer			
P9		tion (See NOTE B8)		1.1		
P9.1			s or energy consumption		D-f	
Energy mod		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-r	nax)	65 W	65 W	65 W	Full load	
Category	<u>/2</u>					
Short Idle : Enabled	State - WOL	4.64 W	4.42 W	4.55 W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Long Idle State - WOL Enabled / Disabled		1.27 W	1.07 W	1.19 W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Sleep (S3) - WOL Enabled		1.27 W	1.07 W	1.19 W	Use for ENERGY STAR V8.0 registration (P _{sleep})	
Off (S5) - WOL Enabled / Disabled		0.26 W	0.26 W	0.29 W	Use for ENERGY STAR V8.0 registration, ErP (P _{off})	
EPS No-loa (External power si	ad upply / charger plugged in the connected from the product.)	0.024 W	0.029 W	0.078 W		
PTEC *	ormoded nom the product,	W	W	W		X
	ergy Consumption					
ETEC * Annual Energy Consumption		17.77 kWh/year	16.40 kWh/year	17.28 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{short idle} \times 0.30)$	
					d; Pidle: Idle State - WOL Enabled	
External Po	wer Supply Efficien	cy Level (International	Efficiency Marking Pro	tocol) * : VI		
Display res	olution * : 2240*14 0	00 megapixels				
Default time	e to enter energy sa	ve mode: 10 minutes				
P9.2*	Information about	the energy save function	on is provided with the	product.	<u>'</u> П	
P9.3	Energy efficiency	class (monitors only):	·			Ī
P10	Emissions	, , ,				
		Declared according to	ISO 9296 (See NOTE	B9)		
P10.1	Mode N	Node description		Statistical upper limit	t A-weighted sound power level, $L_{WA,c}$	(B)
	Idle *	Idle		* 2.7		
		CPU Operationg		* 3.7		
			d pressure level (dB) $L_{p{\sf Am}}$	19.2 (operator posit	ion desktop – idle)	
	Other mode D	eclared A-weighted sound	d pressure level (dB) $L_{p{ m Am}}$	29.3 (operator posit	ion desktop – operating)	
	Measured according	ng to: 🔀 ISO 7779 🔀	ECMA-74			
		Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nui	mber *	82L7			L	.ogo	Long	1/0	
Issue date	*	2021/2/8					Leno	VO	x
Product	environr	nental attributes	- Market requirements	s (continued)			Require	ment	met
Item			•	•			Yes	No	n.a.
	Electron	magnetic emission	ıs						
P10.4	Compute program		e requirement for low freque	ency electromagnetic field	s of the follov	ving volunta	ary		
P12		mics for computin							
P12.1*	The disp	play meets the ergo	nomic requirements of ISO	9241-307 for visual displa	ay technologie	es.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.								
P13		ing and document							
P13.1*	Product	packaging material	type(s): Corrugated wei type(s): EPE cushion wei type(s): paper pad wei	ght (kg): 0.25 ght (kg): 0.051 ght (kg): 0.03					
P13.2*	Product plastic primary packaging is free from PVC.				\boxtimes				
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 %					post-			
P13.4*		media for user and ronic, Paper,	product documentation (tic Other	k box):					
P13.5	Ùser and		tem if paper documentation tation on paper media is ch					\boxtimes	
	Element	chlorine-free al chlorine-free							
		ed chlorine-free							
P14		ry programs							
P14.1	The prod	duct meets the requ	irements of the following vo	oluntary program(s):					
	Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version:	Date: 2021/1/7 Date: Date:	Product car Product car Product car	egory:			
P15		nal information (Se							
P9			pecific configuration may						
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.								
P9			Notebooks & Tablet Compundex.cfm?fuseaction=find_			de=CO			
. <u></u>							. <u></u>		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 5 Pro 14ACN6, Lenovo XiaoXin Air 14+ ACN 2021	Logo	
Model Number	82L7		Lonovo
Issue Date	2021/2/8		Lenovo.
Additional information			

d)	Year of manufacture:				2021
e)	Etec value (kWh) per ErP Lot 3 Categodisabled and if the system is tested with				-
f)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	tments applied when a	Ill discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16	16		
ents	Additional internal storage	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NA	NA		
	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	7.97			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		9.71		
g)	Idle state power demand (Watts);	·			A: 2.13 ; B: 2.82
h)	Sleep mode power demand (Watts);				A: 0.68 ; B: 0.71
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		A: 0.68 ; B: 0.71
j)	Off mode power demand (Watts);				A: 0.34 ; B: 0.32
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A: 0.34 ; B: 0.32
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: COMPAL me	eet Level VI			
	*internal note: show values for all available external p				
(o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency	:
(p-2)	Measurement methodology used to dete				

(p-3)	Measurement metho	dology used to determine information mentioned in p ≥70% of Cmin	points (o) – loading cycles batteries:			
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
		IEC 62623				
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
	Power on -> Wait 5 minutes -> Stable condition					
(r)	Description of how sleep and/or off mode was selected or programmed:					
		Begin menu -> Power -> Select sleep or o	ff mode			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:					
	Energy-star requirement					
(t)	(t) Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):					
(u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):				NA		
(v)	Length of time before	re the display sleep mode is set to activate after	user inactivity (in minutes):	10 mins		
(w) Information on the energy-saving potential of power management functionality:						
	Refer to User Guide					
(x)	User information on	now to enable the power management functionality:				
		Refer to User Guide				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:				
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	1, IEC62301			
Addition	al Notebook Batter	y Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	uilt-in Battery					
External/o	detachable Battery					
Bios Back	kup Battery					
Other:						
Additiona	l information					
) be better/iss1	in this product connet be a	asily replaced by users themselves.				
ne battery[les]	in this product cannot be e	asily replaced by users illeritiseives.				

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.