

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
e-mail address	Alvin L Carter	Lenovo				
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/about/sustainability					
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	IdeaPad 5 Pro 14 ITL6, Lenovo Xiaoxin Air 14+ 2021 ITL6					
Model number *	82L3					
Issue date *	2021/2/5					
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	82L3 Logo	1.000			
Issue date *		2021/2/5	Len	Lenovo		
Produc	t environ	mental attributes - Legal requirements	Require	ment	met	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*	Products terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\square			
P1.5*	Products chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in to ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/we al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/about/sustainability	\square			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes			
P2.2*	Batterie	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg	gal 🔀			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\boxtimes			
P3	Confor	nity verification & Eco design (ErP)				
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see legal reference) claration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-do				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\square			
	Require	d information is; given in item P15 or added to this document,	\boxtimes			
P5	Product	t packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.	and 🔀			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the materia se legal reference).	ll(s) 🔀			
P5.3*	The prod (see leg	ocol 🔀				
	Comme	nt: Legal reference has no maximum concentration values.				
P6		nt: Legal reference has no maximum concentration values. ent information				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82L3 Logo	-		
Issue da	te *	2021/2/5	-en	ovc	D ₁₄
Product	t environ	mental attributes - Market requirements (See General NOTE GN below)			
. Iouuo			equire	ment	met
ltem		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7		Disassembly, recycling			
P7.1*		t have to be treated separately are easily separable			Ц.
P7.2*		aterials in covers/housing have no surface coating.			
P7.3*	•	arts > 100 g consist of one material or of easily separable materials.		<u> </u>	_Ц
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
D7 7*	Product				
P7.7*		g can be done e.g. with processor, memory, cards or drives	<u> </u>		
P7.8*	10	g can be done using commonly available tools			
P7.9		rts are available after end of production for: 5 years			
P7.10		s available after end of production for: 5 years			
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):			
		type: Aluminum 5052 Material type: Covestro Makrolon 2405 Material type: Covestro Material type: Coves	FR3002		
P7.12	Insulatio	n materials of external electrical cables are PVC free.	\square		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than $0,1\%$ weight (1000 ppm) bromine and $0,1\%$ 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or $0,3\%$ weight (3000 ppm) bromine and $0,3\%$ weight (3000 ppm) chlorine in parts containing n 25% post-consumer recycled content.			
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 are low halogen d in IEC 61249-2-21. (See 1NOTE B2)	\boxtimes		
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			
P7.17	<u>Alt. 1: </u> Ch	nemical specifications of flame retardants in printed circuit boards > 25 g (without components):		_	_
		A (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Bisphenol A, epichlorohydrin,</i>	\bowtie		
	<u>Alt. 2: C</u> ł	mobisphenol A polymer, CAS #: 26265-08-7 nemical specifications of flame retardants in printed circuit boards (without components) > 25 g	\boxtimes		
DZ 40		g ISO 1043-4: FR(16)			
P7.18	concentr 1. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in ations above 0,1%: cal name: confidential , CAS #: confidential (See NOTE B4)			
		ical name: , CAS #: " ical name: , CAS #: "		_	
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: S-FR(40)<	\bowtie		
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	\boxtimes		
	•	the following Risk phrases; and Hazard statements:			
	-	ce(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	a) Of t a pe	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is 3.8% .			_
	or b) The	weight of recycled material is 9.85 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82L3				Logo		
Issue date *	2021/2/5					Lenov	Om
Product environr	nental af	ttributes - Market r	requirements (contin	nued)		Requireme	nt met
Item						Yes No	n.a.
Material	and subs	stance requirements	(continued)				
			d in the product (See NO	OTE B7):			
	-						
a) Of t tota	total plastic		es below shall be answe , the biobased plastic m		ated as a percentag	je of	
or b) The	e weight of	f the biobased plastic i	material is g.				
	0		less than 0,1 mg/lamp.				
		specify: Number of lar	, , ,	um mercury content pe	er lamp: mg		
P8 Batterie							
P8.1* Battery c	hemical c	omposition: Lithium-i	ion polymer				
		tion (See NOTE B8)					
	product the		ls or energy consumption				
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	modes and test	dard for energy method *	
Peak (On-max)		65 W	65 W	65 W	Full load		
Category2			-				
Short Idle State - W Enabled	OL	4.22 W	4.28 W	4.65 W	Use for ENERG registration (P _{ia}		
Long Idle State - We Enabled	OL	0.74 W	0.73 W	0.73 W	Use for ENERG registration (P _{id}		
Sleep (S3) - WOL E	nabled	0.74 W	0.73 W	0.73 W	Use for ENERG registration (P _{sl}		
Off (S5) - WOL Enal	bled	0.24 W	0.23 W	0.25 W	Use for ENERG registration/ Us		
EPS No-load		0.025 W	0.029 W	0.078 W			
(External power supply / charger wall outlet but disconnected from	plugged in the						
ETEC * Annual Energy Cons		14.53 kWh/year	14.63 kWh/year	15.65 kWh/year	$E_{TEC} = (8760/100) + P_{sleep} \times 0.35 + P_{short \ Idle} \times 0.30)$	P _{long_idle} x 0.10+	
			OL Enabled; Psleep: Sleep		ed; Pidle: Idle State -	WOL Enabled	
External Power Supp	oly Efficien	cy Level (Internationa	al Efficiency Marking Pro	otocol) * : VI	Τ		
Display resolution * :	2240*140	00 megapixels					
Default time to enter	energy sa	we mode: 10 minutes					<u> </u>
	0,		ion is provided with the	product			-
		class (monitors only):			1		- - -
P10 Emissio		Declared according t	o ISO 9296 (See NOTE	PO)			
P10.1 Mode		Node description	190 9290 (Occ NOTE	Statistical upper limi	it A-weighted sound	d power level / wa	(B)
Idle		Idle		* 2.7	ILA woighted beam		
Operatio		CPU Operationg		* 3.7			-
			t a receive lovel (dP) I		Maria and a state of a state of a		
Other mo			nd pressure level (dB) $L_{p{ m Am}}$		tion desktop – Idie)		
Other mo	ode 🛛 🗖	eclared A-weighted soun	nd pressure level (dB) L _p Am	29.3 (operator posit	ition desktop – opera	ating)	_
Measure	ed accordir	ng to: 🔀 ISO 7779 Other	ECMA-74 (only if not covered by	FCMA-74)			

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	82L3			Logo	Long		
Issue dat	e *	2021/2/5				Leno	VO.	
Product	environr	nental attribu	tes - Market requirements ((continued)		Require	ment m	et
ltem						Yes	No n.	.a.
		nagnetic emiss						
P10.4	program	(s):	the requirement for low frequen	cy electromagnetic field	s of the following volunta	ary		
P12	Ergono	mics for compu	ting products					
P12.1*			gonomic requirements of ISO 92			\square		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.							
P13		ng and docum						
P13.1*	Product	packaging mate	rial type(s): <i>EPE cushion</i> weigh	ıt (kg): 0.25 ıt (kg): 0.051 ıt (kg): 0.03				
P13.2*	Product	plastic primary p	backaging is free from PVC.			\boxtimes		٦
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-							
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	Ùser and		nis item if paper documentation u entation on paper media is chlo				\square	
	Totally c	hlorine-free						
	,	al chlorine-free						
		ed chlorine-free				H		
P14		ry programs						
P14.1			equirements of the following volu	intary program(s):				
	ENERG Eco-labe Eco-labe		Criteria version: 8.0 Criteria version: Criteria version:	Date: 2021/1/6 Date: Date:	Product category: 2 Product category: Product category:			
P15	Additio	nal information	(See NOTE B10)					
P9	Energy	consumption o	f specific configuration may v	ary; description of the	tested product config	uration:		
	informat knowled	ion contained in ge available at t I here is approxi	no representations, guarantees, this document. All information p he time of completion, and supp mate and provided for informatic	rovided by supplier in th lier shall have no obliga	is document is provided tion to update such infor	based on supp mation. The inf	olier's formation	
P9	See Ene	ergy Star Qualifie	ed Notebooks & Tablet Compute ov/index.cfm?fuseaction=find_a_					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 5 Pro 14ITL6, Lenovo Xiaoxin Air 14+ 2021	Logo		
Model Number	82L3	–	0000	
Issue Date	2021/2/5		Lenovo.	
Additional information				

P7.1.1	Product environmental attributes							
(d)	Year of manufacture:				2021			
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics can disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGf) enable							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]	16	16					
ents ting	Additional internal storage	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)			
ability <i>a</i> lied du	Discrete Audio Card	<mark>No</mark> (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)			
capa app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)	NA	NA					
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	9.67						
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		8.06					
g)	Idle state power demand (Watts);		ł	ų.	A: 2.80 ; B: 2.19			
h)	Sleep mode power demand (Watts);				A: 0.80 ; B: 0.71			
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A: 0.80 ; B: 0.71			
i)	Off mode power demand (Watts);				A: 0.31 ; B: 0.32			
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A: 0.31 ; B: 0.32			
l)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Avera	age					
m)	External power supply efficiency (if appli	cable)*:						
	Average active efficiency: COMPAL me	et Level VI						
	*internal note: show values for all available external po							
0)	Minimum number of loading cycles that t	he batteries can withs	tand (applies only to r	notebook computers):	300			
(p-1)	Measurement methodology used to dete	rmine information mer NA	ntioned in points (I) – i	nternal PSU efficiency	:			
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)							

(p-3)	Measurement metho	dology used to determine information mentioned in p ≥70% of Cmin	points (o) – loading cycles batteries:	
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode	
		IEC 62623		
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::	
		Power on -> Wait 5 minutes ->Stable col	ndition	
(r)	Description of how s	eep and/or off mode was selected or programmed:		
		Begin menu -> Power -> Select sleep or o	ff mode	
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or	
		Energy-star requirement		
(t)	condition which does	te condition before the computer automatically re not exceed the applicable power demand requirement	ents for sleep mode (in minutes):	30 mins
(u)	mode that has a low	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	minutes):	NA
(v) (w)		re the display sleep mode is set to activate after nergy-saving potential of power management function		10 mins
(11)		Refer to User Guide	indity.	
(x)	User information on	now to enable the power management functionality:		
		Refer to User Guide		
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting: 230V/50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits	
Additio	nal Notebook Batter		, 12002007	
Auditio	Hai Notebook Batter	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾		
Internal/	/built-in Battery			
External	I/detachable Battery			
Bios Ba	ckup Battery			
Other:				
Addition	al information			
)				
kymynaröph as baterías có yměnu bater rugeren kan er Akku/die a asutajad ei s µπαταρία[-ε a/les batteria etotāji paši ri o gaminio b ternék akku batteria/bat atteriet [ene] e batterij(en żytkownik ni ou as bateri ateria (bater ateriu(-ie) v j aterij/baterij6	ara[ure] батерия[и] в този п de este producto no pueden s ic/baterii / tomto výrobku by ikke uden videre udskifte bat Akkus dieses Produkts kann/ saa selle toote akut/akusid ise cj oro mpoióv auró δεν μπορ c(s présente(s) dans ce produ ože lako zamijeniti Bateriju sa batterie in questo prodotto no revar nomainīt šā ražojuma a taterijos [bateriju] pats vartoto mulátorát/akkumulátorait a fi teriji f'dan il-prodott ma tistax i i dette produktet kan ikke let) in dit product is (zijn) door d e može sam w latwy sposób ias deste produt não podem iile) din acest produs nu poaktor	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu m u ovom proizvodu. n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us). las negali lengvai pakeisti. elhasználó nem tudja egyedül egyszerűen kicserélni. jistghux tiģi/jġu sostitwita/i mill-utenti stess. t erstattes av brukerne selv. e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores. e (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. ňať používateľ. ni ne morejo zlahka zamenjati. stit käyttäjän vaihdettavissa.	verden.	

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.