



ECMA/TC38-TG3/2015/026 (Rev. 1 – 27 Feb 2019)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs		ODOVO	
e-mail address	Alvin L Carter		Lenovo	
	alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook computer			
Commercial name *	IdeaPad 5 Pro 16IHU6			
Model number *	82L9			
Issue date *	2021/3/24			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### **About Annex B2**

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mbor*	T	Logo			
		82L9	Logo	Lend	WC	•
Issue date	e *	2021/3/24				
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		-		Yes	No	n.a.
P1	Hazardo	ous substances and preparations		<u>-</u>		
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no maration values.				
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychi yl (PCT) in preparations (see legal reference).	lorinated			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb entaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	the 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/we	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail oww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	S		·		
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm ie)	nium. (See leg	jal 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)				
P3		nity verification & Eco design (ErP)		·		
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see leg claration of Conformity can be requested at (add link or e-mail address): <a href="https://www.lenovo.com/us/en/compliance/eu-doc">www.lenovo.com/us/en/compliance/eu-doc</a>	gal reference).	. 🔲		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
	Required	d information is;   given in item P15 or added to this document,  available at (add URL):  www.lenovo.com/us/en/compliance/eco-declaration				

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)

The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol

Product packaging

used (see legal reference).

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

(see legal reference).

**Treatment information** 

P5

P5.1\*

P5.3\*

P6

P6.1

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	82L9	Logo	Lanova
Issue date *	2021/3/24		LEI IOVO.

	nvironmental attributes - Market requirements (See General NOTE GN below)  Environmental conscious design  Requiremental conscious design	ement	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling		•	•
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		$\boxtimes$	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Materialtype: PC+ABS+15%Talc Material type: PC+ABS Material type: AL5052			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:  Marking: >PC+ABS<, >PC+ABS-TD15FR(40)<			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(16)			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:			
	1. Chemical name: <b>BDP</b> , CAS #: <b>181028-79-5</b> (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; <i>H411</i> , <i>H413</i> The source(s) for these classifications is/are found at (add URL(s)): <i>European Council Directive</i> 67/548/EEC (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 2.0%. or			
	b) The weight of recycled material is <b>6.9</b> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

	82L9 2021/3/24	Logo	Len	ovo	)_
Product environn	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

11

		stance requirements				
P7.21*	Biobased plastic m	naterial content is use	d in the product (See N	NOTE B7):		
			es below shall be answ			
			, the biobased plastic r	material content (calcula	ated as a percentage of	
	total plastic by	y weight) is 15%.				
		the biobased plastic	material is 0 4g			
P7.22*			less than 0,1 mg/lamr	).	$\boxtimes$ $\sqcap$	
		specify: Number of la		num mercury content p	er lamp: mg	
P8	Batteries					
P8.1*	Battery chemical c	omposition: <i>Lithium</i>	ion			
P9		tion (See NOTE B8)				
P9.1			els or energy consumpt			
Energy m	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On	ı-max)	95 W	95 W	95 W	Full load	
0-1						
<u>Catego</u>	<u>ry 1</u>					
Short Idle	e State - WOL	5.71 W	5.92 W	6.60 W	Use for ENERGY STAR V8.0	
Enabled					registration (P <sub>idle</sub> )	
I ona Idla	State - WOL	3.15 W	2.90 W	3.06 W	Use for ENERGY STAR V8.0	
Enabled	State - WOL	3.70 VV	2.30 VV	3.00 VV	registration	
Sleep (S3	3) - WOL Enabled	2.90 W	2.90 W	3.06 W	Use for ENERGY STAR V8.0	
					registration	
Sleep (S3	3) - WOL Disabled	2.90 W	2.90 W	3.06 W	Use for ENERGY STAR V8.0	
• •					registration	
Off (\$5) -	WOL Enabled	0.39 W	0.36 W	0.39 W	Use for ENERGY STAR V8.0	
0.1. (00)	NOL LINGUICO	0.00 11	0.00 11	0.00 11	registration (P <sub>off</sub> )	
Off (CE)	WOL Disabled	0.39 W	0.36 W	0.39 W	Use for ErP	
OII (35) -	WOL Disabled	0.39 W	0.36 VV	0.39 VV	Use for ErP	
EPS No-lo	oad	0.062 W	0.065 W	0.134 W		
(External power	r supply / charger plugged in the lisconnected from the product.)					
PTEC *	nocominosoa mem ano produce.	W	W	W		$\boxtimes$
Typical Er	nergy Consumption					
ETEC *	0 "	<b>27.51</b> kWh/year	27.78kWh/year	<b>30.24</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annual Er	nergy Consumption				+ P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x 0.10+ P <sub>short Idle</sub> x 0.30)	
		P <sub>off</sub> : Off Mode(S5) - W	OL Enabled; P <sub>sleep</sub> : Slee	p Mode(S3) - WOL Enabl	ed; P <sub>idle</sub> : Idle State - WOL Enabled	
External F	Power Supply Efficien		al Efficiency Marking Pi			
Display re	esolution * : 2160*135	50 megapixels	<u> </u>	•		Ī
Default tir	ne to enter energy sa	ve mode: 30 minutes				
P9.2*	Information about t	the energy save funct	ion is provided with the	e product.		T
P9.3	Energy efficiency of	class (monitors only):				$\overline{\boxtimes}$

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

P10	Emissions					
	Noise emission	on - Declared according to ISO 9296 (See NOT	E B9)			
P10.1	10.1 Mode Mode description Statistical upper limit A-weighted sound power		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)			
	Idle	* System Idle	* 2.8			
	Operation	* CPU;Operation * 4.1				
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	19 (operator position desktop – idle)			
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	35 (operator position desktop – operating)			
	Measured according to: ☐ ISO 7779 ☐ ECMA-74					
	Other (only if not covered by ECMA-74)					

Model number *	82L9	Logo	Lanova
Issue date *	2021/3/24		Leriovo

Product	environmental attributes	- Market requirements (co	ntinued)		Require	ment	met
Item		•	•		Yes	No	n.a.
	Electromagnetic emissions				•		
P10.4	Computer display meets the program(s): MPR-II(3 pin AC	requirement for low frequency of adapter only)	electromagnetic field	s of the following voluntary			
P12	Ergonomics for computing	products					
P12.1*	The display meets the ergon	omic requirements of ISO 9241	-307 for visual displa	y technologies.	$\boxtimes$		
P12.2*	The physical input device me	eets the requirements of ISO 99	95 and ISO 9241-41	0.	$\boxtimes$		
P13	Packaging and documenta						
P13.1*	Product packaging material t Product packaging material t Product packaging material t	ype(s): Polyethylene Cushion		D:0.32kg w/o ODD 0.37kg g): 0.17kg g w/ODD:0.32kg			
P13.2*	Product plastic primary pack	aging is free from PVC.			X		
P13.3*	For product primary corruga consumer recovered fiber co	ated fiberboard packaging, spe ntent: <b>70</b> %	cify the contained p	percentage of minimum pos	st-		
P13.4*	<u> </u>	roduct documentation (tick box Other	):				
P13.5	(Please only complete this it	em if paper documentation used ation on paper media is chlorine					
	Totally chlorine-free Elemental chlorine-free						
	Processed chlorine-free						
P14	Voluntary programs						
P14.1	The product meets the require	rements of the following volunta	ry program(s):				
	ENERGY STAR® Eco-label: Eco-label:	Criteria version: <b>8.0</b> Criteria version: Criteria version:	Date: <b>2021/2/25</b> Date: Date:	Product category: 2 Product category: Product category:			
P15	Additional information (Sec				_		
P9		ecific configuration may vary					
	information contained in this knowledge available at the ti provided here is approximate information.	presentations, guarantees, ass document. All information provi me of completion, and supplier a and provided for informational	ded by supplier in thi shall have no obligat purposes only. See	is document is provided base ion to update such informati a Lenovo Account Represer	ed on supp on. The inf	olier's formation	on
P9		otebooks & Tablet Computers for dex.cfm?fuseaction=find_a_pro					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 5 Pro 16IHU6	Logo
Model Number	82L9	Longvo
Issue Date	2021/3/24	Lenovo
Additional information		
-		

(d)	Year of manufacture:				2020		
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
f)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
capability adjustments applied during testing	Memory over base [GB]	1024GB	, , , , ,				
	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability (	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	NA					
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	12.72					
	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
(g)	Idle state power demand (Watts);				3.04		
h)	Sleep mode power demand (Watts);			3.06			
i)	Sleep mode with WOL enabled power demand (Watts) (where enabled);				NA		
j)	Off mode power demand (Watts);						
(k)	Off mode with WOL enabled power demand (Watts) (where enabled);						
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
	10% 20% 50%	100% Avera	ige				
m)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency: 95W: 91.35%	5,94.19%,92.44%					
0)	*internal note: show values for all available external power supplies  Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):  300 cycles						
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:						

(p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)									
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin								
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:								
	IEC 62623								
(q)	Sequence of steps for achieving a stable condition with respect to power demand::								
Power on -> Wait 5 minutes -> Stable condition									
(r) Description of how sleep and/or off mode was selected or programmed:									
Begin menu -> Power -> Select sleep or off mode									
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: <i>NA</i>								
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):								
(u)									
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):								
(w)	Information on the energy-saving potential of power management functionality: Refer to User Guide								
(x)	User information on how to enable the power management functionality: Refer to User Guide								
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:								
230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301									
Additional Notebook Battery Information:									
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)							
Internal/built-in Battery									
External/detachable Battery									
Bios Backup Battery									
Other:									
Additional information									
)									

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f dan iI-prodott ma tistax/jistgħux tiġ/ijġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi usor înlocuită (înlocuite) de utilizatorii însiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.