



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo	1 . <u> </u>			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	nts given in this declaration.				
Type of product *	Notebook				
Commercial name *	Legion 5 17ACH6				
Model number *	82K0				
Issue date *	2021-4-1				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82K0	Logo	Long	N/6	
Issue date *		2021-4-1		Lend	JVC	<b>)</b> <sub>m.</sub>
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference).  It: Legal reference has no maximum concentration value.				
P1.3*	Products hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), imofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in tl	ne 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above ( al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	ek 🔀		
P1.7*	REACH.	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	$\boxtimes$		
P2	Batteries	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadnet	nium. (See leg	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The D	luct is CE-marked to show conformance with applicable legal requirements (see legelaration of Conformity can be requested at (add link or e-www.lenovo.com/us/en/compliance/eu-doc	gal reference). ·mail addres			
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).				
	Required	I information is; Silven in item P15 or added to this document, Silven available at (add URL):				
DE		www.lenovo.com/us/en/compliance/eco-declaration				
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercur	v cadmium a	nd 🔽		
	hexavale	ent chromium by weight of these together.	, ,		<u> </u>	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).			<u> Ц</u>	
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Montreal Proto	col 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	82K0	Logo	Len			
Issue dat	te *	2021-4-1		Leii		) <sub>TH</sub>	
Product environmental attributes - Market requirements (See General NOTE GN below)							
		onmental conscious design		Require	ment	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7		Disassembly, recycling			_		
P7.1*		at have to be treated separately are easily separable				Щ	
P7.2*		naterials in covers/housing have no surface coating.				Ц	
P7.3*		arts > 100 g consist of one material or of easily separable materials.			Щ.		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Щ		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.		Ц_		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$			
D7 7*	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives			Ц.	Щ	
P7.8*		ng can be done using commonly available tools				Щ	
P7.9		arts are available after end of production for: 3 years				Щ	
P7.10		s available after end of production for: 3 years					
D7.44*		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: metal					
P7.12		n materials of external electrical cables are PVC free.			$\boxtimes$		
P7.13		n materials of internal electrical cables are PVC free.		<del>- H</del>	X		
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro	omine and 0.1°	%		$\vdash$	
	weight (	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	retardants, an	d 💆	ш		
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in	parts containin	g			
P7.15		in 25% post-consumer recycled content.					
	as define	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 📙			
P7.16	Marking:						
P7.17		themical specifications of flame retardants in printed circuit boards > 25 g (without additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	ut components	):			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	nts) > 25 g				
		g 100 1043-4. 7 N(10)					
P7.18		etarded plastic parts >25g contain the following flame retardant substances/rations above 0.1%:	/preparations i	n 📙	Ш		
		ent: No legal limits exist, this is a market requirement.					
		ical name: CAS #:					
		ical name: CAS #:					
		ical name: CAS #:					
	4. Chem Alt. 2	ical name: , CAS #:		$\bowtie$			
		al specifications of flame retardants in plastic parts >25g according ISO 1043-4:			ш	ш	
	FR(40)	1 1 3 3 3 3 3 3					
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been				
		the following Risk phrases; and Hazard statements: H411; H413					
		rce(s) for these classifications is/are found at (add URL(s)): European Counc	u Directive				
P7.20*	67/548/E	Sumer recycled plastic material content is used in the product (See Note B6):					
1-7.20		it least one of the two alternatives below shall be answered;			$\boxtimes$	Ш	
	a) Of t	otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content	(calculated as				
		ercentage of total plastic by weight) is					
	or b) The	weight of recycled material is g.					
L	~, 1110						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82K0	Logo	Longvo
Issue date *	2021-4-1		Lenovo
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

P7.21*		stance requirements	(continued) d in the product (See No	TE D7).						
F1.21	•			•		Ш				
	a) Of total plast	ic parts' weight > 25 g	es below shall be answe , the biobased plastic m		ated as a percentage of					
	total plastic b	by weight) is %.								
		of the biobased plastic	material is g.							
P7.22*		free from mercury, i.e. specify: Number of la	less than 0,1 mg/lamp.	um mercury content pe	er lamp: mg	$\boxtimes$				
P8	Batteries									
P8.1*	Battery chemical	composition: LI-ION P	olymer battery and lith	ium-metal battery						
P9	Energy consump	Energy consumption (See NOTE B8)								
P9.1			ls or energy consumption							
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *					
Peak (On-I	max)	230 W	230 W	<b>230</b> W	Full load					
Categor	<u>y 2</u>									
Short Idle Enabled	State - WOL	12.08 W	12.20 W	12.17 W	Reference					
Long Idle : Enabled	State - WOL	6.14 W	6.21 W	6.16 W	Reference					
Sleep (S3)	- WOL Enabled	0.64 W	0.65 W	0.67 W	Reference					
Off (S5) - V	VOL Enabled	0.40 W	0.39 W	0.40 W	Reference					
Off (S5) - V	WOL Disabled	0.40 W	0.39 W	0.40 W	Use for ErP					
EPS No-loa		0.113 W	0.114 W	<b>0.115</b> W						
(External power s	supply / charger plugged in the connected from the product.)									
PTEC *	' '	W	W	W		$\boxtimes$				
	ergy Consumption									
ETEC * Annual Ene	ergy Consumption	<b>39.96</b> kWh/year	<b>40.35</b> kWh/year	<b>40.31</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long\_Idle} \times 0.10 + P_{short Idle} \times 0.30)$					
		Poff: Off Mode(\$5) - W	OL Enabled: Psleep: Sleep	Mode(S3) - WOL Enabl	ed; P <sub>idle</sub> : Idle State - WOL Enabled					
External Po	ower Supply Efficie		I Efficiency Marking Pro							
	olution * :2.07 meg			· · · · · · · · · · · · · · · · · · ·		Ħ				
		ave mode: 10 minutes				Ħ				
P9.2*			ion is provided with the	product.		Ħ				
P9.3		class (monitors only):		F						
P10	Emissions	, ,,								
		- Declared according t	o ISO 9296 (See NOTE	B9)						
P10.1	Mode I	Mode description	,	Statistical upper lim	nit A-weighted sound power level, $L_{WA,c}$ (	(B)				
	Idle '	* Idle (Operating)		* 2.7						
	l '	* HDD:Operation CPU:Operation		* NA(No HDD) 5.1						
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{p m Am}$		osition desktop – idle)					
	Other mode	Declared A-weighted sour	ad pressure level (dB) $L_{p m Am}$	(operator po	osition desktop – operating)					
	Measured accordi	ing to: ISO 7779 [		FOMA 74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;  $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

Model nun	nber *	82K0			Logo	Lono		
Issue date	*	2021-4-1				Leno	VO.	
Product 6	environn	nental attributes	- Market requiremen	nts (continued)		Require	ment	met
Item						Yes	No	n.a.
		nagnetic emission						
P10.4	program	(s): MPR-II(3 pin A	C adapter only)	uency electromagnetic fields	s of the following voluntary			
P12		mics for computing						
P12.1*				O 9241-307 for visual displa		$\boxtimes$		
P12.2*	The phys	sical input device m	eets the requirements of	ISO 9995 and ISO 9241-41	0.	$\boxtimes$		
P13		ng and documenta						
P13.1*	Product Product Product	packaging material	type(s): <b>paper(manual)</b> type(s): <b>PP</b> weight (kg): type(s): <b>PE</b> weight (kg):					
P13.2*	Product	plastic primary pack	aging is free from PVC.			$\boxtimes$		
P13.3*	For proc	duct primary corrugater recovered fiber co	ated fiberboard packagi ontent: <b>100</b> %	ng, specify the contained p	percentage of minimum po	ost-		
P13.4*		media for user and p ic 🔀, Paper 🔀, O	product documentation (t	ick box):				
P13.5	Ùser and		em if paper documentati ation on paper media is o					
	Element	hlorine-free al chlorine-free ed chlorine-free						
P14		ry programs						
P14.1	The prod	duct meets the requi	rements of the following	voluntary program(s):				
	Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product category: Product category: Product category:			
P15		nal information (Se						
P9	Energy	consumption of sp	ecific configuration ma	ay vary; description of the	tested product configura	tion:		
	informati knowled provided informati	ion contained in this ge available at the ti I here is approximation.	document. All information of completion, and seand provided for information.	es, assurances or warrantie on provided by supplier in thi upplier shall have no obligat national purposes only. See	s document is provided ba ion to update such informa a Lenovo Account Represe	sed on supp tion. The inf	lier's ormati	on
P9				puters for the latest informati educts/office_equipment/com				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Legion 5 17ACH6	Logo	
Model number *	82K0		Lonovo
Issue date *	2021-4-1		Lenovo.
Additional information		•	

d)	Year of manufacture:				2021
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	ments applied when a	III discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]			16	
ents sting	Additional internal storage	(Yes / No)	(Yes / No)	yes (Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)			G7	
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			16.92	
)	Idle state power demand (Watts);	•		1	5.50
)	Sleep mode power demand (Watts);				0.59
	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.59
	Off mode power demand (Watts);				0.37
)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.37
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
1)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 230W:92.849	%, 92.62%, 92.47% 17	70W: 91.81%, 92.49%	, 92.88%	
)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):	300CYCLES
-1)	Measurement methodology used to dete	ermine information mer	tioned in points (I) – in	nternal PSU efficiency:	

	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)					
(p-3) Measurem	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:					
	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
	IEC 62623					
(q) Sequence	of steps for achieving a stable condition with respect to power demand::					
	Power on -> Wait 5 minutes -> Stable condition					
(r) Description	n of how sleep and/or off mode was selected or programmed:					
	Begin menu -> Power -> Select sleep or off mode					
(s) Sequence off mode:	of events required to reach the mode where the equipment automatically changes to sleep and/or VA					
	of idle state condition before the computer automatically reaches sleep mode, or another which does not exceed the applicable power demand requirements for sleep mode (in minutes):	30min				
(u) Length of	time after a period of user inactivity in which the computer automatically reaches a power thas a lower power demand requirement than sleep mode (in minutes):	NA				
	time before the display sleep mode is set to activate after user inactivity (in minutes):	10min				
	n on the energy-saving potential of power management functionality: Refer to User Guide					
(x) User inform	mation on how to enable the power management functionality: Refer to User Guide					
the electric	meters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of city supply system, — information and documentation on the instrumentation, set-up and circuits lectrical testing:					
	230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301					
Additional Noteboo	ok Battery Information:					
	Battery[ies] not user replaceable Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/built-in Batte	ery 🖂 🗆					
External/detachable	Battery					
Bios Backup Battery						
Other:						
Additional information	Additional information					
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.