

ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

### Annex B2 - Product environmental attributes **Notebooks and Tablets**

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Lenovo 300e Chromebook 2nd Gen MTK				
Model number *	81QC				
Issue date *	2019-01-29				
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model n	umber *	81QC	Logo				
Issue da	ite *	2019-01-29		Lend	Lenovo,		
Produc	t environ	mental attributes - Legal requirements		Require	ment	met	
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\square$			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\square$			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachl ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.					
P1.4*	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).		$\boxtimes$			
P1.5*	Products chain co	e do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0, al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/we	ek 🔀			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail o w.lenovo.com/social_responsibility/us/en/environment.html	contact):	$\boxtimes$			
DO	-						
P2.1*	Batterie		a dianaad				
	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with th Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batterie: referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm e)	ium. (See leo	gal 🔀			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\square$			
P3	Conforr	nity verification & Eco design (ErP)					
P3.1*	The pro	Juct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at: https://www.lenovo.com/us/en/complian					
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$			
	· -	d information is; given in item P15 or added to this document,		$\boxtimes$			
		available at: https://www.lenovo.com/us/en/compliance/e	co-declaratio	n			
P5		packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.	, cadmium a	and 🔀			
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature c e legal reference).	of the materia	ll(s) 🔀			
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). t: Legal reference has no maximum concentration values.	in the Monti	real 🔀			
P6		nt information					
P6.1*		on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		81QC	Logo			
Issue dat	te *	2019-01-29		Len	ovc	Тм
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling t have to be treated separately are easily separable				
P7.1					<u> </u>	
P7.2 P7.3*		aterials in covers/housing have no surface coating. arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.3 P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>
P7.4 P7.5					<u> </u>	<u> </u>
	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools				<u> </u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		$\square$		
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives				
P7.8*					<u> </u>	<u> </u>
		ig can be done using commonly available tools		$\square$		<u> </u>
P7.9		ints are available after end of production for: 5 years				Ц.
P7.10		s available after end of production for: 5 years				
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
P7.11			al type:			
P7.12		n materials of external electrical cables are PVC free.	ar type.		$\square$	
P7.13		n materials of internal electrical cables are PVC free.				
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0.1	%		
	weight (´ polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm)	e retardants, an	nd		
P7.15		g more than 25% post-consumer recycled content.	05 a		$\square$	
	halogen	circuit boards, PCBs (without components) are low halogen: all PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)				
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-TD15FR(40)<				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Brominated epoxy</i> 8-7		$\boxtimes$		
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g			$\square$
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: BPADP, CAS #: 181028-79-5 (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in 🔀		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			$\bowtie$
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			
	assigned	the following Risk phrases; and Hazard statements:				
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$		
	a) Oft	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is <b>3.6%</b> . The weight of recycled material is <b>17.6271</b> g.	it (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	81QC				Logo		
Issue date	*	2019-01-	29				Lenovo	
Product	environm	nental at	tributes - Market r	equirements (conti	inued)		Requirement n	net
Item				•	•			1.a.
	Material	and subs	tance requirements	(continued)				
P7.21*	Biobased	l plastic m	aterial content is use	d in the product (See N	IOTE B7):			
	If YES; a	t least one	e of the two alternative	es below shall be answ	ered;			
	a) Of t of to	otal plasti	c parts' weight > 25 g		material content (calcu	llated as a percen	tage	
	or b) The	weiaht of	the biobased plastic	material is g.				
P7.22*	Light sou	rces are f		less than 0,1 mg/lamp	num mercury content pe	er lamp: mg		
P8	Batteries					ing ing		
P8.1*			omposition: Lithium	ion				
P9	Energy	consumpt	tion (See NOTE B8)				L	
P9.1	For the p			ls or energy consumpt	ons are reported:			
Energy mo			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stan modes and test	dard for energy [ method *	
Peak (On-	max)		14.9 W	14.6 W	15.56 W	Full load		
Categor	y I1-							
Short Idle Enabled	State - W	OL	3.8 W	3.8 W	3.9 W	Use for ENERG registration (P <sub>i</sub>		
Long Idle Enabled	State - WO	DL	1.8 W	1.8 W	1.9 W	Use for ENERG registration (Pi		
Sleep (S3)	- WOL Di	sabled	0.7 W	0.6 W	0.6 W	Reference		
Off (S5) - V	NOL Disa	bled	0.3 W	0.3 W	0.3 W	Use for ErP		
EPS No-loa (External power s wall outlet but disc	supply / charger i	plugged in the	0.02 W	0.02 W	0.07 W			
PTEC * Typical Ene			22.71 W	22.71 W	22.71 W		[	
ETEC * Annual Ene			13.97 kWh/year	14.32 kWh/year	14.06 kWh/year		00) x (P <sub>off</sub> x 0.25 P <sub>long_Idle</sub> x 0.10+	
					o Mode(S3) - WOL Enable		WOL Enabled	
External Po	ower Supp	ly Efficien	cy Level (Internationa	al Efficiency Marking Pr	otocol) * : VI			
			megapixels					
Default tim	e to enter	energy sa	ve mode: 30 minutes					
P9.2*	Informati	on about t	he energy save funct	ion is provided with the	product.	- <b>·</b>		
P9.3	Energy e	fficiency o	lass (monitors only):					$\boxtimes$
P10	Emissio					1		
				o ISO 9296 (See NOTI				
P10.1	Mode		lode description			it A-weighted soun	d power level, LWA,c (B	)
	Idle		System Idle		* 2.7			_
	Operation		CPU;Operation		* 2.7			
	Other mo		eclared A-weighted sour	na pressure level (dB)	17.4 (operator position 17.4 (	tion desktop – idle)		
	Other mo	ode D	eclared A-weighted sour	nd pressure level (dB)	17.5 (operator positi	tion desktop – oper	ating)	
	Measure	d accordir	-	ECMA-74 (only if not covered by	(ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	nber *	81QC					Logo				
Issue date	<b>*</b>	2019-01-29	2019-01-29				Le	Lenovo			
Product	environ	nental attributes	- Market require	ments (cor	ntinued)			Re	quire	ment	me
Item									Yes	No	n.a
		nagnetic emission									
P10.4	program	(s):	requirement for low	frequency e	lectromagnetic fields	s of the follo	owing volunt	ary			$\square$
P12	Ergono	mics for computing	g products								
P12.1*	The disp	lay meets the ergor	nomic requirements	of ISO 9241-	307 for visual displa	y technolog	gies.		$\square$		
P12.2*	The phy	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.									
P13	Packag	Packaging and documentation									
P13.1*	Product Product	packaging material packaging material packaging material	type(s): <i>paper</i> type(s): <i>EPE</i>	weight (kg weight (kg weight (kg	g): <b>0.008</b>						
P13.2*			aging is free from P						$\square$		
P13.3*	consum	er recovered fiber co	ated fiberboard pac ontent: 90%			ercentage	of minimum	post-			
P13.4*			oroduct documentati Other	on (tick box):	:						
P13.5	Ùser an		tem if paper docume ation on paper medi								
	Totally o	hlorine-free									
	,	al chlorine-free							Ħ		
	Process	ed chlorine-free							H		
P14	Volunta	ry programs									
P14.1			irements of the follow	wing voluntar	ry program(s):						
	ENERG Eco-lab	Y STAR® el:	Criteria version: 7 Criteria version:	.1	Date: <b>2018-12-20</b> Date:	Product o Product o	category: <i>11</i> category:				
	Eco-lab		Criteria version:		Date:	Product of	category:				
P15	Additio	nal information (Se	e NOTE B10)								
P9			pecific configuratio								
	informat knowled	ion contained in this ge available at the t l here is approximat	epresentations, guar document. All inforr ime of completion, a e and provided for ir	nation provic nd supplier s	led by supplier in thi shall have no obligat	s documen ion to upda	nt is provided ate such infor	based o mation.	n supp The int	olier's format	ion
P9			lotebooks & Tablet 0 ndex.cfm?fuseaction				code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo 300e Chromebook 2nd Gen MTK	Logo
Model Number	81QC	
Issue Date	2019-01-29	Lenovo
Additional information		

P7.1.1	Product environmental attributes						
(d)	Year of manufacture:				2018		
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are		
(f)	Etec value (kWh) per ErP Lot 3 Catego enable	ry and capability adjust	ments applied when <b>a</b>	II discrete graphics o	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	8GB					
nents sting	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability a	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)						
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	14.15					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
(g)	Idle state power demand (Watts);				3.8		
(h)	Sleep mode power demand (Watts);				1.9		
(i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);				
(j)	Off mode power demand (Watts);				0.3		
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);				
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output powe	er (if applicable):			
	10% 20% 50%	100% Avera	age				
(m)	External power supply efficiency (if appli	icable)*:					
	Average active efficiency: 89.42%,88.7	7%,89.44%,88.37%,8	7.49%,88.45%				
(0)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):	300		
(p-1)	p-1) Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: <i>N/A</i>						

	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3) Measurement metho	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	points (o) – loading cycles batteries:					
	dology used to determine information mentioned in n Point P9.1 in the Product IT Eco Declaration: <i>IEC</i> 62623	naximum, idle, sleep, off mode					
(q) Sequence of steps for	Sequence of steps for achieving a stable condition with respect to power demand: Power on -> Wait 5 minutes ->Stable condition						
(r) Description of how sl	Description of how sleep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or off mode						
(s) Sequence of events off mode:	required to reach the mode where the equipment aut	tomatically changes to sleep and/or					
	NA						
	te condition before the computer automatically re not exceed the applicable power demand requirement		30min				
(u) Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA				
	re the display sleep mode is set to activate after u		10min				
	hergy-saving potential of power management function Refer to User Guide						
(x) User information on I	now to enable the power management functionality: <i>Refer to User Guide</i>						
	measurements: — test voltage in V and frequency in system, — information and documentation on the ins sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits					
Additional Notebook Batter	v Information:						
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. <sup>1)</sup>						
Internal/built-in Battery	$\boxtimes$						
External/detachable Battery							
Bios Backup Battery							
Other:							
Additional information							
1)							
1) The battery[ies] in this product cannot be	easily replaced by users themselves.						
Акумулаторната[ите] батерия[и] в този	продукт не може да се замени[ят] лесно от самите потребите	ели.					
Výměnu baterie/baterií v tomto výrobku by	ser sustituidas fácilmente por los propios usuarios. / neměli provádět sami uživatelé.						
Brugeren kan ikke uden videre udskifte ba	atteriet/batterierne i dette produkt. /können nicht ohne weiteres vom Benutzer selbst ausgetauscht i						
Kasutajad ei saa selle toote akut/akusid is		werden.					
	ρούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες						
Korisnik ne može lako zamijeniti Bateriju s		ux-memes.					
	on può/possono essere facilmente sostituita/e dall'utente.						
Šio gaminio baterijos [baterijų] pats vartot							
	felhasználó nem tudja egyedül egyszerűen kicserélni. jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.</td <td></td> <td></td>						
Batteriet [ene] i dette produktet kan ikke le	ett erstattes av brukerne selv.						
De batterij(en) in dit product is (zijn) door Uzytkownik nie może sam w łatwy sposół	de gebruiker niet gemakkelijk vervangbaar. wwmianić baterij w tym produkcie						
A ou as baterias deste produto não poder	n ser facilmente substituídas pelos próprios utilizadores.						
Bateria (bateriile) din acest produs nu poa Batériu(-ie) v tomto výrobku nemôže vymi	te (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. eňat používateľ						
Baterij/baterije v tem izdelku uporabniki sa	ami ne morejo zlahka zamenjati.						
raman tuotteen akku [akut] el[vat] ole hel	ämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.						

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.