

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs		Lenovo	
e-mail address	Alvin L Carter		LEHOVO	
	alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social responsibility/us/en/environment	t.html		
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	pe of product * Monitor			
Commercial name *	Lenovo C24-25, D24-20, C24-20			
Model number *	66AE, 66B0, 62A8			
Issue date *	2020/06/01			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	66AE, 66B0, 62A8	Logo				
Issue date *		2020/06/01		Lend	Lenovo		
Produc	t environ:	mental attributes - Legal requirements		Require		t met	
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)				
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\square$			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms	in the  🔀			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):       Image: Contact of the state						
P2	Batterie						
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)				$\square$	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3	Conform	nity verification & Eco design (ErP)					
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at: https://www.lenovo.com/us/en/complian		ce). 🔀			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$			
	Required information is; given in item P15 or added to this document,						
		available at: https://www.lenovo.com/us/en/compliance/e	co-declara	tion			
P5	Product	packaging					
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	/, cadmiun	n and  🔀			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature one be legal reference).	of the mate	rial(s) 🔀			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from ozone depleting substances as specified in the Montreal is free from o						
P6		nt information					
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		$\square$		_	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	66AE, 66B0, 62A8	Logo			
Issue date *		2020/06/01		Len	ovc	
Product		mental attributes - Market requirements (See General NOTE GN		_		
						met
Item	Design	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
F /		mbly, recycling				
P7.1*		t have to be treated separately are easily separable		$\square$		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.				
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.			Π	
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Π	
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Π	
-	Product	lifetime				
P7.7*	Upgradin	ng can be done e.g. with processor, memory, cards or drives				X
P7.8*	Upgradir	ig can be done using commonly available tools				$\boxtimes$
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: ABS Material type: PC Materia n materials of external electrical cables are PVC free.	al type:			
P7.12		n materials of external electrical cables are PVC free.				
P7.13		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	roming and 0.1%			
F7.14	weight (´ polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ig more than 25% post-consumer recycled content.	e retardants, and	d 🗖		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are lov	v	$\square$	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				$\boxtimes$
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):	_	_	
	TBBF	PA (additive), ⊠TBBPA (reactive) (See NOTE B3), Other:, CAS #:		$\bowtie$		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			$\square$
P7.18	<u>Alt. 1: </u> Fl	ame retarded plastic parts > 25 g contain the following flame retardant substance	es/preparations in	า		
		ations above 0,1%:				$\boxtimes$
		ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "				
		ical name: , CAS #: "				
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			$\square$
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which			Ē	X
		the following Risk phrases; and Hazard statements:				
	The sour	rce(s) for these classifications is/are found at (add URL(s)):	See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):			$\square$	
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is e weight of recycled material is <b>0</b> g.	it (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *66AE, 66Issue date *2020/06/		66B0, 62A8 06/01			Logo	Lenovo.			
Product environmental attributes - Market red			tributes - Market re	equirements (contin	s (continued)		Requir	emen	t met
Item					Yes	No	n.a.		
	Material	and subs	tance requirements	(continued)					
P7.21*	.21* Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; a	t least one	e of the two alternative	s below shall be answe	red;				
			c parts' weight > 25 g, by weight) is <i>0</i> %.	the biobased plastic m	naterial content (calcula	ated as a percenta	age		
	or b) The	weiaht of	the biobased plastic n	naterial is <i>0</i> g.					
P7.22*	Light sou	rces are f	ree from mercury, i.e.	less than 0,1 mg/lamp.			$\square$		
			specify: Number of lan	nps: and maximu	m mercury content per	lamp: mg			
P8 P8.1*	Batteries	-	omposition:						
			omposition:						
<b>P9</b> P9.1			tion (See NOTE B8)	o or operation	no are reported.				
-		roduct the	0.	s or energy consumptio	•				$\bowtie$
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
ENERGY S	STAR® On	Mode*							
(System Id	lle)								
ENERGY S		w Power							
Sleep Mod	le*								
ENERGY		f /							
Apparent C	Jff Mode*								
			T	r					
PTEC *	0		W	W	W				$\boxtimes$
Typical En ETEC *	ergy Consi	umption	k\M/b/voor	k/M/b/voor	k/M/b/voor	E <sub>TEC</sub> = (8760/100	0) v / D v /	16+	
_	erav Consi	umption	kWh/year	kWh/year	kWh/year	$P_{sleep} \times 0.1 + P_{idle}$		/.O Ŧ	$\boxtimes$
Annual Energy Consumption External Power Supply Efficien			cy Level (International	Efficiency Marking Prot	tocol) * :		e X 0.0/		$\boxtimes$
			0 megapixels	, ,	,				
			ve mode: 15 seconds						
P9.2*				on is provided with the p	product.	•	$\square$		
P9.3*	The prod	uct meets	the energy requireme	nts of the following volu	ntary program/s:			Ē	
	ENERGY STAR® version: Product category:								
P10	Emissio	ns							
	Noise en	nission –	Declared according to	ISO 9296 (See NOTE	B9)				
P10.1	Mode	Ν	lode description		Statistical upper limit	A-weighted sound	d power level	, L <sub>WA,c</sub>	(B)
	Idle	*	HDD: Idle		*				$\boxtimes$
	Operation	n *	HDD: Operating		*				$\boxtimes$
	Other mo	ode D	eclared A-weighted sound	d pressure level (dB) L <sub>pAm</sub>	(operator pos	ition desktop – idle	)		
	Other mode <b>Declared A-weighted sound pressure level (dB)</b> $L_{pAm}$			(operator position desktop – operating)					
	Measure	d accordir	ng to: 📃 ISO 7779	ECMA-74					
			Other	only if not covered by	ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	ımber *	66AE, 66B0, 62A8 Logo				
Issue date *		2020/06/01	Lenovo			
Product	environr	nental attributes - Market requirements (continued)	Requirement met			
Item			Yes No n.a.			
		nagnetic emissions				
P10.4	Compute program	er display meets the requirement for low frequency electromagnetic fields of the following volunt (s):	ary			
P12		mics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.				
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				
P13	Packagi	ing and documentation				
P13.1*	Product packaging material type(s): Carton Box weight (kg): 0.99 Product packaging material type(s): Cusion weight (kg): 0.3 Product packaging material type(s): Bag weight (kg): 0.02					
P13.2*	Product	plastic primary packaging is free from PVC.				
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-					
P13.4*	Specify media for user and product documentation (tick box):					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:					
	Element	hlorine-free al chlorine-free ed chlorine-free				
P14	Volunta	ry programs				
P14.1	The proc ENERG Eco-labe Eco-labe	duct meets the requirements of the following voluntary program(s):         Y STAR®       Criteria version:       Date:       Product category:         el:       Criteria version:       Date:       Product category:				
P15		nal information (See NOTE B10)				
P9	NOTE: S informat knowled	consumption of specific configuration may vary; description of the tested product config Supplier makes no representations, guarantees, assurances or warranties whether express or in ion contained in this document. All information provided by supplier in this document is provided ge available at the time of completion, and supplier shall have no obligation to update such infor I here is approximate and provided for informational purposes only. See a Lenovo Account Repr ion.	nplied, regarding the I based on supplier's rmation. The information			
P9		ergy Star Qualified Monitors & Displays for the latest information: ww.energystar.gov/products/office_equipment/displays				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1