

ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

### Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Ľ	-enovo	
Internet site *	https://www.lenovo.com/us/en/about/sustainability			
Additional information	he latest version of this document can be found at: http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Lenovo E41-55 AMD				
Model number *	82FJ, 82FK				
Issue date *	2020/9/15				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nur	nber *	82FJ, 82FK	Logo			
Issue date *		* 2020/9/15			enovo.	
	environ	mental attributes - Legal requirements		Require		t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	$\bowtie$		
P1.2*	Commer	e do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	hydrobro trichloroe	e do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in	the 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in contractions above 0,5 μg/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ww.lenovo.com/us/en/about/sustainability	contact):	$\boxtimes$		
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal	$\boxtimes$		
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn e)	nium. (See leç	gal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\mathbf{X}$		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc	luct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at: https://www.lenovo.com/us/en/complian				
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
		information is; given in item P15 or added to this document,				
Dr	Dueduct	available at: https://www.lenovo.com/us/en/compliance/	eco-deciaratio			
P5.1*		packaging				
	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).				
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Montreal Proto	ocol 🔀		
P6		nt information				
		on for recyclers/treatment facilities is available (see legal reference).				
10.1	mornali	on tor recyclers/liealitient iachilies is available (see legal reletence).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	Imber *	82FJ, 82FK	Logo			
Issue dat	te *	2020/9/15		Len		Отн
Product		mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		t have to be treated separately are easily separable		$\square$		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		$\square$		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		$\boxtimes$		
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.			Ē
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8*	Upgradir	ng can be done using commonly available tools		$\boxtimes$		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
			al type: <mark>PC</mark>			
P7.12		n materials of external electrical cables are PVC free.		$\square$		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		$\square$		
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, an	id 🗖		
P7.15		ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🧕 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n	$\square$	
P7.16	Flame re	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-TD15FR(40)<		$\square$		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c		_		
	TBBF 26265-08	PA (additive), XTBBPA (reactive) (See NOTE B3) Other: <i>brominated epoxy r</i> 8-7	esins, CAS #:			
	according	nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:				$\square$
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:> <b>PC+ABS-</b>			$\square$
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	n have been	$\square$		
	The sour	ce(s) for these classifications is/are found at (add URL(s)):	See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):	,	$\boxtimes$		
	a) Of t a pe or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is <b>8.5%</b> . e weight of recycled material is <b>51.5</b> g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82FJ, 82FK	Logo	
Issue date *	2020/9/15		LEIIOVO

Product environmental attributes - Market requirements (continued)

Item

Requirement met

Yes No n.a.

Material and subs	tance requirements	(continued)		
		d in the product (See N	NOTE B7):	
	ree from mercury, i.e. specify: Number of la	less than 0,1 mg/lamp	o. num mercury content pe	er lamp: mg
P8 Batteries				
	omposition: Li-polym	er		
P9 Energy consumpt	tion (See NOTE B8)			
P9.1 For the product the	e following power leve	ls or energy consumpt	tions are reported:	
Energy mode *	Power level at <b>100</b> V AC	Power level at 115 V AC	Power level at <b>230</b> V AC	Reference/Standard for energy modes and test method *
Peak (On-max)	65 W	65 W	65 W	Full load
Category -1				
Short Idle State - WOL Enabled	6.23 W	6.02 W	6.40 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )
Long Idle State - WOL Enabled	3.67 W	3.72 W	4.02 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )
Sleep (S3) - WOL Enabled	0.33 W	0.33 W	0.40 W	Use for ENERGY STAR V8 registration (P <sub>sleep</sub> )
Off (S5) - WOL Enabled	0.19 W	0.19 W	0.26 W	Use for ENERGY STAR V8 registration (P <sub>off</sub> )
Off (S5) - WOL Disabled	0.19 W	0.19 W	0.26 W	Use for ErP
Category -2				
Short Idle State - WOL Enabled	6.08 W	5.82 W	6.35 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )
Long Idle State - WOL Enabled	3.62 W	3.72 W	<b>4.16</b> W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )
Sleep (S3) - WOL Enabled	0.44 W	<b>0.44</b> W	0.51 W	Use for ENERGY STAR V8 registration (P <sub>sleep</sub> )
Off (S5) - WOL Enabled	0.29 W	0.30 W	0.30 W	Use for ENERGY STAR V8 registration (Poff)
Off (S5) - WOL Disabled	0.27 W	0.28 W	0.30 W	Use for ErP
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	0.051 W	0.060 W	0.146 W	
PTEC *	1: 1.94 2: 1.97 W	1: 1.89 2: 1.91 W	1: 2.05 2: 2.10 W	
Typical Energy Consumption ETEC *	1:16.97 2:17.27	1:16.53 2:16.77	1:17.92 2:18.40	ETEC = (8760/1000) x (Poff x 0.25
Annual Energy Consumption	kWh/year	kWh/year	kWh/year	$+ P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$
				ed; Pidle: Idle State - WOL Enabled
External Power Supply Efficien		I Efficiency Marking P	rotocol) * : VI	
Display resolution * : 1920*108				
Default time to enter energy sa				
		ion is provided with the	e product.	
P9.3 Energy efficiency of	class (monitors only):			

#### P10 Emissions

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

	Noise emissio	n – Declared according to ISO 9296 (See NOTE I	39)			
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (B)			
	Idle	* Idle	* 2.6			
	Operation	* CPU operating	* 3.6			
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p\rm Am}$				
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p\rm Am}$	28.5 (operator position desktop – operating)			
	Measured according to: 🔯 ISO 7779 🔀 ECMA-74					
		Other (only if not covered by ECMA-74)				

Model nu	mber *	82FJ, 82FK				Logo			
Issue date	<b>;</b> *	2020/9/15					Lend	JVO	
Product	environr	mental attributes	- Market requiren	nents (cor	ntinued)		Require	ement	met
Item							Yes	No	n.a.
		magnetic emissions							
P10.4	program	(s):	•	frequency e	lectromagnetic field	s of the following voluntar	у 🗌		$\square$
P12		mics for computing							
P12.1*	The disp	lay meets the ergono	omic requirements o	f ISO 9241-	307 for visual displa	ay technologies.	$\square$		
P12.2*	The phy	sical input device me	ets the requirements	s of ISO 999	95 and ISO 9241-41	0.		$\boxtimes$	
P13		ing and documentat							
P13.1*	Product	packaging material t packaging material t packaging material t	ype(s): EPE	weight (kg weight (kg weight (kg					
P13.2*	Product	plastic primary packa	aging is free from PV	/C.			$\boxtimes$		
P13.3*		duct primary corruga er recovered fiber co		aging, spec	cify the contained	percentage of minimum	post-		
P13.4*	Specify I	media for user and p ronic, XPaper, 🔲 (	roduct documentatio	on (tick box)					
P13.5	Úser and	only complete this ite d product documenta lease specify:							
	Totally c	hlorine-free					$\square$		
		al chlorine-free							
	Process	ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The proc	duct meets the requir	ements of the follow	ing voluntar	y program(s):				
	ENERG` EPEAT	Y STAR®	Criteria version: 8.0 Criteria version: 16		Date: 2020/8/10 Date: 2020/9/15	Product category: <b>1, 2</b> Product category: <b>note</b>	book		
P15	Addition	nal information (See	NOTE B10)						
P9	Energy	consumption of sp	ecific configuration	n may vary;	description of the	tested product configu	ration:		
	informati knowled	ion contained in this ge available at the tir I here is approximate	document. All inform ne of completion, an	nation provid nd supplier s	led by supplier in th shall have no obliga	es whether express or imp is document is provided b tion to update such inform a Lenovo Account Repre	based on sup nation. The ir	plier's format	ion
P9		ergy Star Qualified No /w.energystar.gov/inc				tion: roup&pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo E41-55	Logo
Model Number	82FJ, 82FK	
Issue Date	2020/9/15	Lenovo
Additional information		

P7.1.1	Product environmental attributes				
(d)	Year of manufacture:				2020
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when <b>a</b>	II discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
lents sting	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NA			
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	21.71			
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);	-	·	·	4.08
(h)	Sleep mode power demand (Watts);				0.53
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.59
(j)	Off mode power demand (Watts);				0.39
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.39
(I)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 45W: 87,98%	6, <mark>88,63%,88,83%</mark>	55W: 89,41%,88,62%,	88,96%	
(o)	*internal note: show values for all available external po Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	
. ,				. ,	300
(p-1)	Measurement methodology used to dete	rmine information mer NA	ntioned in points (I) – ii	nternal PSU efficiency:	
(p-2)	Measurement methodology used to dete EN 5056	rmine information mer 53:2011 measuremen		external PSU efficiend	cy:

(p-3) Measur	ement metho	dology used to determine information mentioned in p EN 61960 measurement methodolo					
		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodo					
(q) Sequer	Sequence of steps for achieving a stable condition with respect to power demand: EN 62623:2013 measurement methodology						
(r) Descrip	Description of how sleep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or off mode						
		-					
	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Energy-star requirement						
(t) Duratio	n of idle sta		eaches sleep mode, or another				
conditio	uration of idle state condition before the computer automatically reaches sleep mode, or another ondition which does not exceed the applicable power demand requirements for sleep mode (in minutes):						
		r a period of user inactivity in which the compute ver power demand requirement than sleep mode (ir		NA			
		re the display sleep mode is set to activate after		10 mins			
(w) Informa	tion on the er	nergy-saving potential of power management functio Refer to User Guide	nality:				
(x) User in	formation on	how to enable the power management functionality: <i>Refer to User Guide</i>					
the elec		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V, 50Hz, Total Harmonic Distortion	strumentation, set-up and circuits				
Additional Notel	DOOK Batter	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. <sup>1)</sup>					
Internal/built-in Ba	attery						
External/detacha	ble Battery						
Bios Backup Batt	ery						
Other:							
Additional information	ation		•				
умулаторната[ите] бат is baterías de este produ vměnu baterie/baterií v to ugeren kan ikke uden vio	ерия[и] в този п icto no pueden s omto výrobku by dere udskifte bat	asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios. neměli provádět sami uživatelé. teriet/batterierne i dette produkt.					
asutajad ei saa selle toot μπαταρία[-ες] στο προϊό /les batterie(s présente(: prisnik ne može lako zam	e akut/akusid ise v αυτό δεν μπορ s) dans ce produ ijeniti Bateriju sa esto prodotto no	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs et am u ovom proizvodu. n può/possono essere facilmente sostituita/e dall'utente.					
o gaminio baterijos [bate termék akkumulátorát/ak patterija/batteriji ťdan il-p atteriet [ene] i dette produ e batterij(en) in dit produc	rijų] pats vartoto kumulátorait a fe prodott ma tistax, uktet kan ikke let ct is (zijn) door d	jas negali lengvai pakeisti. elhasználó nem tudja egyedül egyszerűen kicserélni. /jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. t erstattes av brukerne selv. e gebruiker niet gemakkelijk vervangbaar.					
zytkownik nie może sam ou as baterias deste pro ateria (bateriile) din acesi atériu(-ie) v tomto výrobk aterij/baterije v tem izdelk	w łatwy sposób duto não podem produs nu poat u nemôže vymie u uporabniki sar	wymienić baterii w tym produkcie. ser facilmente substituidas pelos próprios utilizadores. e (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. ňat používateľ. mi ne morejo zlahka zamenjati.					
et är inte enkelt för kunde	en att själv byta u	osti käyttäjän vaihdettavissa. ıt batteriet/batterierna. ıdan kolaylıkla değiştirilemez.					