



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		ODOVO			
e-mail address	Alvin L Carter		Lenovo			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemer	conforms to the statements given in this declaration.			
Type of product *	Monitor			
Commercial name *	Lenovo G27c-10			
Model number *	66A3			
Issue date *	2019.11.22			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	66A3	Logo	Lonovo
Issue date *	2019/11/22		LEI IOVO

Product	environmental attributes - Legal requirements	Require	men	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square		
	terphenyl (PCT) in preparations (see legal reference).	_		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🖂		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week			\boxtimes
	(see legal reference).			
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			_
P1.7"	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes	Ш	Ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			\square
	symbol. Information on proper disposal is provided in user manual. (See legal reference)		ш	
P2.2*	Batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal			X
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			
	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc			
P3.2*	The product complies with the Eco design requirements for energy-related products,	\boxtimes		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,		Ш	Ш
	available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	d 🔀	Ш	
P5.2*	hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	<u>, </u>	$\overline{}$	
P3.2	used (see legal reference).	s) <u> </u>	Ш	Ш
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
· · · · · · · · · · · · · · · · · · ·			_	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	66A3	Logo	Lanava
Issue date *	2019/11/22		Lei Iovo"

Product	t environmental attributes - Market requirements (See General NOTE GN below)						
	- Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design						
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable						
P7.1				-			
	Plastic materials in covers/housing have no surface coating.			- -			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ц_	_ <u>_</u> _			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes			
P7.8*	Upgrading can be done using commonly available tools			\boxtimes			
P7.9	Spare parts are available after end of production for: 5 years						
P7.10	Service is available after end of production for: 5 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
D7.40	Material type: ABS Material type: SGCC Material type: AL						
P7.12	Insulation materials of external electrical cables are PVC free.	<u> </u>		_ <u></u> _			
P7.13	Insulation materials of internal electrical cables are PVC free.						
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and						
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in part	s					
D7.45	containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	N					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			\boxtimes			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	-		-			
	☐TBBPA (additive), ☐TBBPA (reactive) (See NOTE B3), ☐Other: , CAS #:	\boxtimes					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g						
	according ISO 1043-4:			\boxtimes			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is	n		-			
	concentrations above 0,1%:			\boxtimes			
	1. Chemical name: , CAS #: (See NOTE B4)						
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "						
				\boxtimes			
D7.40	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		<u> </u>				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			X			
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) Postconsumer recycled plastic material content is used in the product (See Note B6):			$\overline{}$			
1 7.20	i ostoonsumer recycled plastic material content is used in the product (See Note 190).	\boxtimes	Ш				
	If YES; at least one of the two alternatives below shall be answered;						
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as						
	a percentage of total plastic by weight) is 30.19%.						
	b) The weight of recycled material is 308.6g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	66A3				Logo			
Issue date	*	2019/11/	22				Lenc		
Product 6	environn	nental at	tributes - Market r	equirements (con	tinued)		Require	ment	met
Item							Yes	No r	n.a.
	Material	and subs	stance requirements	(continued)					
P7.21*	Biobased	d plastic m	naterial content is use	d in the product (See	NOTE B7):				\boxtimes
	a) Of percor	total plas centage of		nt) is %.	wered; olastic material content	(calculated as a			
P7.22*				less than 0,1 mg/lam	p.		\boxtimes		
	If mercur	y is used	specify: Number of la	mps: and maxi	mum mercury content pe	er lamp: mg			
P8	Batteries								
P8.1*	Battery c	hemical c	omposition:						\boxtimes
P9			tion (See NOTE B8)						
P9.1		roduct the		ls or energy consump					
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stand modes and test r		rgy	
On Mode*	(System Id	dle)	21.4	21.2	20.3				
Low Power	Sleep Mo	ode*	0.33	0.30	0.28				
Off / Appar	ent Off Mo	ode*	0.24	0.24	0.22				
PTEC * Typical Ene	ergy Cons	umption	21.4W	21.2W	20.3W				
ETEC * Annual Ene	ergy Cons	umption	67.5 kWh/year	66.7kWh/year	63.8kWh/year	$E_{TEC} = (8760/100 + P_{sleep} \times 0.65)$	00) x (P _{off} x 0	1.35	
External Po	ower Supp	ly Efficien	cy Level (Internationa	I Efficiency Marking F	rotocol) * :	,			\boxtimes
Display res	olution* :	1920x10	80 megapixels						
Default time	e to enter	energy sa	ve mode: 30 second	S					
P9.2*	Informati	on about t	the energy save funct	ion is provided with th	e product.	•	\square		
P9.3	•		the energy requirem version: Product cate	ents of the following v	oluntary program/s:				
P10									
	Noise er	nission –	Declared according t	o ISO 9296 (See NOT	E B9)				
P10.1	Mode	N	Node description		Statistical upper lim	it A-weighted sound	d power level,	LWA,c (F	3)

(only if not covered by ECMA-74)

(operator position desktop – idle)

(operator position desktop - operating)

Declared A-weighted sound pressure level (dB) $L_{p{\rm Am}}$

Declared A-weighted sound pressure level (dB) $L_{p{
m Am}}$

ISO 7779 ECMA-74

Other

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Idle Operation

Other mode

Other mode

Measured according to:

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nu	Model number * 66A3 Logo		Logo	Long				
Issue date * 2019/11/		2019/11/22				Leno	VO	
Product	environr	nental attribu	tes - Market requirements	(continued)		Require	ment m	et
Item			-			Yes	No n.	.a.
	Electron	nagnetic emiss	ions					
P10.4	Compute program	. ,	the requirement for low freque	ncy electromagnetic fie	lds of the following volunta	ary 🔲		X
P12		mics for compu						
P12.1*	The disp	lay meets the er	gonomic requirements of ISO 9	9241-307 for visual disp	olay technologies.			
P12.2*	The phys	sical input device	e meets the requirements of IS	O 9995 and ISO 9241-4	410.			Ī
P13	Packagi	ng and docume	entation					
P13.1*	Product Product Product	packaging mater packaging mater packaging mater	rial type(s): Paper(Box) rial type(s): EPS(Cushion) rial type(s): EPE(Bag) rial type(s): HDPE(Bag)	weight (kg): 1.50 0 weight (kg): 0.623 weight (kg): 0.015 weight (kg): 0.010	5 5			
P13.2*	Product	plastic primary p	ackaging is free from PVC.					
P13.3*	consume	er recovered fibe			I percentage of minimum	post-		J
P13.4*		media for user a ronic, ⊠Paper,	nd product documentation (tick Other	box):				
P13.5	Ùser and		nis item if paper documentation entation on paper media is chl					
	Totally chlorine-free							
	,	al chlorine-free				Ħ		
	Process	ed chlorine-free				H		
P14	Volunta	ry programs						
P14.1		<i>,</i> , , , , , , , , , , , , , , , , , ,	equirements of the following vo	luntary program(s):				
	ENERG'	Y STAR®	Criteria version:	Date:	Product category:			
	Eco-labe	el:	Criteria version:	Date:	Product category:			
	Eco-labe		Criteria version:	Date:	Product category:			
P15			(See NOTE B10)					
P9			f specific configuration may					
	informati knowled	ion contained in ge available at tl l here is approxii	no representations, guarantees this document. All information in the time of completion, and sup mate and provided for informati	provided by supplier in policy shall have no oblig	this document is provided pation to update such infor	based on suppression. The integral	olier's formation	I
P9			ed Notebooks & Tablet Comput ov/index.cfm?fuseaction=find_a					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1