



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	•			
Company name *	Lenovo		Name and Advantage of the Control of			
Contact information *	Lenovo Global Environmental Affairs	lobal Environmental Affairs				
e-mail address Alvin L Carter			LEITOVO			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	Lenovo L27e-30			
Model number *	66BE			
Issue date *	2020/12/04			
Intended market * Slobal Europe Asia, Pacific & Japan Americas Other				
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	66BE	Logo	Lone		
Issue date *		2020/12/04		Lend	JVC)_
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*	hydrobro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
	concenti	ration values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych vl (PCT) in preparations (see legal reference).				
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	k 🔀		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://static.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disclosure.pdf					
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				\boxtimes
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg- laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration					
P5	Product	packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium a	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature (see legal reference).	of the material	(s)		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
D0		nt: Legal reference has no maximum concentration values.				
P6 1*	Treatment information					
P6.1*	ıntormatı	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		66BE Logo	- 17	one	31/0		
Issue date *		2020/12/04		end	JVU	-	
Product			Red	quirer	nent r	net	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes					n.a.	
P7	Design Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	· · · · · · · · · · · · · · · · · · ·						
P7.3*	7.3* Plastic parts > 100 g consist of one material or of easily separable materials.			\boxtimes			
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.					
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available to	ools.	\boxtimes			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes			
	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes			
P7.9		arts are available after end of production for: 5 years					
P7.10	Service i	is available after end of production for: 5 years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):	OLABC				
P7.12		type: ABS Material type: PC Material type: PC n materials of external electrical cables are PVC free.	J+ABS	$\overline{\Box}$	\square		
P7.13		n materials of internal electrical cables are PVC free.		H	$\overline{\mathbb{X}}$	\forall	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%						
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)						
P7.16	Marking:						
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without component PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	s):				
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g ISO 1043-4:	g				
P7.18	concentr	lame retarded plastic parts > 25 g contain the following flame retardant substances/prepara rations above 0,1%:	tions in			\boxtimes	
	2. Chem	ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "					
	Alt. 2: Ch	hemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		П		\boxtimes	
P7.19			en				
	assigned the following Risk phrases; and Hazard statements:						
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):						
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 85.3%. or						
	b) The	e weight of recycled material is 519.8 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	66BE		Lenovo			
Issue date *	2020/12/04	Lenovo				
Product environmental attributes - Market requirements (continued)			Requirement me	t		
Item			Yes No n.a.			

		stance requirements						
P7.21*	Biobased plastic m	naterial content is used	d in the product (See N	OTE B7):				
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. or 							
	b) The weight of the biobased plastic material is 0g.							
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.							
P8	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg Batteries							
P8.1*	Battery chemical c	omposition:						
P9	-	tion (See NOTE B8)						
P9.1			ls or energy consumpti	ons are reported:				
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
ENERGY S (System Id	STAR® On Mode* le)	13.01	13.01	13.27				
ENERGY S Sleep Mod	STAR® Low Power e*	0.14	0.14	0.16				
ENERGY STAR® Off / Apparent Off Mode*		0.13	0.13	0.15				
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)		W	W	W				
PTEC * Typical Ene	ergy Consumption	13.01 W	13.01 W	13.27 W				
ETEC *		40.69 kWh/year	40.69 kWh/year	41.6 kWh/year				
	ergy Consumption							
		,	l Efficiency Marking Pro	otocol) * :	\boxtimes			
Display res	solution * : 1920 X 1	080 megapixels			\square			
Default time	٠,	ive mode: 1 minutes						
P9.2*	Information about	the energy save function is provided with the product.						
P9.3	Energy efficiency of	class (monitors only):						
P10								
D40.4	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B)				<u> </u>			
	Operation *			*				
	Other mode Declared A-weighted sound pressure level (dB) L_{pAm} (operator position desktop – idle)							
			ad pressure level (dB) $L_{p ext{An}}$		(operator position desktop – operating)			
	Measured according	ng to: ISO 7779 LOTher	ECMA-74 (only if not covered by	FCMA-74)				
	Other Control Control of the Control							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model number *		66BE			Logo	Long		
Issue date *		2020/12/04				Lenc	OVC	
Product e	nvironn	nental attributes	- Market requirements	(continued)		Require	ment	met
Item			-			Yes	No	n.a.
	Electron	nagnetic emissions	3					
P10.4	Compute program		requirement for low freque	ncy electromagne	etic fields of the following volunta	ary		
P12		nics for computing						
P12.1*	-	•	omic requirements of ISO 9			\boxtimes		
P12.2*	The phys	sical input device me	eets the requirements of IS	O 9995 and ISO 9	9241-410.	\boxtimes		
P13		ng and documenta						
P13.1*	Product		ype(s): EPS(Cushion) ype(s): Paper(Carton) ype(s): EPE	weight (kg): weight (kg): weight (kg):	0.978			
P13.2*	Product	plastic primary pack	aging is free from PVC.			\boxtimes		
P13.3*		luct primary corruga er recovered fiber co		, specify the con	tained percentage of minimum	post-		
P13.4*		nedia for user and p ronic, ⊠Paper, ☐	roduct documentation (tick Other	box):				
P13.5	Ùser and		em if paper documentation ation on paper media is chl					
	Element	hlorine-free al chlorine-free ed chlorine-free						
D44								
P14.1	The proc	ry programs	rements of the following vo	luntary program(s	2).			
1 17.1	•	Y STAR®	Criteria version: Criteria version: Criteria version: Criteria version:	Date: Date: Date: Date:	Product category: Product category: Product category:			
P15		nal information (Se						
P9					n of the tested product config			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.							
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1