

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo | | | | |
|------------------------|--|-----------|--|--|--|--|
| Company name * | Lenovo | | | | | |
| Contact information * | Lenovo Global Environmental Affairs | Lenovo | | | | |
| e-mail address | Alvin L Carter | Lei Iovo. | | | | |
| | alcarter@lenovo.com | | | | | |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment.html | | | | | |
| Additional information | The latest version of this document can be found at: | | | | | |
| | http://www.lenovo.com/ecodeclaration | | | | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | |
|--|--|--|--|--|
| Type of product * | Monitor | | | |
| Commercial name * | Lenovo L27i-30 | | | |
| Model number * | 66BF | | | |
| Issue date * | 2020/12/04 | | | |
| Intended market * | 🔀 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other | | | |
| Additional information | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| Model n | umber * | 66BF Logo | 1 | | | | |
|----------------|--|--|---|-------|------|--|--|
| Issue date * | | 2020/12/04 | Leno | IOVO_ | | | |
| Produc | t environ | nmental attributes - Legal requirements | Require | ment | met | | |
| Item | | | Yes | No | n.a. | | |
| P1 | Hazard | ous substances and preparations | | | | | |
| P1.1* | Product | s do comply with current European RoHS Directive. (See legal reference and NOTE B1) | \boxtimes | | | | |
| P1.2* | | s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value. | \square | | | | |
| P1.3* | hydrobr trichloro | s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- bethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum tration values. | | | | | |
| P1.4* | | s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference). | \boxtimes | | | | |
| P1.5* | Product | s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th ontaining at least 48% per mass of chlorine in the SCCP (see legal reference). | e 🔀 | | | | |
| P1.6* | (see leg | ith direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee gal reference). .nt: Max limit in legal reference when tested according to EN1811:2011-5. | k 🔀 | | | | |
| P1.7* | REACH Article 33 information about substances in articles is available at (add URL or mail contact): Image: Contact (Contact) (Con | | | | | | |
| P2 | Batterie | 35 | | | | | |
| P2.1* | If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal is provided in user manual. (See legal reference) | | | | | | |
| P2.2* | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal | | | | | | |
| P2.3* | Batteries and accumulators are readily removable. (See legal reference) | | | | | | |
| P3 | Confor | mity verification & Eco design (ErP) | | | | | |
| P3.1* | The pro | duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc | \boxtimes | | | | |
| P3.2* | The product complies with the Eco design requirements for energy-related products, (see legal reference). | | | | | | |
| | Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration | | | | | | |
| P5 | Produc | t packaging | | | | | |
| P5.1* | | ing and packaging components do not contain more than 0,01% lead, mercury, cadmium ar | | | | | |
| F0.1 | Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and X hexavalent chromium by weight of these together. | | | | | | |
| | The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) | | | | | | |
| P5.2* | used (se | | The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). | | | | |
| P5.2* P5.3* | The pro (see leg | duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc | ol 🔀 | | | | |
| | The pro (see leg Comme | duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc jal reference). | ol 🔀 | | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model nu | umber * | 66BF Lc | ogo 🗾 | | | | | |
|--------------------------------------|--|---|----------------|-------------|-------------|-------------|--|--|
| Issue date * | | 2020/12/04 | | .en | ovc | 2 | | |
| Product | | mental attributes - Market requirements (See General NOTE GN be | | _ | | | | |
| Environmental conscious design Requi | | | | | | | | |
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. Design | | | | | | | |
| | | mbly, recycling | | | | | | |
| P7.1* | | at have to be treated separately are easily separable | | \boxtimes | | | | |
| P7.2* | Plastic m | naterials in covers/housing have no surface coating. | | | \boxtimes | | | |
| P7.3* | Plastic p | arts > 100 g consist of one material or of easily separable materials. | | \boxtimes | | | | |
| P7.4* | | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | | \boxtimes | | | | |
| P7.5 | Plastic p | arts are free from metal inlays or have inlays that can be removed with commonly avail | lable tools. | \boxtimes | | | | |
| P7.6* | Labels a | re easily separable. (This requirement does not apply to safety/regulatory labels). | | \boxtimes | | | | |
| | | lifetime | | | | | | |
| P7.7* | | ng can be done e.g. with processor, memory, cards or drives | | | | | | |
| P7.8* | | ng can be done using commonly available tools | | \boxtimes | | | | |
| P7.9 | | arts are available after end of production for: 5 years | | | | | | |
| P7.10 | Service i | s available after end of production for: 5 years | | | | | | |
| | | and substance requirements | | | | | | |
| P7.11* | | cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Material type: | | | | | | |
| P7.12 | | type: ABS Material type: PC Material ty n materials of external electrical cables are PVC free. | pe: PC+ABS | | \square | | | |
| P7.12 | | n materials of internal electrical cables are PVC free. | | ╞ | | \exists | | |
| P7.14 | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% | | | | | | | |
| 17.14 | weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. | | | | | | | |
| P7.15 | Printed of | circuit boards, PCBs (without components) are low halogen: all | e low halogen | | \square | | | |
| P7.16 | | tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: | | | | \square | | |
| P7.17 | | nemical specifications of flame retardants in printed circuit boards > 25 g (without comp PA (additive), | oonents): | \square | | | | |
| | | nemical specifications of flame retardants in printed circuit boards (without components g ISO 1043-4: | s) > 25 g | | | | | |
| P7.18 | concentr 1. Chem 2. Chem | ame retarded plastic parts > 25 g contain the following flame retardant substances/pr rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: " | reparations in | | | | | |
| | | nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: | | | | | | |
| P7.19 | | parts > 25 g, flame retardant substances/preparations above 0,1% are used which ha | ve been | | | \boxtimes | | |
| | - | the following Risk phrases; and Hazard statements: | | | | | | |
| DZ CO | | | note B5) | | | | | |
| P7.20* | Postcons | sumer recycled plastic material content is used in the product (See Note B6): | | \boxtimes | | | | |
| | a) Oft ape or | at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (ca ercentage of total plastic by weight) is <i>85.3%.</i> e weight of recycled material is <i>508.7</i> g. | alculated as | | | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * | 66BF | Logo | Lonovo |
|------------------|---|------|-----------------|
| Issue date * | 2020/12/04 | | LEHOVO |
| Product environm | nental attributes - Market requirements (continued) | | Requirement met |

Item

Yes

No

n.a.

| D7.04* | | tance requirements | | | | | |
|---|--|---------------------------------------|--|---------------------------------------|---|--|--|
| P7.21* | Biobased plastic m | | | | | | |
| | If YES; at least one | e of the two alternative | es below shall be answe | ered; | | | |
| | | | the biobased plastic m | aterial content (calcula | ated as a percentage of | | |
| | total plastic by weight) is 0%. | | | | | | |
| | or b) The weight of | the biobased plastic r | material is <i>0</i> a | | | | |
| P7.22* | | | less than 0,1 mg/lamp. | | | | |
| == | | specify: Number of lar | , 0 1 | um mercury content p | | | |
| P8 | Batteries | | | | | | |
| P8.1* | Battery chemical c | omposition: | | | | | |
| P9 | Energy consumpt | tion (See NOTE B8) | | | | | |
| P9.1 | | | s or energy consumption | | | | |
| Energy mo | de * | Power level at | Power level at | Power level at | Reference/Standard for energy 🔀 | | |
| | | 100 V AC | 115 V AC | 230 V AC | modes and test method * | | |
| (System Idl | STAR® On Mode* | 15.74 | 15.81 | 15.94 | | | |
| (System lui | e) | | | | | | |
| ENERGY S | STAR® Low Power | 0.15 | 0.15 | 0.17 | | | |
| Sleep Mode | e* | | | | | | |
| | STAR® Off / | 0.14 | 0.14 | 0.16 | | | |
| Apparent C | | 0.14 | 0.14 | 0.70 | | | |
| | | | | | | | |
| EPS No-loa | ad | W | W | W | | | |
| | upply / charger plugged in the connected from the product.) | | | ** | | | |
| | connected from the product.) | 45.04 \\ | 45.04144 | 45.0410/ | | | |
| PTEC * | ergy Consumption | 15.81 W | 15.81 W | 15.94 W | | | |
| ETEC * | orgy consumption | 49.11 kWh/year | 49.33 kWh/year | 49.84 kWh/year | | | |
| | ergy Consumption | , , , , , , , , , , , , , , , , , , , | | , , , , , , , , , , , , , , , , , , , | | | |
| External Po | ower Supply Efficien | cv Level (International | Efficiency Marking Pro | otocol) * : | | | |
| | olution * : 1920 X 1 | • • | , 5 | / | | | |
| . , | | ve mode: 1 minutes | | | | | |
| P9.2* | 0, | | on is provided with the | product | | | |
| P9.2* Information about the energy P9.3 Energy efficiency class (mon | | 0, | | | | | |
| P10 | Emissions | | | | | | |
| FIU | | Declared according to | ISO 9296 (See NOTE | B9) | | | |
| P10.1 | | lode description | | | hit A-weighted sound power level, L _{WA.c} (B) | | |
| | Idle * | | | * | | | |
| | Operation * | | | * | X | | |
| | | eclared A-weighted soun | d pressure level (dB) L _{pAm} | (operator pr | osition desktop – idle) | | |
| | | | | | | | |
| | Other mode | eciared A-weighted soun | d pressure level (dB) $L_{p Am}$ | (operator po | osition desktop – operating) | | |
| | Measured according | ng to: 📃 ISO 7779 🗌 | ECMA-74 | | | | |
| | | Other | (only if not covered by | FCMA-74 | | | |

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

| Model nu | umber * | 66BF | | | L | ogo | Long | | |
|--------------|---|---|---|--|--|------------|-------------|------|------|
| Issue date * | | 2020/12/04 | | | | | Leno | vo | |
| Product | environr | nental attributes | - Market requirement | s (continued) | | | Require | ment | met |
| ltem | | | | | | | Yes | No | n.a. |
| | | nagnetic emissior | | | | | | | |
| P10.4 | Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary | | | | | | | | |
| P12 | | nics for computin | | | | | | | |
| P12.1* | • | | nomic requirements of ISC | | | s. | \boxtimes | | |
| P12.2* | The phy | sical input device m | eets the requirements of I | SO 9995 and ISO 9241- | 410. | | \boxtimes | | |
| P13 | Packagi | ng and document | ation | | | | | | |
| P13.1* | Product Product | packaging material packaging material | | weight (kg): 0.42 weight (kg): 0.97 weight (kg): 0.02 | 8 | | | | |
| P13.2* | Product | plastic primary pac | kaging is free from PVC. | | | | \boxtimes | | |
| P13.3* | | luct primary corruger recovered fiber c | ated fiberboard packagin ontent: % | g, specify the contained | d percentage of | minimum p | ost- | | |
| P13.4* | Specify media for user and product documentation (tick box): | | | | | | | | |
| P13.5 | (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: | | | | | | | | |
| | Totally chlorine-free | | | | | | | | |
| | Process | ed chlorine-free | | | | | | | |
| P14 | Volunta | ry programs | | | | | | | |
| P14.1 | | | irements of the following v | oluntary program(s): | | | | | |
| | ENERG Eco-labe Eco-labe | | Criteria version: Criteria version: Criteria version: | Date: Date: Date: | Product cate Product cate Product cate | egory: | | | |
| P15 | Additio | nal information (Se | ee NOTE B10) | | | × · | | | |
| P9 | | | pecific configuration may | | | | | | |
| | NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. | | | | | | | | |
| P9 | See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO | | | | | | | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |