



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	Lenovo				
e-mail address	Alvin L Carter	LETIOVO				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	Lenovo L27q-30				
Model number *	65FC				
Issue date *	2019/09/16				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	odel number * 65FC Logo		Lon		
Issue date *		2019/09/16	Lend	DVC	<b>D</b> <sub>TM</sub>
Product environ		mental attributes - Legal requirements	Require	men	t met
Item			Yes	No	n.a.
P1		us substances and preparations			
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference). tt: Legal reference has no maximum concentration value.			
P1.3*	Products hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ation values.			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated I (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	$\boxtimes$		
P2	Batterie	S			
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal information on proper disposal is provided in user manual. (See legal reference)			$\boxtimes$
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)				$\boxtimes$
P3	Conforn	nity verification & Eco design (ErP)			
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see legal reference). laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc			
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).			
	Required information is; given in item P15 or added to this document,  available at: https://www.lenovo.com/us/en/compliance/eco-declaration			Ш	Ш
P5		packaging			
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium arent chromium by weight of these together.			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material ( e legal reference).	,		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco (see legal reference).  Comment: Legal reference has no maximum concentration values.		ol 🔀		
P6		nt information			
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	65FC	Logo	Lanava
Issue date *	2019/09/16		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)							
	- Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P7	Design Bi							
P7.1*	Disassembly, recycling  Parts that have to be treated separately are easily separable							
P7.2*	Plastic materials in covers/housing have no surface coating.	$-\frac{\square}{\square}$						
P7.3*								
	Plastic parts > 100 g consist of one material or of easily separable materials.		<del> </del>					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.							
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.							
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).							
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives							
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$						
P7.9	Spare parts are available after end of production for: 5 years							
P7.10	Service is available after end of production for: 5 years							
	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):							
	Material type: ABS Material type: PC Material type:							
P7.12	Insulation materials of external electrical cables are PVC free.	Ц_	$\boxtimes$					
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			$\boxtimes$				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:							
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			$\boxtimes$				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)							
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\boxtimes$				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been							
	assigned the following Risk phrases; and Hazard statements:							
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)							
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$						
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 85%. (EPEAT calculation) / 85% (TCO calculation)  or  b) The weight of recycled material is741.7 g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	65FC	Logo	Longvo	
Issue date *	2019/09/16		Lei Iovo,	

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and sub	stance requirements	(continued)					
P7.21*			in the product (See NO	OTE B7):				
	a) Of total plast total plastic total	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.  or						
	b) The weight of the biobased plastic material is <i>0</i> g.							
P7.22*	Light sources are	•	less than 0,1 mg/lamp.	um mercury content pe	r lamp: mg			
P8	Batteries			,				
P8.1*	Battery chemical	composition:						
P9	Energy consump	otion (See NOTE B8)						
P9.1	For the product th	e following power level	s or energy consumption	ns are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
ENERGY S (System Id	STAR® On Mode* lle)	19.05	19.13	19	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0			
ENERGY S Sleep Mod	STAR® Low Power le*	0.24	0.24	0.26	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0			
ENERGY STAR® Off / Apparent Off Mode*		0.15	0.15	0.18	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0			
		1	1					
PTEC * Typical En	ergy Consumption	<b>51.1</b> W	51.3 W	<b>51.1</b> W				
ETEC * Annual En	ergy Consumption	kWh/year	kWh/year	kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$			
External Po	ower Supply Efficie	ncy Level (International	l Efficiency Marking Pro	tocol) * : NA				
Display res	solution* : <b>2560*1</b> 4	40 megapixels			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0			
Default tim	e to enter energy s	ave mode: 15 seconds			ENERGY STAR® Program Requirements for Computer Monitors: Ver.8.0			
P9.2*	Information about	the energy save function	on is provided with the	product.				
P9.3*	ENERGY STAR®	s the energy requirement version: <b>8.0</b> Product of the street of the str	ents of the following volucategory: <b>Display</b> .	untary program/s:				
P10	Emissions							
D40.4			ISO 9296 (See NOTE		A susiality of a supplier of the state of th			
P10.1		Mode description  * HDD: Idle		Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub>				
	12.2			*				
		* HDD: Operating	1	•				
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p{\rm Am}}$		sition desktop – idle)			
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p{ m Am}}$	(operator pos	sition desktop – operating)			
	Measured according to: SO 7779 ECMA-74 Other (only if not covered by ECMA-74)							
	Curior (orange in fact covered by Ectivity 1747)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		65FC					Logo	Long	V/0	
Issue date	*	2019/09/16						Leno	VO,	н
Product	environn	nental attributes	- Market requirem	nents (cont	tinued)			Require	ment	met
Item			•	•	•			Yes	No	n.a.
	Electron	nagnetic emission	s							
P10.4	Compute program		requirement for low f	frequency ele	ectromagnetic fields	s of the follo	owing voluntary	'		
P12		nics for computing								
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.									
P12.2*	The phys	sical input device m	eets the requirements	s of ISO 9995	5 and ISO 9241-410	0.				X
P13	Packagi	ng and documenta	ation							
P13.1*	Product Product Product	packaging material packaging material packaging material	type(s): <b>Bag</b> type(s):	weight (kg) weight (kg) weight (kg)	): <b>0.263</b> ): <b>0.02</b>					
P13.2*	Product	plastic primary pack	kaging is free from PV	/C.						
P13.3*		luct primary corruger recovered fiber co	ated fiberboard pack ontent: 80%	kaging, speci	ify the contained p	ercentage	of minimum p	ost-		
P13.4*		media for user and <sub>l</sub> ronic, ⊠Paper, □	oroduct documentation Other	on (tick box):						
P13.5	Ùser and		tem if paper documen ation on paper media		ree:					
	Element	hlorine-free al chlorine-free								
	Processe	ed chlorine-free								
P14		ry programs								
P14.1		Y STAR® el:	irements of the following Criteria version: 8.0 Criteria version: Criteria version:	0	program(s): Date: 2019/09/09 Date: Date:	Product of Product of Product of	0 ,	Monitor		
P15		nal information (Se								
P9			pecific configuration							
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.									
P9			Monitors & Displays for products/office_equip							
l										

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1