

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	the second second second second
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	LEI IOVO.
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product
conforms to the statement	nts given in this declaration.
Type of product *	Desktop
Commercial name *	Lenovo V50t Gen2-13IOB
Model number *	11QB,11QC,11QD,11QE
Issue date *	2021-3-11
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	Energy Star, EPEAT

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Issue date Integritted Integritted Issue date 2027-3-11 Image: Integritted Image: Integritted Product environmental attributes - Legal requirements Requirement m Yes No n. Item Yes No n. Image: Integritted I	Model nu	mber *	11QB,11QC,11QD,11QE	Logo	Lon		4
Item Yes No. n. P1 Hazardous substances and preparations Yes No. n. P1.1* Products do comply with current European ROHS Directive. (See legal reference and NOTE B1) Image: Comment: Legal reference has no maximum concentration value. P1.2* Products do not contain Asbestos (see legal reference). Image: Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain nore than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Image: Comment: Legal reference). P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Image: Comment: Legal reference). P1.6* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Image: Comment: Legal reference). P1.6* Prate with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm?/week Image: Comment: Legal reference). P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): Image: reference). P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal referen	Issue dat	e *	2021-3-11		Lene	ove)
P1 Hazardous substances and preparations P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) P1.2* Products do contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Asbestos (see legal reference). Content Legal reference has no maximum concentration value. P1.3* Products do not contain OSbestos (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.4* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.5* Products do not contain a bout substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo.REACH-SVHC-Disclosure P2 Batteries If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information about substances with applicable legal reference) P2.3* Batteries on accumulators are readily removable. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference). P3.4* The product contains a battery or an accumulator, the battery/accumulator i	Product	environ	mental attributes - Legal requirements				t met
P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Czone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than; 0,005% to han 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week (see legal reference). Comment: Legal si Information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2.4* Batteries P2.4* Batteries on accumulators are neadily removable. (See legal reference) P2.4* Batteries on accumulators are neadily removable. (See legal reference) P2.4* Batteries on accumulators are neadily removable. (See legal reference) P3.					Yes	No	n.a.
P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. Image: Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozon Depleting Substances: Chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Products do not contain more than; 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances: In articles is available at (add URL or mail contact): https://www.lenvo.com/us/en/Lenvo.REACH-SVHC-Disclosure P2 Batteries Comment: Uas a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference). P2.3* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference). The produ							
Comment: Legal reference has no maximum concentration value. □ P1.3* Products do not contain Ozone Depleting Substances: Chlorofluoroarbons (CFC), hydrobromofluoroarbons (HBFC), hydrochlorofluoroarbons (HCFC), Halons, carbontetrachloride, 1, 1, 1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). □ P1.5* Products do not contain more than; 0,005% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). □ P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm?/week (see legal reference). □ Comment: Max limit in legal reference when tested according to EN1811:2011-5. □ □ P1.4* REACH Article 3 al information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure □ P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information any proper disposal is provided in user manual. (See legal reference) □ P2.2* Batteries an accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) □ P3.1* The p	P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\square		
hydrobromofluorocarbons (HBFC), hydrochlorofluoroarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Image: hydrobromofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparatorins (see legal reference). Image: hydrobromofluorocarbons (HCFC), Halons, S(SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Image: hydrobromofluorocarbox (ACH SVHC-Disclosure) P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure) Image: hydrobromofluorocarbox (See legal reference) P2 Batteries Image: hydrobromofluorocarbox (See legal reference) Image: hydrobromofluorocarbox (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference). Image: hydrobromofluorocarbox (See legal reference). P3.2* The product so Et-marked to show conformance with applicable legal requirements (see legal reference). Image: hydrobrobrobrobrobrobrobrobrobrobrobrobrobr	P1.2*	Commer	t: Legal reference has no maximum concentration value.		\square		
terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries and accumulators are readily removable. (See legal reference) P3.1 The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc P3.2* The product is CE-marked to show conformance with applicable legal requirements, (see legal reference). Required information is; given in item P15 or added to this document, give available a	P1.3*	hydrobro trichloroe	mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). □ P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). □ Comment: Max limit in legal reference when tested according to EN1811:2011-5. □ □ P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): □ □ <i>https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure</i> ■ □ □ P2 Batteries ■ □ □ □ P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) □ □ P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) □ □ P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). □ □ P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). □ □ P3.2* The product packaging □ □ □ □ P4.3* Product packaging	P1.4*			lorinated	\square		
(see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P3. Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration P5.1* Packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) P5.1* Packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) See legal reference). See legal referen	P1.5*	chain co	ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact):	P1.6*	(see lega	al reference).),5 μg/cm²/we	ek 🔀		
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3.1* Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration P5 Product packaging product of these together. P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The product packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P6 Treatment information	P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes		
symbol. Information on proper disposal is provided in user manual. (See legal reference) Image: Constraint of the second sec							
reference) Image: Conformity verification & Eco design (ErP) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; Image: Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; Image: Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc P3.2* The product packaging Image: Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eco-declaration P4 Product packaging Image: Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eco-declaration P5 Product packaging Image: Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eco-declaration P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. Image: Conformity can be requested with abbreviations and numbers indicating the nature of the material(s) Image: Conformity can be requested at: Conformity can be requested at: Conformetial protocol (see legal reference).	P2.1*			the disposal	\boxtimes		
P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco- declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P2.2*			nium. (See le	gal 🔀		
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; Image: Compliance of	P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc Image: Complex complex with the Eco design requirements for energy-related products, (see legal reference). P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Image: Complex com	P3	Conforn	nity verification & Eco design (ErP)				
(see legal reference). Required information is; given in item P15 or added to this document, □ available at: https://www.lenovo.com/us/en/compliance/eco- declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P3.1*						
Required information is; given in item P15 or added to this document, Image: Compliance/eco-declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. Image: Compliance/eco-declaration P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) Image: Compliance/eco-declaration P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Image: Comment: Legal reference has no maximum concentration values. P6 Treatment information	P3.2*	The proc (see lega	uct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6		-	l information is; given in item P15 or added to this document,	00/000	\boxtimes		
P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and kexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) substances (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P6 Treatment information		doclarat		ce/eco-			
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) is to see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). P6 Treatment information	P5						
P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) Image: Comparison of the material (s) P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information		Packagir	ng and packaging components do not contain more than 0,01% lead, mercury	y, cadmium	and 🔀		
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P5.2*	The pack	aging materials are marked with abbreviations and numbers indicating the nature	of the materia	al(s) 🔀		
P6 Treatment information	P5.3*	The prod (see lega	uct packaging material is free from ozone depleting substances as specified in the N al reference).	Montreal Proto	ocol 🔀		
	De						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	11QB,11QC,11QD,11QE	Logo	Lam		
Issue dat	te *	2021-3-11		Len	ovo	-
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7 P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
					<u> </u>	<u> </u>
P7.2*		naterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*		parts > 100 g consist of one material or of easily separable materials.				
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\square		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
		lifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools		\square		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	is available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
D7.40		type: ABS Material type: Steel Materia	al type:			
P7.12		n materials of external electrical cables are PVC free.		<u> </u>		<u>Ц</u>
P7.13		n materials of internal electrical cables are PVC free.				<u> </u>
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content.	e retardants, a	nd 🗖		
P7.15		circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 ed in IEC 61249-2-21. (See 1NOTE B2)	are low halog	en 🗌	\boxtimes	
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\square	
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without co				
	TBBF	PA (additive), 🛛 TBBPA (reactive) (See NOTE B3), 🗌 Other: <i>chemical nam</i> e, CAS	S #: 79-94-7	\bowtie		
		hemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g		\boxtimes	
P7.18	<u>Alt. 1: </u> FI	lame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations	in		
	1. Chem 2. Chem	rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "				
	Alt. 2: Cł	hemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which			Ē	
	•	d the following Risk phrases; and Hazard statements:				لالكا
	-		ee note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	,	\square		
	a) Oft apo or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is <i>11.4</i> %. e weight of recycled material is <i>43.9</i> g.	t (calculated as	5		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	11QB,11QC,11QD,11QE	Logo	Lenovo
Issue date *	2021-3-11		LEHOVO
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

1	Material and subs	stance requirements	(continued)		
P7.21*			d in the product (See N	IOTE B7):	
	If YES: at least on	e of the two alternative	s below shall be answ	ered.	
					ated as a percentage of
	total plastic b		•		· –
	or b) The weight of	the biobasod plastic :	natorial is a		
P7.22*		the biobased plastic i	less than 0.1 mg/lamp	1	
		specify: Number of lar		num mercury content p	
P8	Batteries		•		
P8.1*	Battery chemical c	omposition: <i>Lithium I</i>	Manganese Dioxide		
P9		tion (See NOTE B8)			
P9.1	For the product the		s or energy consumpti		
Energy mo	DUE	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On-	max)	W	W	W	Full load
-					
<u>Categor</u>	<u>y 11</u>				
Short Idle	State - WOL	12.2 W	12.53 W	12.64 W	Use for ENERGY STAR V8
Enabled					registration (P _{idle})
Long Idle	State - WOL	11.45 W	11.46 W	11.44 W	Use for ENERGY STAR V8
Enabled					registration (P _{idle})
Sleep (S3)	- WOL Enabled	0.84 W	0.84 W	0.84 W	Use for ENERGY STAR V8
,					registration(P _{sleep})
Sleep (S3)	- WOL Disabled	W	W	W	Reference
Off (S5) - I	WOL Enabled	0.66 W	0.66 W	0.66 W	Use for ENERGY STAR V8
					registration(P _{off})
Off (S5) - 1	WOL Disabled	W	W	0.77 W	Use for ErP lot3
O ata a a a					
Categor	<u>y 12</u>				
Short Idle	State - WOL	14.32 W	14.23 W	14.14 W	Use for ENERGY STAR V8
Enabled					registration (P _{idle})
Long Idle	State - WOL	12.73 W	12.7 W	12.71 W	Use for ENERGY STAR V8
Enabled					registration (P _{idle})
Sleep (S3)	- WOL Enabled	0.91 W	0.91 W	0.92 W	Use for ENERGY STAR V8
					registration(P _{sleep})
Sleep (S3)	- WOL Disabled	W	W	W	Reference
Off (S5) - I	WOL Enabled	0.53 W	0.53 W	0.53 W	Use for ENERGY STAR V8
					registration(Poff)
Off (S5) - 1	WOL Disabled	W	W	0.77 W	Use for ErP lot3

NOTE B8 A Guidance document on Energy Efficiency is available;

see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u> NOTE B9 A Guidance document on Acoustic Noise is available; Yes

No

n.a.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Categor	v D1				
Short Idle Enabled	State - WOL	17.26 W	17.26 W	16.87 W	Use for ENERGY STAR V8 registration (P _{idle})
Long Idle Enabled	State - WOL	14.09 W	14.12 W	13.95 W	Use for ENERGY STAR V8 registration (P _{idie})
Sleep (S3) - WOL Enabled	1.02 W	1.02 W	1.03 W	Use for ENERGY STAR V8 registration(P _{sleep})
Sleep (S3) - WOL Disabled	W	W	W	Reference
Off (S5) -	WOL Enabled	0.63 W	0.62 W	0.63 W	Use for ENERGY STAR V8 registration(P _{off})
Off (S5) -	WOL Disabled	W	W	0.77 W	Use for ErP lot3
Categor	<u>y D2</u>				
Short Idle Enabled	State - WOL	21.84 W	21.92 W	21.74 W	Use for ENERGY STAR V8 registration (P _{idie})
Long Idle Enabled	State - WOL	18.17 W	18.11 W	18.01 W	Use for ENERGY STAR V8 registration (P _{idle})
Sleep (S3) - WOL Enabled	1.12 W	1.12 W	1.13 W	Use for ENERGY STAR V8 registration(P _{sleep})
Sleep (S3) - WOL Disabled	W	W	W	Reference
Off (S5) -	WOL Enabled	0.76 W	0.76 W	0.77 W	Use for ENERGY STAR V8 registration(P _{off})
Off (S5) -	WOL Disabled	W	W	0.77 W	Use for ErP lot3
EPS No-IO (External power wall outlet but dis	ad supply / charger plugged in the sconnected from the product.)	W	W	W	
PTEC *	ergy Consumption	W	W	W	\square
ETEC *	ergy Consumption	46.27 kWh/year 53.07 kWh/year	47.15 kWh/year 52.81 kWh/year	47.42 kWh/year 52.62 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$ + $P_{sleep} \times 0.05$ + $P_{long \ Idle} \times 0.15$ +
		62.55 kWh/year 78.73 kWh/year	62.56 kWh/year 78.88 kWh/year	61.44 kWh/year 78.38 kWh/year	P _{short_idle} x 0.35)
					Enabled; P _{idle} : Idle State - WOL Enabled
	,	,	I Efficiency Marking Pro	otocol) * :	
		egapixels			
	0,	ve mode: 25 minutes	and a mandal of the st		
P9.2* P9.3		the energy save functi class (monitors only):	ion is provided with the	product.	
P9.3	Emissions				
1.10		Declared according to	o ISO 9296 (See NOTE	B9)	
P10.1		Iode description			t A-weighted sound power level, $L_{WA,c}$ (B)
	Idle *	HDD:Idle		* 3.3	
	Operation *	HDD: Operating		* 3.4	
			d pressure level (dB) $L_{p \text{Am}}$		
	Other mode	eclared A-weighted soun	ad pressure level (dB) L _{pAm}	24 (operator positio	n desktop – operating)
	Measured accordin	ng to: 🔀 ISO 7779 🗌	ECMA-74 (only if not covered by	ECMA-74)	
	•				

Model nu	mber *	11QB,11QC,1	1QD,11QE			Logo	10	-	VO	
Issue dat	:e *	2021-3-11					Le		vo	
	environ	nental attribu	tes - Market requirements	(continued)					ment	me
Item							`	ſes	No	n.a
		magnetic emiss								
P10.4	program	i(s):	the requirement for low frequer	icy electromagneti	c fields of the foll	owing volun	ary			\boxtimes
P12		mics for compu								
P12.1*	The disp	play meets the e	rgonomic requirements of ISO 9	241-307 for visual	display technolog	gies.				\boxtimes
P12.2*	The phy	sical input devic	e meets the requirements of ISC) 9995 and ISO 92	241-410.			\boxtimes		
P13		ing and docum								
P13.1*	Product			weight (kg): 1 nt (kg): 0.26 weight (kg):	1.07					
P13.2*	Product	plastic primary	backaging is free from PVC.	0 (0)				\boxtimes		
P13.3*			rrugated fiberboard packaging, er content: 90 %	specify the conta	ined percentage	of minimun	ı post-			
P13.4*	Specify		nd product documentation (tick	box):						
P13.5	Ùser an		nis item if paper documentation nentation on paper media is chlo					\boxtimes		
	Totally o	hlorine-free						\boxtimes		
	Element	al chlorine-free								
	Process	ed chlorine-free						Ħ		
P14	Volunta	ry programs						<u> </u>		
P14.1			equirements of the following vol	untary program(s):						
	Eco-labe Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version:	Date: Date: Date:	Product of Product of Product of		sktop			
P15			(See NOTE B10)							
P9			of specific configuration may v							
	informat knowled	ion contained in ge available at t l here is approxi	no representations, guarantees, this document. All information p he time of completion, and supp mate and provided for information	rovided by supplie lier shall have no o	er in this documer obligation to upda	nt is provided ate such info	l based on rmation. T	supp ne infe	lier's ormat	ion
P9	See Ene	ergy Star Qualifie	ed Notebooks & Tablet Compute ov/index.cfm?fuseaction=find_a	ers for the latest inf _product.showProd	formation: ductGroup&pgw_	code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V50t Gen2-13IOB	Logo
Model Number	11QB,11QC,11QD,11QE	Longua
Issue Date	2021-3-11	Lenovo
Additional information	Energy Star, EPEAT	

P7.1.1	Product environmental attributes				
(d)	year of manufacture:				2021
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when a	all discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]		30		30
ents ting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)
djustm ing tes	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
capa appli	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)
	Category of discrete graphics Card(s)		G5		G5
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		74.94		92.52
(g)	Idle state power demand (Watts);		1		20.22 25.19
(h)	Sleep mode power demand (Watts);				1.04 1.12
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.08
(j)	Off mode power demand (Watts);				<u> </u>
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		<u> </u>
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	0.78
	PCK014-EL0G 10% 90.84% 20% 91.1	12% 50% 93% 100 ⁶	% 90.54% Average	91.55%	
(m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency:				
(0)	*internal note: show values for all available external p Minimum number of loading cycles that i		tand (applies only to r	notebook computers):	NA
(p-1)	Measurement methodology used to dete	ermine information mer 80 PLUS® Progra		nternal PSU efficiency:	

-2)	Measurement methodology used to de	termine information mentioned in po	ints (m) – external PSU efficiency:	
_,		NA		
-3)	Measurement methodology used to de	termine information mentioned in po NA	ints (o) – loading cycles batteries:	
-4)	Measurement methodology used to de power as defined in Point P9.1 in the P		aximum, idle, sleep, off mode	
		IEC 62623 Ed. 1.0, 2012-10		
)	Sequence of steps for achieving a stab	le condition with respect to power de	emand::	
	Based on user mai	nual/Power on->Wait 5 minutes->S	Stable condition	
	Description of how sleep and/or off mo	de was selected or programmed:		
	Based on user manu	al/Begin menu -> Power -> Select	sleep or off mode	
	Sequence of events required to reach t off mode:	he mode where the equipment auto	matically changes to sleep and/or	
	Based on user manual/Control Par	nel->Power Options-> Change Set for this plan	tings-> Restore default settings	
	Duration of idle state condition befo condition which does not exceed the ap	oplicable power demand requiremen	ts for sleep mode (in minutes):	25
)	Length of time after a period of user mode that has a lower power deman			
)	Length of time before the display sle	ep mode is set to activate after us	ser inactivity (in minutes):	10
)	Information on the energy-saving poter	ntial of power management functiona	anty.	
,		NA	anty.	
,	User information on how to enable the	NA power management functionality:		
,	User information on how to enable the Based	NA		
,	User information on how to enable the Based Set the power plan	NA power management functionality: I on user manual-Set the power p.	lan	
,	User information on how to enable the Based	NA power management functionality: I on user manual-Set the power p.	lan	
,	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu	NA power management functionality: I on user manual-Set the power power power plan takes e	lan	
	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu- been idle for a specified duration: Table 1. Default power plan (when plugged	NA power management functionality: I on user manual-Set the power power power plan takes e	lan	
	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu- been idle for a specified duration:	NA power management functionality: I on user manual-Set the power power ters, the following power plan takes e	lan	
,	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu- been idle for a specified duration: Table 1. Default power plan (when plugged • Turn off the display: After 10 minutes	NA power management functionality: I on user manual-Set the power plan ters, the following power plan takes of <i>linto ac power</i>)	lan effect when your computers have	
,	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu- been idle for a specified duration: Table 1. Default power plan (when plugged • Turn off the display: After 10 minutes • Put the computer to sleep: After 25 min To awaken the computer from Sleep m	NA power management functionality: I on user manual-Set the power po ters, the following power plan takes of <i>into ac power</i>) nutes ode, press any key on your keyboard	lan effect when your computers have	
	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu- been idle for a specified duration: Table 1. Default power plan (when plugged • Turn off the display: After 10 minutes • Put the computer to sleep: After 25 min	NA power management functionality: f on user manual-Set the power power ters, the following power plan takes e into ac power) utes ode, press any key on your keyboard best balance between performance a	lan effect when your computers have	
,	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu- been idle for a specified duration: Table 1. Default power plan (when plugged • Turn off the display: After 10 minutes • Put the computer to sleep: After 25 min To awaken the computer from Sleep m To reset the power plan to achieve the	NA power management functionality: f on user manual-Set the power plan ters, the following power plan takes e into ac power) utes ode, press any key on your keyboard best balance between performance a trge icons or small icons.	lan effect when your computers have 1.	
)	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu- been idle for a specified duration: Table 1. Default power plan (when plugged • Turn off the display: After 10 minutes • Put the computer to sleep: After 25 min To awaken the computer from Sleep m To reset the power plan to achieve the 1. Go to Control Panel and view by la	NA power management functionality: f on user manual-Set the power plan ters, the following power plan takes e into ac power) utes ode, press any key on your keyboard best balance between performance a urge icons or small icons. soose or customize a power plan of y test voltage in V and frequency in H	lan effect when your computers have d. and power saving: our preference. dz, — total harmonic distortion of	
)	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu- been idle for a specified duration: Table 1. Default power plan (when plugged • Turn off the display: After 10 minutes • Put the computer to sleep: After 25 min To awaken the computer from Sleep m To reset the power plan to achieve the 1. Go to Control Panel and view by la 2. Click Power Options, and then ch Test parameters for measurements: — the electricity supply system, — inform- used for electrical testing:	NA power management functionality: f on user manual-Set the power plan ters, the following power plan takes e into ac power) utes ode, press any key on your keyboard best balance between performance a urge icons or small icons. soose or customize a power plan of y test voltage in V and frequency in H	lan effect when your computers have d. and power saving: our preference. dz, — total harmonic distortion of rumentation, set-up and circuits	
)	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu- been idle for a specified duration: Table 1. Default power plan (when plugged • Turn off the display: After 10 minutes • Put the computer to sleep: After 25 min To awaken the computer from Sleep m To reset the power plan to achieve the 1. Go to Control Panel and view by la 2. Click Power Options, and then ch Test parameters for measurements: — the electricity supply system, — inform used for electrical testing:	NA power management functionality: f on user manual-Set the power provident of the power	Ian effect when your computers have d. and power saving: our preference. Hz, — total harmonic distortion of rumentation, set-up and circuits	
1	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu- been idle for a specified duration: Table 1. Default power plan (when plugged • Turn off the display: After 10 minutes • Put the computer to sleep: After 25 min To awaken the computer from Sleep m To reset the power plan to achieve the 1. Go to Control Panel and view by la 2. Click Power Options, and then ch Test parameters for measurements: — the electricity supply system, — inform used for electrical testing:	NA power management functionality: f on user manual-Set the power provident of the power power provident of the power power provident of the power power power provident of the power pow	Ian effect when your computers have d. and power saving: our preference. Hz, — total harmonic distortion of rumentation, set-up and circuits	
1	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu- been idle for a specified duration: Table 1. Default power plan (when plugged • Turn off the display: After 10 minutes • Put the computer to sleep: After 25 min To awaken the computer from Sleep m To reset the power plan to achieve the 1. Go to Control Panel and view by la 2. Click Power Options, and then ch Test parameters for measurements: — the electricity supply system, — inform- used for electrical testing:	NA power management functionality: I on user manual-Set the power provide the power provide the following power plan takes of the ac power) utes ode, press any key on your keyboard best balance between performance a trige icons or small icons. Toose or customize a power plan of y test voltage in V and frequency in Hation and documentation on the instance of the electricity supply systemed as the provide distortion of the electricity supply systemed as the power of the electric systemed as the power of the electric systemed as the power of the electric	lan effect when your computers have d. and power saving: our preference. Hz, — total harmonic distortion of rumentation, set-up and circuits W/50Hz eam: ≤2%	
	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu- been idle for a specified duration: Table 1. Default power plan (when plugged • Turn off the display: After 10 minutes • Put the computer to sleep: After 25 min To awaken the computer from Sleep m To reset the power plan to achieve the 1. Go to Control Panel and view by la 2. Click Power Options, and then ch Test parameters for measurements: — the electricity supply system, — inform- used for electrical testing: Test volta Total harmon	NA power management functionality: f on user manual-Set the power provide the power provide the following power plan takes of the ac power) nutes ode, press any key on your keyboard best balance between performance a trge icons or small icons. No ose or customize a power plan of y test voltage in V and frequency in Hation and documentation on the instance detection of the electricity supply system Range Used or ******	lan effect when your computers have d. and power saving: our preference. Iz, — total harmonic distortion of rumentation, set-up and circuits V/50Hz em: ≦2% Make and Model**	
	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu- been idle for a specified duration: Table 1. Default power plan (when plugged • Turn off the display: After 10 minutes • Put the computer to sleep: After 25 min To awaken the computer from Sleep m To reset the power plan to achieve the 1. Go to Control Panel and view by la 2. Click Power Options, and then ch Test parameters for measurements: — the electricity supply system, — inform- used for electrical testing: Test volta Total harmon Instrument Name AC Power Source	NA power management functionality: f on user manual-Set the power provide the power provide the following power plan takes of the ac power) nutes ode, press any key on your keyboard best balance between performance arge icons or small icons. noose or customize a power plan of y test voltage in V and frequency in Hation and documentation on the instance distortion of the electricity supply system Range Used or ****** 1~300VAC;1~550Hz; 1000VA	lan effect when your computers have d. and power saving: our preference. dz, — total harmonic distortion of rumentation, set-up and circuits V/50Hz em: ≤2% Make and Model** NF; EC1000S	
1	User information on how to enable the Based Set the power plan For ENERGY STAR® compliant compu- been idle for a specified duration: Table 1. Default power plan (when plugged • Turn off the display: After 10 minutes • Put the computer to sleep: After 25 min To awaken the computer from Sleep m To reset the power plan to achieve the 1. Go to Control Panel and view by la 2. Click Power Options, and then ch Test parameters for measurements: — the electricity supply system, — inform- used for electrical testing: Instrument Name AC Power Source Power Meter	NA power management functionality: I on user manual-Set the power press any key on your keyboard best balance between performance a trage icons or small icons. toose or customize a power plan of y test voltage in V and frequency in Hz: 2300 tic distortion of the electricity supply syste Range Used or ****** 1~300VAC;1~550Hz; 1000VA 1~500V;0~20A	Ian effect when your computers have i. and power saving: our preference. iz, — total harmonic distortion of rumentation, set-up and circuits V/50Hz em: ≤2% Make and Model** NF; EC1000S YOKOGAWA; WT310	

Additional Notebook Battery Information:			
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
	The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾		
Internal/built-in Battery			\square
External/detachable Battery			
Bios Backup Battery			
Other:			
Additional information			

1) The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainit šă ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (baterile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Bateria (baterile) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08