



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCIIOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (	based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	Desktop
Commercial name *	ThinkCentre M90n-1 Nano IoT
Model number *	11AH, 11AJ, 11AM, 11AS, 11AK, 11AL
Issue date *	2019/7/8
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	11AH, 11AJ, 11AM, 11AS, 11AK, 11AL	Logo	Lan		
Issue dat	e *	2019/7/8		Lend		<b>D</b> <sub>TM</sub>
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference).		$\boxtimes$		
D4.0*		nt: Legal reference has no maximum concentration value.			_	
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-	$\boxtimes$		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	oon atoms in the	e 🔀		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			Ш	
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0	),5 μg/cm²/week			
	, ,	al reference).				
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.  Article 33 information about substances in articles is available at (add URL or mail	contact):		$\overline{}$	
F1.7		atic.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disc		$\boxtimes$		Ш
P2	Batterie	<del>`</del>	ioouro.pur			
P2.1*		bduct contains a battery or an accumulator, the battery/accumulator is labeled with	the disposal		$\overline{}$	$\overline{}$
1 2.1		Information on proper disposal is provided in user manual. (See legal reference)	ine disposai		ш	
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See lega			
P2.3*	referenc				$\overline{}$	
_		s and accumulators are readily removable. (See legal reference)				
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) laration of Conformity can be requested at: <a href="https://www.lenovo.com/us/en/compliar">https://www.lenovo.com/us/en/compliar</a>		$\bowtie$		
P3.2*		duct complies with the Eco design requirements for energy-related products,	100/04 400	X		
		al reference).				ш
	Require	d information is; given in item P15 or added to this document,		$\boxtimes$		
		available at: https://www.lenovo.com/us/en/compliance/e	eco-declaration			
P5	Product	packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmium an	d 🔀		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature	of the material(s	s) 🔀	П	
	used (se	e legal reference).	,	,		
P5.3*		duct packaging material is free from ozone depleting substances as specified in the N	Montreal Protoco	ol 🔀		
		al reference). nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
	omiati	en les respenses de la contraction de la contraction (des logar relevante).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	11AH, 11AJ, 11AM, 11AS, 11AK, 11AL	Logo	Lanova
Issue date *	2019/7/8		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
P7.1*	Disassembly, recycling  Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		╫	╫
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	<u> </u>	∺	
P7.4*			╬	<u> </u>
	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		╬	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		屵	井
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ш	
P7.7*	Product lifetime  Upgrading can be done e.g. with processor, memory, cards or drives		_	
P7.8*			╬	<u> </u>
	Upgrading can be done using commonly available tools			
P7.9	Spare parts are available after end of production for: 5 years			Щ.
P7.10	Service is available after end of production for: 5 years			
P7.11*	Material and substance requirements			
P7.11	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: PC/ABS + PC Material type: PC			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\overline{\mathbf{X}}$	∺
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			-
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and	d 🔼	ш	ш
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing	j		
P7.15	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloger as defined in IEC 61249-2-21. (See 1NOTE B2)	1 📙		Ш
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			$\boxtimes$
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	-		
	☐TBBPA (additive), ☐TBBPA (reactive) (See NOTE B3), ☐Other: , CAS #:			$\boxtimes$
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: FR(40)			
P7.18	Alt 1: Eleme retarded pleatic parts > 25 a centain the following flows retardent substances/proparations in			
F1.10	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:	' n		
	1. Chemical name: , CAS #: (See NOTE B4)	ш	ш	
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): European Council Directive			
D7 20*	67/548/EEC , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			Ш
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 0%.			
1	or b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	11AH, 11AJ, 11AM, 11AS, 11AK, 11AL	Logo	Lanova
Issue date *	2019/7/8		Lei IOVO,
	-		

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

		ostance requirements	<u>,                                      </u>			
P7.21*		material content is used		<u>,                                      </u>		
P7.22*		e free from mercury, i.e. d specify: Number of lar		ium mercury content pe	er lamp: mg	$\boxtimes$
P8	Batteries	a specify. Hamber of lar	iipo. ana maxim	idin meredry content pe	mg	
P8.1*		composition: LI-ION				$\Box$
P9		ption (See NOTE B8)				
P9.1		ne following power level	s or energy consumpti	ons are reported:		
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-	max)	65 W	65 W	65 W	Full load	
Categor	y <u>l1</u>					
Short Idle Enabled	State - WOL	<b>2.261</b> W	2.268 W	2.374 W	Use for ENERGY STAR V7.1 registration (P <sub>idle</sub> )	
Long Idle Enabled	State - WOL	1.552 W	1.420 W	1.267 W	Use for ENERGY STAR V7.1 registration (P <sub>idle</sub> )	
Sleep (S3)	- WOL Enabled	1.552 W	1.420 W	1.267 W	Use for ENERGY STAR V7.1 registration(P <sub>sleep</sub> )	
Off (S5) - I	WOL Enabled	<b>0.467</b> W	0.463 W	0.509 W	Use for ENERGY STAR V7.1 registration(Poff)	
Off (S5) - I	WOL Disabled	<b>0.467</b> W	<b>0.463</b> W	0.509 W	Use for ErP	
EPS No-loa (External power s	supply / charger plugged in the	<b>0.0516</b> W	0.0549 W	0.1008 W		
PTEC *	sconnected from the product.)	Thin Client:33.876	Thin Client:33.876	Thin Client:33.876		П
Typical En	ergy Consumption	W	W	W		
ETEC * Annual Ene	ergy Consumption	Thin Client:11.490 kWh/year	Thin Client:11.267 kWh/year	Thin Client:11.503 kWh/year	ETEC = (8760/1000) x (P <sub>off</sub> x 0.45 + P <sub>sleep</sub> x 0.05 + P <sub>long_Idle</sub> x 0.15+ P <sub>short_Idle</sub> x 0.35)	
					Enabled; Pidle: Idle State - WOL Enabled	
External Po	ower Supply Efficie	ency Level (Internationa	I Efficiency Marking Pro	otocol) * : VI		
Display res	solution * : NA meg	gapixels				
Default tim	e to enter energy s	save mode: 10 minutes				一
P9.2*	Information about	t the energy save functi	on is provided with the	product.		Ħ
P9.3		class (monitors only):	p	p		
P10	Emissions					
-		<ul> <li>Declared according to</li> </ul>	ISO 9296 (See NOTE	E B9)		
P10.1	Mode	Mode description	•	Statistical upper limi	it A-weighted sound power level, $L_{WA,c}$ (E	3)
	Idle	* HDD:Idle		* 2.5		
	Operation	* HDD: Operating		* 2.5		
		Declared A-weighted soun			tion desktop – idle)	
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p{\sf Ar}}$	11.6 (operator posit	tion desktop – operating)	
	Measured accord	ling to: 🔀 ISO 7779 🔀	ECMA-74			
		Other	(only if not covered by	ECMA-74)		

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nur	nber *	11AH, 11AJ, 11AM ,11AS, 11AK, 11AL	Logo	10	201	10	
Issue date	*	2019/7/8		Le	no	VO <sub>TM</sub>	
Product	environn	nental attributes - Market requirements (continued)		Rec	uiren	nent r	net
Item				,	Yes -	No	n.a.
		nagnetic emissions					
P10.4		er display meets the requirement for low frequency electromagnetic fields of the follo (s): EN55032+EN55024	owing volu	ntary			
P12		nics for computing products					
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technology	gies.				$\boxtimes$
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\boxtimes$		
P13	Packagi	ng and documentation					
P13.1*	Product   Product	packaging material type(s): Carton packaging material type(s): Paper packaging material type(s): LDPE packaging material type(s): EPE weight (kg): 0.322 weight (kg): 0.0055 weight (kg): 0.0055					
P13.2*		plastic primary packaging is free from PVC.			$\boxtimes$		
P13.3*		luct primary corrugated fiberboard packaging, specify the contained percentage or recovered fiber content: $70\ \%$	of minimu	ım post-			
P13.4*		media for user and product documentation (tick box): ronic, ⊠Paper, ☐ Other					
P13.5	User and	only complete this item if paper documentation used) I product documentation on paper media is chlorine-free: lease specify:					
	Elementa	hlorine-free al chlorine-free ed chlorine-free					
P14		ry programs					
P14.1		luct meets the requirements of the following voluntary program(s):					

Date: 2018/11/16

Date: 2018.12.2

Product category: Thin Client

Product category: NA

Product category: NA

Criteria version: 7.1

Criteria version: 8.0

See Energy Star Qualified Notebooks & Tablet Computers for the latest information:

Criteria version: IEEE1680.1- Date: 2018

http://www.energystar.gov/index.cfm?fuseaction=find a product.showProductGroup&pgw code=CO

Energy consumption of specific configuration may vary; description of the tested product configuration:

NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

**ENERGY STAR®** 

Eco-label: **EPEAT** 

Additional information (See NOTE B10)

Eco-label: TCO

information.

P15

P9

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# **Lenovo ErP Lot3 Information Sheet** - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M90n-1 Nano IoT	Logo
Model Number	11AH, 11AJ, 11AM ,11AS, 11AK, 11AL	Longyo
Issue Date	2019/7/8	Lenovo.
Additional information	ES7.1, TC08.0, EPEAT	

d)	year of manufacture:				2019
e)	Etec value (kWh) per ErP Lot 3 Categorial disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	ments applied when a	II discrete graphics (	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]		2		
ents sting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)		NA		
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		14.56		
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);				Cat. B: 3.33
ר)	Sleep mode power demand (Watts);				Cat. B: 1.21
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		Cat. B: 0.98
)	Off mode power demand (Watts);				Cat. B: 0.49
۲)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		Cat. B: 0.32
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: Delta ADP-6 89.79%,Delta ADP-65JE B 65W 88.73%		Chicony A17-065N2A	65W 88.70%, Liteon	PA-1650-72IS 65W
0)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):	NA NA
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – ir	nternal PSU efficiency:	:

		odology used to determine information mentioned in points (m) – external PSU efficiency: efer to EN50563:2011 External a.cd.c. and a.ca.c. power supplies		
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  NA			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption			
(q)	Sequence of steps for achieving a stable condition with respect to power demand:  Boot into the Windows and wait for 5 minutes without any activities			
(r)	Description of how sleep and/or off mode was selected or programmed:  Choose sleep icon for sleep mode, choose shutdown icon for off mode			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  refer to power management, 10mins automatically reaches Modern Standby mode			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			10 minutes
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			10 minutes
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):		10 minutes	
(w)	Information on the er	nergy-saving potential of power management functio Win10 IOT	nality:	
(x)	User information on	how to enable the power management functionality: <i>Win10 IOT</i>		
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting:  Test voltage in V and frequency in Hz: 23  Total harmonic distortion of the electricity supplements.	strumentation, set-up and circuits	
Additio	n Notebook Battery			
		Battery[ies] <u>not</u> user replaceable  The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a
Internal/built-in Battery				
External/detachable Battery				
	ckup Battery			
Bios Ba				
Bios Ba Other:				
Other:	nal information			
Other:	nal information			
Other:	nal information			

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.