

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs		Lenovo	
e-mail address	Alvin L Carter			
	alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Monitor			
Commercial name *	hinkCentre Tiny-in-One 22 4th Gen Touch			
Model number *	11GT			
Issue date *	2020/04/27			
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model n	umber *	11GT La	ogo 📕			
Issue date *		2020/04/27		Lenovo.		
Produc	t environ:	mental attributes - Legal requirements	F	Require		t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B $ m c$	i)	\square		
P1.2*	Products Comme		\square			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlori ethane, methyl bromide (see legal reference). Comment: Legal reference has no maxi ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlori /l (PCT) in preparations (see legal reference).	nated	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	atoms in the	\square		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week (see legal reference). (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): Image: Contact of the static lenove is available at (add URL or mail contact): https://static.lenove.com/ww/docs/sustainability/ww-disclosure-Lenove-REACH-SVHC-Disclosure.pdf Image: Contact of the static lenove is available at (add URL or mail contact):					
P2	Batterie					
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	•			\square
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal 🦳 🗌 🔀 reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)				\mathbf{X}	
P3	Confor	nity verification & Eco design (ErP)				
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/		\boxtimes		
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required information is; given in item P15 or added to this document,		\square			
	•	available at: https://www.lenovo.com/us/en/compliance/eco-	declaration			
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury, o	admium and	\square		
		ent chromium by weight of these together.				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) is used (see legal reference).					
P5.3*	The pro Protocol	The product packaging material is free from ozone depleting substances as specified in the Montreal in the Montreal Comment: Legal reference).				
	Comme	It least reference has no maximum concentration values.				
P6		nt information				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *		11GT	Logo						
		2020/04/27		Lenovo					
Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met									
Itom	Environmental conscious design Re								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. Design								
••		mbly, recycling							
P7.1*	Parts tha	t have to be treated separately are easily separable		\boxtimes					
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\boxtimes				
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\boxtimes					
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes					
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\boxtimes					
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square					
	Product	lifetime							
P7.7*	Upgradin	ng can be done e.g. with processor, memory, cards or drives				\times			
P7.8*	Upgradir	ig can be done using commonly available tools				\boxtimes			
P7.9	Spare pa	arts are available after end of production for: 5 years							
P7.10	Service i	s available after end of production for: 5 years							
		and substance requirements							
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Materia	al type:						
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes				
P7.13	Insulation materials of internal electrical cables are PVC free.								
P7.14	7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.								
P7.15	Printed of		25 g 🗌 are lo	w	\square				
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					\boxtimes			
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), XBBPA (reactive) (See NOTE B3), Other:, CAS #:	omponents):						
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			\square			
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in					
	<u>Alt. 2: </u> Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\boxtimes			
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been			\boxtimes			
	assigned the following Risk phrases; and Hazard statements:								
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)								
P7.20*	lfYES;a a) Oft ape or	sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 67.1%. (EPEAT calculation) / 85% (TCO ca							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	ımber *	11GT				Logo		
Issue dat	te *	2020/04/	27				Lenc	VO.
Product	environn	nental at	tributes - Market r	equirements (conti	nued)		Require	ment me
Item							Yes	No n.a
	Material	and subs	tance requirements	(continued)				
P7.21*	Biobased	d plastic m	aterial content is used	d in the product (See N	OTE B7):			\boxtimes
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg							
P8	Batterie	Ś	· ·	•	· · ·			
P8.1*	Battery of	chemical c	omposition:					X
P9			tion (See NOTE B8)					
P9.1	For the p	product the	following power level	s or energy consumpti	ons are reported:			
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
ENERGY (System I	STAR® Or dle)	n Mode*	13.08	13.02	13.04	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0		
ENERGY STAR® Low Power Sleep Mode*			0.35	0.36	0.39	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0		
ENERGY STAR® Off / Apparent Off Mode*		f/	0.21	0.21	0.24	ENERGY STAR Requirements fo Monitors: Ver. 8.	r Computer	
PTEC *	neray Cons	umption	42.1 W	41.97 W	42.2 W			
Typical Energy Consumption ETEC * Annual Energy Consumption			35.78kWh/year	35.64 kWh/year	35.87kWh/year	E _{TEC} = (8760/100 P _{sleep} x 0.1 + P _{idle}		β +
			cv Level (Internationa	Efficiency Marking Pro	otocol) * :		,,	\mathbf{X}
			0 megapixels	, ,	,	ENERGY STAR Requirements fo Monitors: Ver. 8.	r Computer	
Default time to enter energy save mode: 15 seconds					ENERGY STAR Requirements fo Monitors: Ver. 8.	r Computer		
P9.2*	Informati	ion about t	he energy save functi	on is provided with the	product.		\boxtimes	
P9.3*			the energy requirement version: 8.0 Product	ents of the following vol category: <i>Display</i> .	untary program/s:		\boxtimes	
P10	Emissio							
	Noise er	mission –	Declared according to	ISO 9296 (See NOTE	B9)			
P10.1	Mode		lode description		Statistical upper lim	it A-weighted sound	d power level,	L _{WA,c} (B)
	Idle		* HDD: Idle		*			
	Operatio	n *	* HDD: Operating		*			\square
	Other mo	ode D	eclared A-weighted soun	d pressure level (dB) L_{pAn}	(operator position desktop – idle)			
	Other mo	ode 👂	Declared A-weighted sound pressure level (dB) L_{pAm} (operator position desktop -			sition desktop – ope	erating)	
	Measure	ed accordir		ECMA-74 (only if not covered by	- 1			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	umber *	11GT	Logo				
Issue date *		2020/04/27		Lenovo)		
Product	environr	nental attributes - Market requirements (continued)		Requiremer	nt met		
Item				Yes No	n.a.		
		nagnetic emissions					
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): TCO8.0						
P12		nics for computing products					
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display te	chnologies.				
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.					
P13	Packagi	ng and documentation					
P13.1*	Product packaging material type(s):Carton Boxweight (kg):0.97Product packaging material type(s):Cusionweight (kg):0.35Product packaging material type(s):Bagweight (kg):0.03Product packaging material type(s):weight (kg):0.03						
P13.2*	Product	plastic primary packaging is free from PVC.					
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-						
P13.4*	Specify media for user and product documentation (tick box):						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:						
	Totally chlorine-free Image: Constraint of the second						
P14		ry programs					
P14.1	The proc	luct meets the requirements of the following voluntary program(s): Y STAR® Criteria version: 8.0 Date: 2020/04/27 Pr II: Criteria version: Date: Pr	roduct category: Lo roduct category: roduct category:	CD Monitor			
P15	Addition	nal information (See NOTE B10)					
P9		consumption of specific configuration may vary; description of the tes					
P9	informati knowled provided informati	Supplier makes no representations, guarantees, assurances or warranties when contained in this document. All information provided by supplier in this do ge available at the time of completion, and supplier shall have no obligation here is approximate and provided for informational purposes only. See a Leon. rgy Star Qualified Monitors & Displays for the latest information:	ocument is provide to update such info	d based on supplier's prmation. The inform	s ation		
гу		rgy Star Qualified Monitors & Displays for the latest information: ww.energystar.gov/products/office_equipment/displays					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1