



Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		_
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCI IOVO,
	alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/about/sustainability		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *	Server				
Commercial name *	Lenovo ThinkSystem SD650				
Model number *	7X58				
Issue date *	Jan 31, 2020				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		7X58	Logo	Long		
Issue dat	e *	Jan 31, 2020		Lend) _{TM}
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	N/A
P1	Hazardo	us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference). ht: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	orinated	\boxtimes		
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms in the	ne 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail oww.lenovo.com/us/en/sustainability-resources	contact):	\boxtimes		
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P2.4*	Docume	ntation includes the number of cycles the (secondary) battery can withstand. (See le	egal reference)		
P2.5*		ternal batteries of a notebook computer cannot be "accessed and replaced by a nor e related text is present and legible on the external packaging (see legal reference)	professional			
P3		nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at: https://www.lenovo.com/us/en/complian				
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products,		\square		

given in item P15 or added to this document,

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)

The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol

available at: https://www.lenovo.com/us/en/compliance/eco-declaration

(see legal reference). Required information is;

Product packaging

(see legal reference).

Treatment information

used (see legal reference).

hexavalent chromium by weight of these together.

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

P5

P5.1*

P5.2*

P5.3*

P6

P6.1*

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	7X58	Logo	Lanava
Issue date *	Jan 31, 2020		Lei IOVO.

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	N/A
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: Steel Material type: PC+ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, ar polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	ıd		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See ⁵ NOTE B2)	n 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "	n 🔲		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)		<u> </u>	
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of recycled material is g.			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7X58	Logo	Lonovo
Issue date *	Jan 31, 2020		Leliovo

Product environmental attributes - Market requirements (continued)			nt met
Item	Yes	No	N/A

	Material and sub	stance requirements	(continued)					
P7.21*		material content is used	,	TE B7)·				
1 7.21	· ·			,				ш
	•	ne of the two alternative		,				
		tic parts' weight > 25 g, by weight) is %.	the biobased plastic ma	aterial content (calculat	ted as a percentage of			
	total plastic	by weight) is %.						
		of the biobased plastic n	naterial is a.					
P7.22*	Light sources are	free from mercury, i.e.	less than 0,1 mg/lamp.					X
	If mercury is used	I specify: Number of lan	nps: and maximu	ım mercury content pe	r lamp: mg			
P7.23*	If product include	s an integral display, the	e total mercury content	in the integrated displa	ıy: mg			
P8	Batteries							
P8.1*	Battery chemical	composition: Lithium N	langanese Dioxide					
P9	Energy consum	otion (See NOTE B8)						
P9.1		ne following power level	s or energy consumptio	ns are reported:				
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard		ergy	\boxtimes
		100 V AC	115 V AC	230 V AC	modes and test method	od *		
Peak (On-I	max)	W	W	W	Full load			
Categor	V					-		
EPS No-loa		W	W	W				
(External p	ower supply /							
charger plu	igged in the wall							
	lisconnected from							
the product	t.)	100	144	144				
PTEC *	arau Canaumantian	W	W	W				\boxtimes
ETEC *	ergy Consumption	kWh/year	kWh/year	kWh/year				
_	ergy Consumption	KVVII/yeai	KVVII/yeai	KVVII/yeai				
		ncy Level (International	Efficiency Marking Pro	tocol) * :				
Display res		negapixels	, ,	,				X
	e to enter energy s	<u> </u>	es					
P9.2*		the energy save function	on is provided with the r	product.		\square	\Box	∺
P9.3		class (monitors only):	on to provide a mar are p				<u> —</u>	M
P10	Emissions	oldoo (momitoro omy).						
PIU		 Declared according to 	ISO 9296 (See NOTE	B9)				
P10.1		Mode description	(t A-weighted sound pov	ver level,	, L _{WA,c}	(B)
	Idle	* HDD idle		* 6.5				Ì
	Operation	* HDD Operating		* 7.0		-		Ħ
	Other mode	Declared A-weighted sound	d pressure level (dB) $L_{n\Delta m}$	49 (operator position	n desktop – idle)			
		Declared A-weighted sound			n desktop – operating)			
	Measured accord		1	1				
		Other	(only if not covered by	FCMA-74)				
	Electromagnetic		(2)					
P10.4		meets the requirement	for low frequency elect	romagnetic fields of th	e following voluntary			
	program(s):							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model number * Issue date *	7X58 Jan 31, 2020	Logo	Lenovo.
Product environ		Requirement met	

Product	environmental attributes - Ma	arket requirements (co	ntinued)		Require	ment	met
Item					Yes	No	N/A
P12	Ergonomics for computing pro						
P12.1*	The display meets the ergonomic	requirements of ISO 9241	-307 for visual displa	y technologies.			\boxtimes
P12.2*	The physical input device meets	the requirements of ISO 99	995 and ISO 9241-410).			\boxtimes
P13	Packaging and documentation						
P13.1*	Product packaging material type(Product packaging material type(Product packaging material type(Product packaging material type(s): <i>EPE</i> weight (ks): <i>PP</i> weight (kg): <i>1</i> s): <i>Bamboo Fiber</i>	kg): 4.54 kg): 0.839 weight (kg): 0.0018	9			
P13.2*	Product plastic primary packaging	g is free from PVC.					
P13.3*	For product primary corrugated consumer recovered fiber conten	t: 55 %		ercentage of minimum post	-		
P13.4*	Specify media for user and produ Electronic, Paper, Othe):				
P13.5	(Please only complete this item if User and product documentation If Yes, please specify:						
	Totally chlorine-free						
	Elemental chlorine-free						
	Processed chlorine-free						
P14	Voluntary programs						
P14.1	The product meets the requirement	ents of the following volunta	ary program(s):				
	Eco-label: Cri	teria version: teria version: teria version:	Date: Date: Date:	Product category: Product category: Product category:			
P15	Additional information (See NC						
P9	Energy consumption of compu						
	NOTE: Supplier makes no repr the information contained in th supplier's knowledge available information. The information p Account Representative for mo	is document. All informa at the time of completio rovided here is approxim	tion provided by su n, and supplier shal	oplier in this document is p I have no obligation to upd	orovided ate such	based	d on
P9	See Energy Star Qualified Ente https://www.energystar.gov/pro	rprise Servers for the lat		ervers			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet- Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

\sim	•	•			•	
Genera	ın	tΛI	m	1CI	ın	n

Commercial name (3.1 (b))	Lenovo ThinkSystem SD650	Logo	
Contact Address (3.1 (b))	7001 Development Dr. Building 7, Morrisville, NC 27560, United		
	States		Lonovo
Model Number (3.1 (c))	7X58		Lenovo
Issue Date	Jan 31, 2020		
Additional information			

Product	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3							
1.a	Is the product consider to be in scope of ErP Lot 9 in scope out of scope, product is out of scope as:							
1.b	Server type Rack Server High Performance Computing (HPC)							
(3.1 (a))	Track Solver 2 right shormanes Somparing (in S)							
1.c	Voor of manufacture:							
(3.1 (d))	2010							
1.d	Product model part of a server product family? 🔲 No 🔀 Yes							
(3.1 (p))	List of all model configurations that are represented by the model:							
4 -	http://psref.lenovo.com/Product/ThinkSystem/ThinkSystem_SD650 Information on the secure data deletion functionality							
1.e (3.1 (n))	(a) instructions on how to use the functionality:							
((//	2 methods are provided to use the functionality.							
	Use a command line tool to do the secure data deletion on the remote target system via boot up a customized							
	Linux OS on it.							
	Eg: OneCli.exe serase -bmc USERID:PASSWORD@xx.xx.xx.xxsftp root:password@xx.xxx.xx:/home -log 5							
	Use BoMC to create a full functions bootable media, start the media and choose secure erase from the text menu.(b) techniques used:							
	OS tools under Linux -> Standard Linux Open Source tool							
	(c) supported secure data deletion standard (if any):							
	Secure Erase/block Erase/Crypto Erase, Sanitize							
	OR - Reference to other information:							
	Hdparm: https://en.wikipedia.org/wiki/Hdparm							
	Nvme-format: https://www.mankier.com/1/nvme-format							
	sg_sanitize: https://www.systutorials.com/docs/linux/man/8-sg_sanitize/							
	scrub: https://www.systutorials.com/docs/linux/man/1-scrub/							
	storcli: https://docs.broadcom.com/docs-and-downloads/raid-controllers/raid-controllers-common-iles/StorCLI RefMan_revf.pdf							
1.f	Blade servers? No Yes							
(3.1 (o))	list of recommended combinations with compatible chassis: NeXtScale n1200 DWC Enclosure							
Recyclin								
2.a	Indicative weight range at component level, of the (a) Cobalt in the batteries (b) Neodymium in the HDDs							
(3.3 (a))	following critical raw materials: less than 5 g less than 5 g							
	between 5 g and 25 g between 5 g and 25 g							
	☐ above 25 g ☐ above 25 g							
2.b	Instructions on the disassembly operations							
(3.3 (b))	(a) the type of operation;(b) the type and number of fastening technique(s) to be unlocked;							
	(b) the type and number of fastening technique(s) to be unlocked;(c) the tool(s) required.							
	OR - Reference to other information: https://thinksystem.lenovofiles.com/help/index.jsp							
2.c	Firmware							
	Reference to information on last available firmware:							
Additions	https://datacentersupport.lenovo.com/cn/en/products/servers/thinksystem/sd650/downloads/driver-list/ itional information							

Server family specific information Family 1

Family no. / name		1 - 2 CPU populated family							
Model n	umber(s) / Description	Standard or low-end performance configuration:							
(3.1 (c))	. ,	Processor: Intel 6126T (2.6GHz, 12 core), Memory: 64GB, Storage: 800GB SSD, PSU: 1300W*3, NIC:							
		n/a							
		High-end performance configuration:							
		Processor: Intel	8280 (2.7GH	z, 28 core), Memory: 768GB, S	Storage: 800GB SSD *2, PSU: 2000W*3,				
		NIC: n/a							
		Please refer to htt	tps://www.pl	ugloadsolutions.com/80PlusF	PowerSuppliesDetail.aspx?id=49&type=1				
Addition	al information	along with http://p	sref.lenovo.	.com/Product/ThinkSystem/Th	hinkSystem SR530 for the PSU efficiency				
		details.		-					
Produc	t environmental attril	outes (EU) 2019/4	24 – Annex I	points 3.1 and 3.3					
F1.a	coduct environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3 a PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power								
(3.1 (e))									
	(expressed in % and rounded to the first decimal place): Multi-output Single-output								
	Standard or low-end performance configuration(s):								
	10% 93.85 20% 95	periormance comig	1000/ 04 40	Average 05 46					
	10% 93.85 20% 95	0.74 50% 90.17	100% 94.46	Average 95.46					
	High-end performand	e configuration(s):							
	10% 92.64 20% 94		100% 02 16	Average 04.26					
F1.b	Power factor at 50 %			standard or low-end performar	nce high-end performance				
(3.1 (f))			evei						
	(rounded to three de			configuration: 0.990	configuration: 1.000				
F1.c	PSU rated power out		`	standard or low-end performar					
(3.1 (g))	(in watts rounded to	to the nearest integer) configuration: 1300 W configuration: 2000 W							
	internal note:								
	If a product model is part of a server product family, all PSUs offered in a server product family shall be reported with the information specified in (e) and (f)								
F1.d	idle state power		., .,	standard or low-end performar	nce high-end performance				
(3.1 (h))	(in Watts and rounde	(in Watts and rounded to the first decimal place) configuration: 94.8 configuration: 113.35							
F1.e	List of all component			<u> </u>	ŭ				
(3.1 (i))			p = 11 = 11 = 11						
			standard or	low-end performance	high-end performance				
			configuration	on:	configuration:				
	CPU Performance		1 Socke	et (10 × PerfCPU W)	1 Socket				
				et (7 × PerfCPU W)	2 Socket				
원 Additional PSU			Z Z COCIN	,					
nət	HDD		Yes (Yes / No) #: 2 No (Yes / No) #:		Yes (Yes / No) #: 2 No (Yes / No) #:				
stn	SDD				,				
ujb _			No (Yes / No)		Yes (Yes / No) #: 2				
s a iing	Additional memory	S -11	Yes (Yes / No		Yes (Yes / No) #: 764GB				
Additional PSU HDD SDD Additional memory Additional buffered DDR Additional I/O devices		k channel	No (Yes / No)	#:	No (Yes / No) #:				
אar סר	Additional I/O devices		none		none				
e ii			< 1 Gb/s: I	No Allowance	< 1 Gb/s: No Allowance				
e e			= 1 Gh/s: 1	2,0 W/Active Port	= 1 Gb/s: 2,0 W/Active Port				
) MC									
ā e				and < 10 Gb/s: 4,0 W/Active Port	> 1 Gb/s and < 10 Gb/s: 4,0 W/Active Port				
<u> 5</u>			≥ 10 Gb/s	and < 25Gb/s: 15,0 W/Active Port	≥ 10 Gb/s and < 25Gb/s: 15,0 W/Active Port				
			≥ 25 Gb/s	and < 50Gb/s: 20,0 W/Active Port	≥ 25 Gb/s and < 50Gb/s: 20,0 W/Active Port				
			≥ 50 Gb/s	26,0 W/Active Port	≥ 50 Gb/s 26,0 W/Active Port				
F1.f	maximum power			standard or low-end performar					
(3.1 (j))	(in Watts and rounde	d to the first decima	al place)	configuration: 120.1	configuration: 173.7 W				
F1.g	operating condition c		ai piaco)	standard or low-end performar	U U				
(3.1 (k))	(as defined in Table (configuration:	configuration:				
(- (//	(as defined in Table)	0 01 E11 10t 3)							
				A1A2A3A4	A1A2A3A4				
				Formation comments	Formation assessments				
				Exception comments	Exception comments				
- 41				It's a water cooled system	It's a water cooled system				
F1.h	idle state power at th			standard or low-end performar					
(3.1 (I))	of the declared opera	ating condition class	s (in Watts)	configuration: It's a water coo	•				
- 4 ·				system	system				
F1.i	the active state efficient		mance in	standard or low-end performar					
(3.1 (m))	active state of the se	rver;		configuration: 21.7	configuration: 44				