



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0			
Company name *	Lenovo		_			
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LCIIOVO			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	Lenovo ThinkVision E29w-20,T29ws-20,L29w-30			
Model number *	62CE,62D3,66E5			
Issue date *	2021/5/21			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		62CE,62D3,66E5		Long	21/0	
Issue date *		2021/5/21		Lend		
Product environmental attributes - Legal requirements			Require	ment me	et	
Item				Yes	No n.a	а.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference).		\boxtimes		
		nt: Legal reference has no maximum concentration value.				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes		
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n				
		ernane, metrly bromide (see legal reference). Comment, Legal reference has no n ration values.	laximum			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes		
		/I (PCT) in preparations (see legal reference).			ш	ļ
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car	oon atoms in th	ne 🔀		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0),5 μg/cm²/wee	k		1
		al reference).				
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail				_
P1.7*		www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\boxtimes		إل
Do	Batterie					
P2.1*		soduct contains a battery or an accumulator, the battery/accumulator is labeled with	the disposal			1
1 2.1		Information on proper disposal is provided in user manual. (See legal reference)	irie disposai			7
P2.2*						1
	referenc		, 3			71
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)				1
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see le	gal reference).	\boxtimes] [
	The Declaration of Conformity can be requested at (add link or e-mail address):					
		www.lenovo.com/us/en/compliance/eu-doc for EU and				ļ
P3.2*		www.lenovo.com/us/en/compliance/uk-doc for UK duct complies with the Eco design requirements for energy-related products,				\neg
F 3.2		al reference).				J
	, ,	d information is; given in item P15 or added to this document,		\boxtimes		٦
	rtoquilot	available at (add URL):				۱ '
	https://v	www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	y, cadmium ar	nd 🔀		
	hexavale	ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature elegal reference).	of the material((s) 🔀]
P5.3*		duct packaging material is free from ozone depleting substances as specified	in the Montre	al 🔀		
	Protocol	(see legal reference).				
D0		nt: Legal reference has no maximum concentration values.				_
P6		nt information				f
P6.1*	mormati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		J

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

wodei ni	ımber *	62CE,62D3,66E5	Logo	Lon	01/0		
Issue date *		2021/5/21		Len	OVC	_{TM}	
Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.						
P7	Design Disasse	mbly, recycling					
P7.1*	Parts tha	at have to be treated separately are easily separable		\boxtimes			
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\boxtimes		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\boxtimes			
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly	available tools				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).					
		lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				\boxtimes	
P7.8*	Upgradir	ng can be done using commonly available tools				\boxtimes	
P7.9		arts are available after end of production for: 5 years					
P7.10	Service i	is available after end of production for: 5 years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
P7.12		type: ABS Material type: SGCC Material n materials of external electrical cables are PVC free.	al type: Al				
P7.12		n materials of external electrical cables are PVC free.		<u> </u>		- - -	
P7.13			promine and 0	10/.		 	
7.14	P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	v i i						
P7.16	Marking:						
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>EP</i> , CAS #: 38891-5			П	П	
	Alt. 2: Cl	hemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:					
P7.18	concentr 1. Chem 2. Chem	lame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	s in			
		hemical specifications of flame retardants in plastic parts > 25 g according ISO 104					
P7.19	assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used whic d the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)):	h have been See note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):					
	a) Of t a po or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conterercentage of total plastic by weight) is 81.8%. (EPEAT Calculation)/85%(TCO Calculation) weight of recycled material is 837.5 g.		as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 62CE,62D3,66E5				Logo	Longue					
Issue date	sue date * 2021/5/21				Lenovo.					
Product environmental attributes - Market requirements (continued)						Requirement met				
Item										
	Material and substance requirements (continued)									
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):									
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g.									
P7.22*	Light sou	rces are f	ree from mercury, i.e.	less than 0,1 mg/lamp.			\square \square			
			specify: Number of lan	nps: and maximu	ım mercury content per	lamp: mg				
P8	Batteries		141							
P8.1*			omposition:							
P9			tion (See NOTE B8)	or anargy consumption	no are reported:					
Energy mo		noduct the	Power level at	s or energy consumption Power level at	Power level at	Reference/Standa	ard for energy			
Lifelgy illo	uc		100 V AC	115 V AC	230 V AC	modes and test m	9,			
Peak (On-i	nax)		12.36 W	12.34 W	12.45 W	Full load				
Category	<u>/</u>									
Sleep (S3)	- WOL Ei	nabled	0.24 W	0.24 W	0.28 W	ENERGY STAR F Requirements fo Version 8.0(P _{sleep}	r Displays			
Off (S5) - WOL Enabled		oled	0.23 W	0.23 W	0.26 W	ENERGY STAR F Requirements fo Version 8.0(P _{off})				
PTEC *	eray Cons	umntion	W	W	W		\boxtimes			
Typical Energy Consumption ETEC * Annual Energy Consumption			39.25 kWh/year	39.21 kWh/year	39.76 kWh/year					
External Po	ower Supp	ly Efficien	cy Level (International	Efficiency Marking Pro	tocol) *:					
		•	80 megapixels		,					
			ve mode: 0.25 minutes	 S						
P9.2*		• • •		on is provided with the p	oroduct.					
P9.3			class (monitors only): L							
P10	Emissions									
1 10	Noise emission – Declared according to ISO 9296 (See NOTE B9)									
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}(B)$									
Idle *		*								
Operation *			*	X						
	Other mode $egin{array}{cccc} \emph{Declared A-weighted sound pressure level (dB)} \ L_{p m Am} \end{array}$			(operator position desktop – idle)						
	Other mode				(operator posi	(operator position desktop – operating)				
	Measured according to: SO 7779 ECMA-74 Other (only if not covered by ECMA-74)									
	Citily it not devoted by Lemma 1.									

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		62CE,62D3,66E5					Logo	Long	1/0	
Issue date *		2021/5/21						Leno	VO.	•
Product	environn	nental attributes	- Market requirem	nents (co	ntinued)			Require	ment	met
Item								Yes	No	n.a.
		nagnetic emissions								
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):									
P12	Ergonor	nics for computing	products							
P12.1*			omic requirements of				ogies.			\boxtimes
P12.2*	The phys	sical input device me	eets the requirements	s of ISO 99	95 and ISO 92	241-410.				\boxtimes
P13		ng and documenta								
P13.1*	Product	packaging material t packaging material t packaging material t		weight (k weight (k weight (k	g): 0.423					
P13.2*	Product	plastic primary pack	aging is free from PV	/C.				\boxtimes		
P13.3*										
P13.4*	Specify media for user and product documentation (tick box):									
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:									
	Totally chlorine-free Elemental chlorine-free Processed chlorine-free									
P14	Volunta	ry programs								
P14.1			rements of the follow	ing volunta	ry program(s)	:				
	ENERGY Eco-labe Eco-labe	/ STAR® I: I:	Criteria version: V8 Criteria version: Criteria version:	•	Date: Date: Date:	Product Product	category: Displ category: category:	ays		
P15		al information (Se								
P9 Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						ion				
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO									

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1