



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo	AND RESIDENCE OF STREET					
Contact information *	Lenovo Global Environmental Affairs	Lenovo					
e-mail address	Alvin L Carter	LEI IOVO.					
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social responsibility/us/en/environment.html						
Additional information							

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Monitor					
Commercial name *	ThinkVision P24h-2L					
Model number *	62B2					
Issue date *	2020/10/16					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		62B2	Logo	Lone	21/6	
Issue date * 2020/10/16			Lend	JVC	).	
Product	Product environmental attributes - Legal requirements				ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\boxtimes$		
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychel (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$		
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in t	ne 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	ek 🔀		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):  https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure					
P2	Batterie					
P2.1*	symbol.	educt contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	•			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					X
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					$\times$
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) duration of Conformity can be requested at: <a href="https://www.lenovo.com/us/en/compliar">https://www.lenovo.com/us/en/compliar</a>				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is; given in item P15 or added to this document,  available at: https://www.lenovo.com/us/en/compliance/e	co-declaration			
P5	Product	packaging				
P5.1*	Packagir	ng and packaging components do not contain more than 0,01% lead, mercury and chromium by weight of these together.	y, cadmium a	nd 🔀		
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature elegal reference).	of the material	(s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.					
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Issue date * 202		2020/10/16	Į.	_en	OVC	)_		
Product	Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met							
Item	*=manda		Yes	No	n.a.			
P7	<u> </u>							
P7.1*	Parts that have to be treated separately are easily separable							
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.			$\Box$	T		
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.						
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly availabl	e tools.	$\boxtimes$				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			$\Box$	T		
	Product	lifetime						
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		$\boxtimes$				
P7.8*	Upgradir	ng can be done using commonly available tools		X	T	Ħ		
P7.9	Spare pa	arts are available after end of production for: 5 years				$\overline{\Box}$		
P7.10	Service i	is available after end of production for: 5 years				Ħ		
	Material	and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):						
		type: ABS Material type: PC Material type:						
P7.12		n materials of external electrical cables are PVC free.						
P7.13	Insulation materials of internal electrical cables are PVC free.							
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15		circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g as defined in IEC 61249-2-21. (See 1NOTE B2)	are low					
P7.16	Marking:							
P7.17	0							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	concentr 1. Chem 2. Chem	lame retarded plastic parts > 25 g contain the following flame retardant substances/preparations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	arations in					
	Alt. 2: Ch	hemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:						
P7.19	•	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which have	been					
	-	d the following Risk phrases; and Hazard statements:						
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)							
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):						
	a) Of t a pe or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculation) / 85% (TCO calculation)						

Logo

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number \* 62B2

Model number * 62B2		62B2					Lenovo			
Issue date * 2020/10/16					Len	JVC	<i>)</i> .			
Product environmental attributes - Market requirements (continued)						Requirement met				
Item	Item						Yes	No	n.a.	
	Material and substance requirements (continued)									
P7.21*	Biobaseo	d plastic m	naterial content is used	I in the product (See N	OTE B7):			$\boxtimes$		
	If YES; a	it least one	e of the two alternative	s below shall be answ	ered;					
				, the biobased plastic i	material content (calcu	ated as a percentaç	ge			
	of to	otal plastic	by weight) is 0%.							
		weight of	the biobased plastic r	naterial is <b>0</b> g.						
P7.22*										
If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg										
<b>P8</b> P8.1*	Battery o		omposition:						$\square$	
P9			tion (See NOTE B8)							
P9.1				s or energy consumption	ons are reported:					
Energy mod			Power level at	Power level at	Power level at	Reference/Standa	ırd for er	nergy		
			100 V AC	115 V AC	230 V AC	modes and test m				
ENERGY S		n Mode*	18.12	18.1	17.93	ENERGY STAR® Requirements for				
(System Idl	ie)					Monitors: Ver. 8.0				
ENERGY S	STAR® Lo	w Power	0.32	0.32	0.33	ENERGY STAR®				
Sleep Mode	e*					Requirements for				
			0.24	0.24	0.25	Monitors: Ver. 8.0 ENERGY STAR®	Drogram			
ENERGY S		f/	0.24	0.24	0.25	Requirements for				
Apparent C	il wode					Monitors: Ver. 8.0	•			
PTEC *			18.12 W	18.1 W	17.93 W					
Typical Ene	ergy Cons	umption	40.40.134#./	40 44 1340 /	40.70114//	- (0700/400/	N (D			
ETEC * Annual Ene	eray Cons	umption	<b>49.16</b> kWh/year	<b>49.11</b> kWh/year	<b>48.72</b> kWh/year	$E_{TEC} = (8760/1000)$ $P_{sleep} \times 0.1 + P_{idle}$		1.6 +		
			cy Level (Internationa	l Efficiency Marking Pro	otocol) * :	sieep X VII - I laie	x 0.0)			
			,	, ,	,	ENERGY STAR®	Program			
Display res	olution* :	2560*144	10 megapixels			Requirements for	Computer			
						Monitors: Ver. 8.0				
Default time	e to enter	eneray sa	ve mode: 15 seconds			ENERGY STAR® Requirements for				
20.000.000	- 10 01.10.	og, oa				Monitors: Ver. 8.0				
P9.2*	Informati	ion about t	the energy save functi	on is provided with the	product.		$\boxtimes$			
P9.3*				ents of the following vol	untary program/s:		$\boxtimes$			
	ENERGY STAR® version: 8.0 Product category: Display.									
P10	Emissio	ns								
			Declared according to	ISO 9296 (See NOTE						
P10.1	Mode		lode description		Statistical upper limi	t A-weighted sound	power leve	$l, L_{WA,c}$	<del></del> _	
	Idle		HDD: Idle		1.					
	Operatio		HDD: Operating		*				$\boxtimes$	
	Other mo			d pressure level (dB) $L_{p{\sf Am}}$		sition desktop – idle)				
	Other mo	ode D	eclared A-weighted soun	d pressure level (dB) $L_{p m Am}$	(operator position desktop – operating)					
	Measure	d accordir	ng to: 🔀 ISO 7779	ECMA-74	•					
			Other	(only if not covered by	ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		62B2					Logo	-		
Issue date *		2020/10/16						_eno	VO.	
Product 6	environn	nental attributes	- Market requirem	ents (con	tinued)			Require	ment	met
Item			-		•			Yes	No	n.a.
	Electron	nagnetic emissions								
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):									
P12	Ergonomics for computing products									
P12.1*	The disp	lay meets the ergon	omic requirements of	ISO 9241-3	307 for visual displ	ay technolog	gies.	$\boxtimes$		
P12.2*	. ,	<u>'</u>	ets the requirements	of ISO 999	5 and ISO 9241-4	10.				
P13		ng and documenta								
P13.1*	Product Product Product	packaging material t packaging material t packaging material t packaging material t	ype(s): <b>Cusion</b> ype(s): <b>Bag</b> ype(s):	weight (kg weight (kg weight (kg weight (kg	): 0.375 ): <b>0.02</b>					
P13.2*	Product	plastic primary packa	aging is free from PV	C.				$\boxtimes$		
P13.3*		luct primary corruga er recovered fiber co	ited fiberboard packantent: <b>80</b> %	aging, spec	ify the contained	percentage	of minimum post	-		
P13.4*			roduct documentatior Other	n (tick box):						
P13.5	Ùser and		em if paper document tion on paper media							
	Totally chlorine-free  Elemental chlorine-free									
	Processed chlorine-free									
P14		ry programs								
P14.1	ENERGY Eco-labe Eco-labe	Y STAR® el: <i>TCO</i> el: <i>EPEAT-Silver</i>	ements of the followi Criteria version: 8.0 Criteria version: 168 Criteria version: 168	)	y program(s): Date: <b>2019/12</b> Date: <b>2019/12</b> Date: <b>2019/12</b>	Product of	ategory: <i>Display</i> ategory: <i>Display</i> ategory: <i>Display</i>			
P15		nal information (See			1 : :: : ::					
P9	Energy (	consumption of sp	ecific configuration presentations, guara	may vary;	aescription of the	e tested pro	auct configuration	on:	n tho	
	informati knowled	on contained in this ge available at the tii here is approximate	presentations, guarant document. All informations me of completion, and and provided for info	ation provid d supplier s	ed by supplier in th hall have no obliga	his documen ation to upda	t is provided base te such informatio	d on supp n. The inf	lier's ormati	on
P9			onitors & Displays for roducts/office_equip							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1