



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LCIIOVO			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	nformation The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	conforms to the statements given in this declaration.					
Type of product *	All-in-One Computer					
Commercial name *	Lenovo V30a-22 AIO					
Model number *	11FV, 11FW , F0F8, F0F9					
Issue date *	20200325					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information	ENERGY STAR®,CEL, EPEAT, Low blue light					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	11FV, 11FW , F0F8, F0F9	Logo	Lon		
Issue dat	e *	20200325		Lend		<b>D</b> <sub>TM</sub>
Product	environ	mental attributes - Legal requirements		Require	men	met
Item			,	Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychyl (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/weel	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail oww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	ıl 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) duration of Conformity can be requested at: <a href="https://www.lenovo.com/us/en/compliar">https://www.lenovo.com/us/en/compliar</a> .		$\boxtimes$		
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
		d information is; given in item P15 or added to this document,  available at: https://www.lenovo.com/us/en/compliance/e	eco-declaration			
P5	Product	packaging	700 decidration			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	y, cadmium ar	nd 🔀		
		ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	`	, 2		
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the Nal reference).  It is Legal reference has no maximum concentration values.	nontreal Protoc	ol 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			$\overline{\Box}$	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Information for recyclers/treatment facilities is available (see legal reference).

Model number *	11FV, 11FW , F0F8, F0F9	Logo	Lanava
Issue date *	20200325		LEI IOVO.

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: <i>PC+ABS</i> Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin			
	more than 25% post-consumer recycled content.	y		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge	n 🔀		
	as defined in IEC 61249-2-21. (See 1NOTE B2)			_
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\boxtimes$		
D7 47	Marking: >ABS<,>PC+ABS-FR(40)<			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: 26265-08-7	$\boxtimes$		
	— · · · · — · · · · · · · · · · · · · ·		Ш	ш
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			$\boxtimes$
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i	n		
	concentrations above 0,1%:  1. Chemical name: Confidential, CAS #: Confidential (See NOTE B4)	×		
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\boxtimes$
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		Ħ	
	assigned the following Risk phrases; and Hazard statements:			ш
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If VEC; at least one of the true alternatives below shall be answered.			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is <b>6.82%</b> .			
	or			
	b) The weight of recycled material is <b>86.7</b> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	11FV, 11FW , F0F8, F0F9	Logo	Lonovo
Issue date *	20200325		Leliovo

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and substance requirements (continued)					
P7.21*		material content is used	• •	<u> </u>		<u></u>
P7.22*		e free from mercury, i.e. d specify: Number of lar		num mercury content pe	er lamp: mg	]
P8	Batteries	, ,	•	·	·	
P8.1*	Battery chemical	composition:				]
P9	Energy consum	ption (See NOTE B8)				
P9.1	For the product t	ne following power leve				
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-	max)	61.13 W	61.13 W	61.13 W	Full load	
Categor	<u>y 1</u>					
Short Idle Enabled	State - WOL	12.83 W	12.64 W	13.06 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )	
Long Idle Enabled	State - WOL	4.73 W	4.74 W	5.17 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )	
Sleep (S3)	- WOL Enabled	1.10 W	1.10 W	1.08 W	Use for ENERGY STAR V8 registration(P <sub>sleep</sub> )	
Off (S5) - I	WOL Enabled	0.12 W	0.13 W	0.16 W	Use for ENERGY STAR V8 registration(P <sub>off</sub> )	
Off (S5) - I	WOL Disabled	0.13 W	0.13 W	0.13 W	Use for ErP	
EPS No-loa	ad	W	W	W		厂
PTEC *	eray Consumption	W	W	W		
Typical Energy Consumption  ETEC *  Annual Energy Consumption		1: 42.35 kWh/year	1: 41.88 kWh/year	1: 43.32kWh/year	ETEC = (8760/1000) x (Poff x 0.15 + Psleep x 0.45 + Plong_Idle x 0.10+ Pshort_Idle x 0.30)	]
		Poff: Off Mode(	S5) - WOL Enabled; Pslee	p: Sleep Mode(S3) - WOL	Enabled; Pidle: Idle State - WOL Enabled	
External Po	ower Supply Efficie	ency Level (Internationa	I Efficiency Marking Pro	otocol) * : VI		
Display res	solution * : 2.07 me	egapixels				Г
Default tim	e to enter energy s	save mode: 25 minutes				
P9.2*	Information abou	t the energy save functi	ion is provided with the	product.		İ
P9.3	Energy efficiency	class (monitors only):	<u> </u>	·		
P10	Emissions	· · · · · · · · · · · · · · · · · · ·				
-	Noise emission	<ul> <li>Declared according to</li> </ul>	o ISO 9296 (See NOTE	E B9)		
P10.1	Mode	Mode description		Statistical upper lim	it A-weighted sound power level, L <sub>WA,c</sub> (B)	
	Idle	* HDD:Idle		* 2.9		
	Operation	* HDD: Operating		* 3.0		Г
		* SSD: Operating		* 3.2		
	Other mode	Declared A-weighted soun			tion desktop – idle)	_
	Other mode Declared A-weighted sound pressure level (dB) $L_{pAm}$ 20.5 (operator position desktop – HDD operating)					_
	Other mode	Declared A-weighted soun	od pressure level (dB) $L_{p{\sf A}{\sf I}}$	22 (operator position	on desktop – SSD operating)	
	Measured accord	ling to: 🔀 ISO 7779 🗌	ECMA-74			
		Other	(only if not covered by	/ ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *  Issue date *	11FV, 11FW , F0F8, F0F9 20200325	Logo	Lenc	OVO	тм
Product environr	nental attributes - Market requirements (continued)		Require	ment	met
Item			Yes	No	n.a.
Electron	nagnetic emissions				

Product of	environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
	Electromagnetic emissions			
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): <b>BSMI, VCCI, CE, FCC, C-Tick</b>			
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		$\boxtimes$	
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.		$\boxtimes$	
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): <i>carton</i> Product packaging material type(s): <i>cushion</i> Product packaging material type(s): <i>bag</i> weight (kg): 1.132 weight (kg): 0.647 weight (kg): 0.0564			
P13.2*	Product plastic primary packaging is free from PVC.	$\boxtimes$		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum pos- consumer recovered fiber content: 80 %	t-		
P13.4*	Specify media for user and product documentation (tick box):  Electronic, Paper, Other			
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:			
	Totally chlorine-free	$\boxtimes$		
	Elemental chlorine-free			
	Processed chlorine-free	Ħ		
P14	Voluntary programs			
P14.1	The product meets the requirements of the following voluntary program(s):			
	Eco-label: Energy Star Criteria version: 8.0 Date: 2020/3 Product category: All-in-O	ne 1		
	Eco-label: <b>EPEAT</b> Criteria version: <b>2018</b> Date: <b>2020/3</b> Product category: <b>All-in-O</b>			
	Eco-label: Low Blue light	ne		
P15	Additional information (See NOTE B10)			
P9	Energy consumption of specific configuration may vary; description of the tested product configurate 10210U; GPU: NA; RAM: 32G; Storage: 1T HDD + 512G SSD; OS: WIN10			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied information contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of completion, and supplier shall have no obligation to update such informati provided here is approximate and provided for informational purposes only. See a Lenovo Account Represer information.	ed on supp on. The inf	lier's ormat	ion
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V30a-22IML AIO	Logo	
Model Number	11FV, 11FW , F0F8, F0F9		Lonovo
Issue Date	20200325		Lenovo.
Additional information			

(d)	year of manufacture:									
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are					
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable									
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3					
	Memory over base [GB]	(	32		32					
capability adjustments applied during testing	Additional internal storage	(Yes / No)	YES (Yes / No)	(Yes / No)	YES (Yes / No)					
	Discrete television tuner	(Yes / No)	NO (Yes / No)	(Yes / No)	NO (Yes / No)					
	Discrete Audio Card	(Yes / No)	NO (Yes / No)	(Yes / No)	NO (Yes / No)					
caps appl	Discrete graphics Card(s) [number / #]	#: (Yes / No)	NO #: (Yes / No)	#: (Yes / No)	NO #: (Yes / No)					
	Category of discrete graphics Card(s)		NA		NA					
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		20.94		18.30					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		NA		NA					
(g)	Idle state power demand (Watts);	I	I		D: 4.55 / B : 5.28					
(h)	Sleep mode power demand (Watts);		D: 1.09 / B : 1.04							
(i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		D: 1.066 / B : 1.06					
(j)	Off mode power demand (Watts);		D: 0.38 /B: 0.39							
(k)	Off mode with WOL enabled power dem	D: 0.39 / B : 0.41								
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):									
	10% 20% 50% 100% Average									
(m)	External power supply efficiency (if applicable)*:									
	Average active efficiency: 65W Level VI (87.11%									
	*internal note: show values for all available external power supplies									
(o)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):									
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:  NA									
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency refer to EN 50563:2011 External a.c. — d.c. and a.ca.c. power supplies									

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  NA										
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  *Refer to IEC 62623:2013-Desktop and notebook computers- Measurement of energy conmumption*										
(q)	Sequence of steps for achieving a stable condition with respect to power demand:  **Based on user manual/Power on->Wait 5 minutes->Stable condition**										
(r)	Description of how sleep and/or off mode was selected or programmed:  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**										
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan										
(t) (u)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power										
	mode that has a lower power demand requirement than sleep mode (in minutes):										
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10 minutes										
(w)	Information on the energy-saving potential of power management functionality:  NA										
(x)	User information on how to enable the power management functionality:  Please Lenovo confirm where or which document will show user information about how to enable the  power management functionality										
(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:											
	Instrument		230 Volts AC, 50 Hz Range Used			•					
	Type  AC Power Source  Power Meter  Hygrothermograph		Or ***		Make and Model **						
			230V;50Hz	EXTECH;6810;SN:1450172  YOKOGAWA;WT210;SN:91H427511  SEKONIC;ST-50							
			0~200V;0~20A								
			−20 to 50°C;20 to 90%			•					
	Light Measuring	I	1°; 0.01 to 999,900 cd/m2		Konica Minolta;LS-150	•					
Additiona	I Notebook Batter	v Inf	ormation:								
		Battery[ies] not user replaceable			Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)									
Internal/bu	uilt-in Battery										
	etachable Battery										
Bios Backup Battery											
Other:											
Additional	information										
)											

Aкумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

The battery[ies] in this product cannot be easily replaced by users themselves.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.
Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ.
Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.
Tämän tuotteen akku [akut] el[vät] ole helposti käyttäjän vaihdettavissa.
Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.
Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.