



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		_
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LEHOVO
	<u>alcarter@lenovo.com</u>		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (	The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	nts given in this declaration.						
Type of product *	Notebook						
Commercial name *	Lenovo Yoga 9 14						
Model number *	82BG						
Issue date *	2020-9-10						
Intended market *	Global Europe Asia, Pacific & Japan Americas Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	82BG	Logo	Lan		
Issue dat	e *	2020-9-10		Lend		<b>J</b> <sub>TM</sub>
Product	environ	mental attributes - Legal requirements		Require	men	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	Products	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	lloride, 1,1,1-	$\boxtimes$		
	concentr	ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference).	),5 µg/cm²/weel	( <u> </u>		
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.			_	
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):		Ш	
P2	Batterie					
P2.1*	symbol.	educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	•			
P2.2*	referenc		nium. (See lega	I 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at: <a href="https://www.lenovo.com/us/en/compliar">https://www.lenovo.com/us/en/compliar</a>				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
		d information is; given in item P15 or added to this document, available at: <a href="https://www.lenovo.com/us/en/compliance/e">https://www.lenovo.com/us/en/compliance/e</a>	an deplaration			
P5	Product	packaging	co-deciaration			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	v cadmium an	id 🔀		
_	hexavale	ent chromium by weight of these together.			<u> </u>	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature (see legal reference).	,	,	<u> </u>	Ц_
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the Nature of the Na	nontreal Protoc	ol 🔀	Ш	Ш
DC	Commer	nt: Legal reference has no maximum concentration values.				
P6		nt information			_	_
P6.1*	ıntormatı	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	82BG	Logo	Lanava
Issue date *	2020-9-10		LEI IOVO.
			•

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	· · · · · · · · · · · · · · · · · · ·	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			Ц_
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			$\boxtimes$
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			$\boxtimes$
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: Al Material type:  Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.	-		+
				╬
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	า 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #: 35948-25-5	$\boxtimes$		
	_ , , _ , _ , _			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in	า 🗌		$\boxtimes$
	concentrations above 0.1%:  1. Chemical name: CAS #:			
	2. Chemical name: CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			$\boxtimes$
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
1	a percentage of total plastic by weight) is 6.3%.			
	or b) The weight of recycled material is 11.4 g.			
L	b) The weight of recycled material is 11.4 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82BG	Logo	Lonovo	
Issue date *	2020-9-10		<b>Leliono</b> <sup>®</sup>	
				Ξ

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and cul	ostance requirements	s (continued)			
P7.21*			ed in the product (See N	OTE B7):		
1 7.21	Diobasca plastic	material content is use	od in the product (occ iv	OTE BT).		ш
P7.22*	Light sources are	free from mercury i.e.	e. less than 0,1 mg/lamp		X П	
1 7.22		d specify: Number of la		ium mercury content p		ш
P8	Batteries			, , , , , , , , , , , , , , , , , , ,		
P8.1*	Battery chemical	composition: LI-ION F	Polymer			П
P9		ption (See NOTE B8)	•			
P9.1			els or energy consumpti	ons are reported:		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	
		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-	max)	65 W	<b>65</b> W	<b>65</b> W	Full load	
Categor	<u>y 2</u>					
Ob and Islia	Otata WOI	7.45\0/	7 22 14/	7.50\\/	Har for ENERGY STAR VOO	
Enabled	State - WOL	7.45 W	7.32 W	7.53 W	Use for ENERGY STAR V8.0 registration (P <sub>idle</sub> )	
Long Idle	State - WOL	0.55 W	0.57 W	0.62 W	Use for ENERGY STAR V8.0	
Enabled	Olule WOL	0.00 11	0.07 **	0.02 **	registration (P <sub>idle</sub> )	
					( )	
Sleep (S3)	- WOL Enabled	0.55 W	0.57 W	0.62 W	Use for ENERGY STAR V8.0	
					registration (P <sub>sleep</sub> )	
Off (S5) -	WOL Enabled	0.27 W	0.28 W	0.31 W	Use for ENERGY STAR V8.0	
J. (33)		• • • • • • • • • • • • • • • • • • • •			registration (P <sub>off</sub> ) Use for ErP	
EPS No-lo	a d	0.094 W	0.096 W	0.114 W		
			0.090 VV	0.114 VV		
	supply / charger plugged in the sconnected from the product.)					
PTEC *	aray Canay mantian	2.55 W	2.52 W	2.62 W		
ETEC *	ergy Consumption	22.34 kWh/year	<b>22.10</b> kWh/year	<b>22.91</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
	ergy Consumption	22.34 KWII/year	22.10 kvvn/year	22.91 Kvvn/year	$+ P_{sleep} \times 0.35 + P_{long Idle} \times 0.10+$	Ш
7 tilliaal Ell	orgy concumption				Pshort Idle X 0.30)	
					led; P <sub>idle</sub> : Idle State - WOL Enabled	
External P	ower Supply Efficie	ency Level (Internation	al Efficiency Marking Pro	otocol) * : V/		
Display res	solution * : <b>8.294</b> m	negapixels			3840*2160	
Default tim	e to enter energy s	save mode: 10 minutes	3			Ħ
P9.2*			tion is provided with the	product.	T N	$\pm$
P9.3		class (monitors only):	<u> </u>	<u></u>		X
P10	Emissions	3,				
		- Declared according	to ISO 9296 (See NOTE	E B9)		
P10.1	Mode	Mode description	•		nit A-weighted sound power level, $L_{WA,c}$	(B)
	Idle	* SSD:Idle		* 2.5		
	Operation	* SSD: Operating		* 3.8		
	Other mode	Declared A-weighted sou	and pressure level (dB) $L_{p{\sf An}}$	15 (operator positi	ion desktop – idle)	
	Other mode	Declared A-weighted sou	and pressure level (dB) $L_{pAn}$	29 (operator positi	ion desktop – operating)	
		ding to: X ISO 7779		· 1	-	
	Wicasurca accord	_	(only if not covered by	, ΕCMΔ-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Issue date *   2020-9-10
Item
Electromagnetic emissions
P10.4 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): MPR-II(3 pin AC adapter only)  P12 Ergonomics for computing products  P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation  P13.1* Product packaging material type(s): CARTON weight (kg): 0.679
P12 Ergonomics for computing products  P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation  P13.1* Product packaging material type(s): CARTON weight (kg): 0.679 Product packaging material type(s): paper(manual) weight (kg): 0.050 Product packaging material type(s): corner paper weight (kg): 0.054  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other   P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free
P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation P13.1* Product packaging material type(s): CARTON weight (kg): 0.679 Product packaging material type(s): paper(manual) weight (kg): 0.050 Product packaging material type(s): corner paper weight (kg): 0.058 Product packaging material type(s): EPE weight (kg): 0.054  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other   P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free
P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13.1* Product packaging material type(s): CARTON weight (kg): 0.679 Product packaging material type(s): paper(manual) weight (kg): 0.050 Product packaging material type(s): corner paper weight (kg): 0.058 Product packaging material type(s): EPE weight (kg): 0.054  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other .  P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free
P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation  P13.1* Product packaging material type(s): CARTON weight (kg): 0.679 Product packaging material type(s): paper(manual) weight (kg): 0.050 Product packaging material type(s): corner paper weight (kg): 0.068 Product packaging material type(s): EPE weight (kg): 0.054  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other   P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free  P14 Voluntary programs
P13.1* Product packaging material type(s): CARTON weight (kg): 0.679 Product packaging material type(s): paper(manual) weight (kg): 0.050 Product packaging material type(s): corner paper weight (kg): 0.068 Product packaging material type(s): EPE weight (kg): 0.054  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other   P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free  P14 Voluntary programs
P13.1* Product packaging material type(s): CARTON weight (kg): 0.679 Product packaging material type(s): paper(manual) weight (kg): 0.050 Product packaging material type(s): corner paper weight (kg): 0.068 Product packaging material type(s): EPE weight (kg): 0.054  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other   P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14 Voluntary programs
Product packaging material type(s): paper (manual) weight (kg): 0.050 Product packaging material type(s): corner paper weight (kg): 0.068 Product packaging material type(s): EPE weight (kg): 0.054  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other   P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14 Voluntary programs
Product packaging material type(s): corner paper weight (kg): 0.068 Product packaging material type(s): EPE weight (kg): 0.054  P13.2* Product plastic primary packaging is free from PVC.
Product packaging material type(s): EPE weight (kg): 0.054  P13.2* Product plastic primary packaging is free from PVC.
P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box):
P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box):  Electronic , Paper , Other .  P13.5 (Please only complete this item if paper documentation used)  User and product documentation on paper media is chlorine-free:  If Yes, please specify:  Totally chlorine-free  Elemental chlorine-free  Processed chlorine-free  Processed chlorine-free  P14 Voluntary programs
consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box):
Electronic , Paper , Other  P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free P14 Voluntary programs
P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:  Totally chlorine-free Elemental chlorine-free Processed chlorine-free P14 Voluntary programs
User and product documentation on paper media is chlorine-free:  If Yes, please specify:  Totally chlorine-free Elemental chlorine-free Processed chlorine-free  P14 Voluntary programs
If Yes, please specify:  Totally chlorine-free Elemental chlorine-free Processed chlorine-free  P14 Voluntary programs
Totally chlorine-free Elemental chlorine-free Processed chlorine-free  P14 Voluntary programs
Elemental chlorine-free Processed chlorine-free  P14 Voluntary programs
Processed chlorine-free  P14 Voluntary programs
P14 Voluntary programs
DAAA The resolution and the resolution and of the fellowing valuation are served.
P14.1 The product meets the requirements of the following voluntary program(s):
ENERGY STAR® Criteria version: 8.0 Date: 2020/9/18 Product category: 2
Exercise Criteria version: Date: Product category: 2
Eco-label: Criteria version: Date: Product category:
P15 Additional information (See NOTE B10)
P9 Energy consumption of specific configuration may vary; description of the tested product configuration:
NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the
information contained in this document. All information provided by supplier in this document is provided based on supplier's
knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information
I would do not be a considerate and an ideal for informational property of the Constitution of the Constitution for the Constitution of the Consti
provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more
information.  P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga 9 14ITL5	Logo	
Model number *	82BG		Lenovo
Issue date *	2020-9-10		Lenovo.
Additional information			

d)	Year of manufacture:				2020
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categorianable	all discrete graphics o	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	12			
ents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	9.92			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	1	1	1	A : 2.29
h)	Sleep mode power demand (Watts);				A : 2.29
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		A : NA
j)	Off mode power demand (Watts);				A : 0.36
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A:NA
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 90.44%; 89.7	71%;90.15%			
	*internal note: show values for all available external p	ower supplies			
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	notebook computers):	300 CYCLES
p-1)	Measurement methodology used to dete	ermine information mer <b>NA</b>	ntioned in points (I) – i	nternal PSU efficiency:	
p-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen	ntioned in points (m) -	external PSU efficiend	cy:

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 50563:2011 measurement methodo			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  EN 62623:2013 measurement methodology				
(q)	Sequence of steps for achieving a stable condition with respect to power demand:  EN 62623:2013 measurement methodology				
(r)	Description of how sleep and/or off mode was selected or programmed:  EN 62623:2013 measurement methodology				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  *refer to power management, 30mins automatically reaches sleep mode*				
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			10	
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA	
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):		,	10	
(w) Information on the energy-saving potential of power management functionality:  refer to user manual					
(x)	(x) User information on how to enable the power management functionality:  refer to user manual				
(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:					
230V, 50GHz, Total Harmonic Distortion <2 %					
Additio	nal Notebook Batter				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Addition	nal information				
)					

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami užívatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.