

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

### Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	•		
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter		LEI IOVO.		
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	All in one computer					
Commercial name *	Yoga AIO 7 27ACH6					
Model number *	F0G7					
Issue date *	2021/5/27					
Intended market *	🛛 Global 🔲 🗆 Europe 📃 Asia, Pacific & Japan 🔛 Americas 💭 Other					
Additional information	Energy Star					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	F0G7 Logo			
lssue da	ite *	2021/5/27	Lenovo		Эм.
	t environ	mental attributes - Legal requirements	Require		met
Item			Yes	No	n.a.
P1		bus substances and preparations	<u> </u>		
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\square$		
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\square$		
P1.3*	hydrobro trichloro concent	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	terphen	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	< 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): <pre>www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure</pre>	$\boxtimes$		
P2	Batterie				
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\square$		
P2.2*	Batterie referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega æ)	I 🛛		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Confor	nity verification & Eco design (ErP)			
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	$\boxtimes$		
		d information is; available at (add URL): www.lenovo.com/us/en/compliance/eco-declaration	$\boxtimes$		
P5		t packaging			
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ar ent chromium by weight of these together.	id 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material( e legal reference).	s) 🔀		
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values.	ol 🔀		
P6		ent information			
		ion for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	imber *	F0G7	Logo	Lon		
Issue dat	te *	2021/5/27		Len	ovo	тн.
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*					<u>+</u>	
		naterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*	-	arts > 100 g consist of one material or of easily separable materials.			<u>Ц</u>	
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tools.			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		$\square$		
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools				
P7.9	Spare pa	arts are available after end of production for: <b>5</b> years				
P7.10	Service i	is available after end of production for: <b>5</b> years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
D7.40			al type:			
P7.12		n materials of external electrical cables are PVC free.		<u> </u>		
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight ( polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine an 25% post-consumer recycled content.	e retardants, an	id		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en	$\square$	
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4	:			
P7.17	Alt. 1: Cl	nemical specifications of flame retardants in printed circuit boards > 25 g (without c	components):			
	TBBF 26265-0	PA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>Brominated epoxy</b> 8-7	<b>resin</b> , CAS #:	$\square$		
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%:	es/preparations	in		$\boxtimes$
	1. Chem	ical name: , CAS #: (See NOTE B4)				
		ical name: , CAS #: "				
	3. Chem	ical name: , CAS #: "				
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104				
P7.19		c parts > 25 g, flame retardant substances/preparations above 0,1% are used whic	h have been			$\boxtimes$
	assigned	the following Risk phrases; and Hazard statements:				
			See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$		
	a) Of t a pe or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten- ercentage of total plastic by weight) is <i>11.12</i> %.	nt (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	F0G7	Logo	Lenovo
Issue date *	2021/5/27		LEHOVO
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

Requirement metYesNon.a.

If a) P7.22* Li If P8 B P8.1* B P9 E	YES; at least one ) Of total plastic total plastic by ) The weight of ight sources are fr mercury is used s atteries attery chemical co	e of the two alternative c parts' weight > 25 g, v weight) is %. the biobased plastic r ree from mercury, i.e.	naterial is g.	ered;	ited as a percentage of										
P7.22* Li If P8 B P8.1* B3 P9 E P9.1 Fo	<ul> <li>Of total plastic total plastic by</li> <li><u>The weight of</u> ght sources are fr mercury is used s atteries attery chemical content</li> </ul>	e parts' weight > 25 g, v weight) is %. the biobased plastic r ree from mercury, i.e.	the biobased plastic m naterial is g.		ated as a percentage of										
P7.22* Li If P8 B P8.1* B3 P9 E P9.1 Fo	<ul> <li>Of total plastic total plastic by</li> <li><u>The weight of</u> ght sources are fr mercury is used s atteries attery chemical content</li> </ul>	e parts' weight > 25 g, v weight) is %. the biobased plastic r ree from mercury, i.e.	the biobased plastic m naterial is g.		ated as a percentage of										
b) P7.22* Li If P8 B P8.1* B P9 E P9.1 Fo	The weight of ght sources are fr mercury is used s atteries attery chemical co	the biobased plastic r ee from mercury, i.e.													
b) P7.22* Li If P8 B P8.1* B P9 E P9.1 Fo	) The weight of ght sources are fr mercury is used s atteries attery chemical co	ree from mercury, i.e.													
P7.22*         Li           If         If           P8         B           P8.1*         B           P9         E           P9.1         Fe	ght sources are fr mercury is used s atteries attery chemical co	ree from mercury, i.e.													
If           P8         B           P8.1*         Ba           P9         E           P9.1         For	mercury is used s atteries attery chemical co		iess than 0. I mu/lamp.	b) The weight of the biobased plastic material is       g.         Light sources are free from mercury, i.e. less than 0,1 mg/lamp.       Image: Comparison of the biobased plastic material is											
P8         B           P8.1*         B           P9         E           P9.1         F	atteries attery chemical co	speeny. Number of lan	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg												
<b>P9 E</b> P9.1 Fo					shamp. mg										
P9.1 Fo		omposition: Mangane	se dioxide												
P9.1 Fo	nergy consumpt	ion (See NOTE B8)													
Energy mode			s or energy consumption	ons are reported:											
	*	Power level at	Power level at	Power level at	Reference/Standard for energy										
		100 V AC	115 V AC	230 V AC	modes and test method *										
Peak (On-ma	<b>x</b> )	W	W	W	Full load										
Category -	2														
Short Idle Sta	ate - WOL	38.5 W	<b>39.0</b> W	38.3 W	Use for ENERGY STAR V8										
Enabled					registration (P <sub>idle</sub> )										
Long Idle Sta	nte - WOL	18.3 W	18.4 W	18.4 W	Use for ENERGY STAR V8										
Enabled					registration (P <sub>idle</sub> )										
Sleep (S3) - V	VOL Enabled	1.44 W	1.42 W	1.39 W	Use for ENERGY STAR V8										
					registration(P <sub>sleep</sub> )										
Off (S5) - WO	L Enabled	1.04 W	1.05 W	1.02 W	Use for ENERGY STAR V8										
011 (33) - 110	L LIIADIEU	1.04 W	1.05 VV	1.02 VV	registration(P <sub>off</sub> )										
500 NL 1															
EPS No-load	y / charger plugged in the	W	W	W											
wall outlet but disconne	ected from the product.)														
PTEC *	0	W	W	W		$\boxtimes$									
Typical Energ	y Consumption	124.3 kWh/year	125.5 kWh/year	<b>123.5</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.45										
-	y Consumption	124.3 KVVII/year	125.5 KVVII/year	123.5 KVVII/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$ + $P_{sleep} \times 0.05 + P_{long} \ ldle \times 0.15$ +										
	, concamp				$P_{\text{short Idle}} \times 0.35$										
					Enabled; Pidle: Idle State - WOL Enabled	<u> </u>									
			Efficiency Marking Pro	otocol) * : VI											
Display resolu	ition * : <b>3.69</b> mega	apixels													
Default time to	o enter energy sav	ve mode: 25 minutes													
P9.2* In	formation about t	he energy save function	on is provided with the	product.											
P9.3 E	nergy efficiency c	lass (monitors only):	V/A												
P10 E	missions				•										
		, i i i i i i i i i i i i i i i i i i i	ISO 9296 (See NOTE												
		ode description			it A-weighted sound power level, $L_{WA,c}$	(B)									
		HDD idle		* 3.3											
0		50% CPU Loading		* 4.3											
0	ther mode	eclared A-weighted soun	d pressure level (dB) $L_{p { m Am}}$	15 (operator position	on desktop – idle)										
0	ther mode	eclared A-weighted soun	d pressure level (dB) <sub>L<sub>p</sub>Am</sub>	27 (operator positio	on desktop – operating)										
		iq to: 🔀 ISO 7779 🗌	ECMA-74												
IVI	easureu accordin	°	-												
		Other	(only if not covered by	ECIVIA-14)											

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nun	nber *	F0G7									Logo				
Issue date	*	2021/5	/27										_eno	VO,	
Product e	environn	nental	attribute	es - Market rec	quirem	ents (co	ontinue	d)					Require	ment	met
Item													Yes	No	n.a.
	Electron	nagneti	c emissi	ons											
P10.4				he requirement f 55035 FCC part		equency	electrom	nagnetic	fields of	the follo	wing volur	ntary	$\square$		
P12				ing products											
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.														
P12.2*	The phys	sical inp	ut device	meets the requir	ements	of ISO 99	995 and	ISO 924	41-410.					$\boxtimes$	
P13			docume												
P13.1*	Product packaging material type(s): Paper - Corrugated Double wall weight (kg): 1.798 Product packaging material type(s): Plastic - Corrugated Single wall weight (kg): 0.51 Product packaging material type(s): Plastic - Laminated (Fabricated) EPE (Expanded polyethylene) weight (kg): 1.5575 Product packaging material type(s): Plastic - PE (polyethylene) weight (kg): 0.026 Product packaging material type(s): Plastic - LDPE (low density polyethylene) weight (kg): 0.064 Product packaging material type(s): Plastic - Thermoformed LDPE (thermoformed low density														
E ( a at	polyeth			ht (kg): 0.0008	51.0										
P13.2*		•		ickaging is free fi									$\square$		
P13.3*	consume	er recove	ered fiber	ugated fiberboar content: <b>70</b> %				contai	ned perce	entage o	of minimu	m pos	t-		
P13.4*	Specify r			d product docum Other	entatior	ı (tick box	:):								
P13.5	<b>`</b>	l produc	t docume	s item if paper do ntation on paper			,								
	Totally c														
	Processe														
<b>D</b> 44															
P14 P14,1	Volunta			quirements of the	followi			com(c):							
r 14.1	The plot					ig volunta	ary progr	an(s).							
	ENERG	STAR	R	Criteria vers	ion: <mark>8.0</mark>		Date:	2021.5	Pr	roduct ca	ategory: A	10			
P15				See NOTE B10)											
P9				specific configu	uration										
	Project	Test item	Category	CPU		Memory	HDD	SSD	Graphics	External	power suppl	У	Sleep mod	e	
	Yoga AIO 7 27ACH6		2	AMD		32GB	2ТВ	1TB	DIS	300			sleep		
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.														
P9				l Notebooks & Ta //index.cfm?fusea							ode=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga AIO 7 27ACH6	Logo	
Model Number	F0G7		
Issue Date	2021/5/27		Lenovo
Additional information	Energy Star		

P7.1.1	Product environmental attributes							
(d)	year of manufacture:				2021			
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are			
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjus	tments applied when a	all discrete graphics	cards (dGfx) are			
	1	Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]				32			
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)			
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)			
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)			
app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)			
	Category of discrete graphics Card(s)							
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				128.88			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				158			
(g)	Idle state power demand (Watts);				43.83			
(h)	Sleep mode power demand (Watts);				1.16			
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.13			
(j)	Off mode power demand (Watts);				0.81			
(k)	Off mode with WOL enabled power dem	and (Watts) (where er	nabled);		0.81			
(I)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Aver	age					
(m)	External power supply efficiency (if appli	icable)*:						
	Average active efficiency: 150w 92.20%; 300w 92.45%							
(0)	*internal note: show values for all available external po Minimum number of loading cycles that t		stand (applies only to r	notebook computers):				
(p-1)	Measurement methodology used to dete			. ,	:			
. ,			,	-				
(p-2)	Measurement methodology used to dete refer to EN50563:20		ntioned in points (m) – and a.ca.c. power s		by:			

(p-3)	Measurement methodolo	gy used to determine information i	mentioned in points (o) – loading cycles batteries:						
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption								
(a)	refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption Sequence of steps for achieving a stable condition with respect to power demand::								
(q)		5							
(r)		I on user manual/Power on->Wa and/or off mode was selected or p							
( )		Based on user manual-Set po	ower button behaviors						
	Set power butt	A							
	You can define what the power button does according to your preference. For example, by pressing the power button, you can turn off the computer or put the computer to sleep or hibernation mode.								
	To change what the po	ower button does:							
	1. Go to Control Par	nel and view by large icons or sm	all icons.						
	2. Click Power Optic	ons $\rightarrow$ Choose what the power	buttons do.						
	3. Change the setting								
(s)	Sequence of events requ off mode:	ired to reach the mode where the	equipment automatically changes to sleep and/or						
	Based on user manua	l/Control Panel->Power Options for this pl	-> Change Settings-> Restore default settings						
(t)		ondition before the computer au	tomatically reaches sleep mode, or another and requirements for sleep mode (in minutes):	25 minutes					
(u)	Length of time after a p		the computer automatically reaches a power						
(v) (w)		he display sleep mode is set to a y-saving potential of power manag	activate after user inactivity (in minutes):	10 minutes					
(**)	mormation on the energy		ement functionality.						
(x)	User information on how	N/A to enable the power management	functionality:						
	Set the power p For ENERGY STAR® co been idle for a specified	mpliant computers, the following po	ower plan takes effect when your computers have						
	Table 1. Default power pla	n (when plugged into ac power)							
	Turn off the display: Af	fter 10 minutes							
	Put the computer to slope	eep: After 25 minutes							
	To awaken the compute	er from Sleep mode, press any key o	on your keyboard.						
		to achieve the best balance betwee							
		el and view by large icons or small i ns, and then choose or customize a							
(z)	Test parameters for meas	surements: — test voltage in V and em, — information and documenta	d frequency in Hz, — total harmonic distortion of ation on the instrumentation, set-up and circuits						
	Tota	Test voltage in V and freque al harmonic distortion of the ele							
	Instrument	Range Used	Males and Mardal						
	Туре	Or	Make and Model						
	AC Power Source	1~280VAC; 1~550Hz; 1000VA	Chroma;61504; SN:615040001117						
	Digital Watch	Full range	CASIO; HS-70W; SN:208Q08R						
	Power Meter	0~600V; 0~20A	YOKOGAWA; WT310E; SN:C3SJ16035E						
	Hygrothermograph	15~35℃/ 15~90%	TESTO; 608-H1; SN:1034895602						
	Thermal anemometer	0~20m/s, -20~70℃	TESTO; 425; SN:02591883						
	Light Measuring	1; 1~300cd/m <sup>2</sup>	KONICA MINOLTQ:LS-110						
		i, i 00000/iii							

Additional Notebook Battery Information:						
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
	The battery[ies] in this product cannot be easily replaced by users themselves. <sup>1)</sup>					
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:						
Additional information			1			

1) The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainit šă ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (baterile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Bateria (baterile) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.