



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo)	
Company name *	Lenovo]		
Contact information *	Lenovo Global Environmental Affairs		Lenovo	
e-mail address	Alvin L Carter		LCIIOVO	
	alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	All-in-One				
Commercial name *	ideacentre AIO 520-27				
Model number *	F0D0				
Issue date *	2017.6.19				
Intended market *	☑ Global □ Europe Asia, Pacific & Japan Americas Other				
Additional information	Greenguard;ES				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	Model number * F0D0 Logo		Long			
Issue dat	e *	2017/6/19		Lend	JVC) _{TM}
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference).		\boxtimes		
		nt: Legal reference has no maximum concentration value.				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum					
		ration values.	IIIaxiiiiuiii			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	nlorinated	\square		
	terpheny	(I (PCT) in preparations (see legal reference).		_	ш	
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car	bon atoms in th	ie 🔀		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	2		_	
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above (0,5 µg/cm²/wee	k 🔀		
	, ,	al reference).				
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact):		$\overline{}$	
F1.7		w.lenovo.com/social_responsibility/us/en/environment.html	contact).		Ш	ш
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with	the disnosal		$\overline{}$	
1 2.1		Information on proper disposal is provided in user manual. (See legal reference)	tric disposar		Ш	Ш
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See lega	al 🔀		
P2.3*		s and accumulators are readily removable. (See legal reference)				
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	\boxtimes		
	The Dec	laration of Conformity can be requested at (add link or e-mail address):			_	
P3.2*		duct complies with the Eco design requirements for energy-related products,		\boxtimes		
	, ,	al reference).				
	Require	d information is; given in item P15 or added to this document,		\boxtimes	Ш	
		available at (add URL):				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	ry, cadmium ar	nd 🔀		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	of the material(s) 🔀		
P5.3*	The prod	duct packaging material is free from ozone depleting substances as specified in the ! al reference).	Montreal Protoc	ol 🔀		
	, ,	nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	F0D0	Logo	Lanova
Issue date *	2017.6.19		LEI IOVO

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable		$\overline{}$	$\overline{}$
P7.2*	Plastic materials in covers/housing have no surface coating.		+	+
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		∺	+
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		∺	∺
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		+	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\overline{X}	╫	+
1 7.0	Product lifetime			<u> </u>
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\square	∺	∺
P7.9	Spare parts are available after end of production for: 5 years			+
P7.10	Service is available after end of production for: 5 years			+
1 7.10	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin more than 25% post-consumer recycled content.	g		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all \boxtimes PCBs > 25 g \square are low	w	X	П
	halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >ABS<			\boxtimes
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Epoxy resin</i> , CAS #: 79-94-7	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: Brominated Epoxy Resin See P15			\boxtimes
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations	n		
	concentrations above 0,1%:			\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\square
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		∺	$\overline{\mathbb{X}}$
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If VES; at least one of the two alternatives below shall be answered:			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 8.8% .			
	Or			
1	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	F0D0	Logo	Lanova
Issue date *	2017.6.19		Lei IOVO

Product environmental attributes - Market requirements (continued)	Requi	remen	nt met
Item	Yes	No	n.a.

	Material and substance requirements (continued)				
P7.21*	Biobased plastic m	aterial content is used	in the product (See N	OTE B7):	
	If YES: at least one	e of the two alternative	es below shall be answe	ered:	
					ted as a percentage of
	total plastic by	y weight) is 0%.			
	or	the bishessed plastic r	matarial ia Os		
P7.22*		the biobased plastic r	less than 0,1 mg/lamp.		
F1.22		specify: Number of lar	nps: and maxim	um mercury content pe	er lamp: mg
		· ,	<u>'</u>		
P8	Batteries				
P8.1*		omposition: Lithium N	langanese Dioxide		
P9		tion (See NOTE B8)			
P9.1 Energy mo		Power level	s or energy consumption Power level at	ons are reported: Power level at	Reference/Standard for energy
Energy Ino	ue	100 V AC	115 V AC	230 V AC	Reference/Standard for energy modes and test method *
Peak (On-I	max)	W	W	W	Full load
Categor	<u>y11</u>				
Short Idle	State - WOL	37.7412 W	37.3248 W	38.082W	Use for ENERGY STAR V6
Enabled					registration (P _{idle})
I ona Idle	State - WOL	22.4796 W	22.6188 W	23.1204 W	Use for ENERGY STAR V6
Enabled					registration (P _{idle})
Sleep (S3)	- WOL Enabled	0.886152 W	0.882672W	0.877248 W	Use for ENERGY STAR V6
					registration(P _{sleep})
Sleep (S3)	- WOL Disabled	W	W	W	Reference
Off (S5) - N	WOL Enabled	0.605496W	0.63402W	0.635376W	Use for ENERGY STAR V6
0.11 (00)	TOL LINGBIOG	0.00010011	0.00 10211	0.00007011	registration(P _{off})
Off (CE)	WOL Disabled	W	W	W	Use for ErP
OII (33) - V	VOL DISABIEU				
		W	W	W	Reference
Category	yI2				
Chart Idla	State - WOL	34.0884 W	34.1772W	33.6252W	Reference
Enabled	State - WOL	34.0004 VV	34.177200	33.023200	Reference
	0/ / 1//0/	04 7040 144	04.404.004	00.055004	
Long Idle	State - WOL	21.7212 W	21.4944 W	20.8572 W	Reference
Sleep (S3)	- WOL Enabled	0.898884 W	0.872364W	0.927624 W	Reference
Sleep (S3)	- WOL Disabled	W	W	W	Reference
		0.745570.\\	0.767604 W	0.776676\\\	
	NOL Enabled	0.745572 W		0.776676W	Reference
Off (S5) - V	WOL Disabled	W	W	W	Reference
		W	W	W	Reference
Categor	yl3				
Short Idle	State - WOL	31.5132 W	32.9784 W	34.3488 W	Reference
Enabled			22.07.07.17	1	
Long Idla	State - WOL	21.0936 W	21.1692 W	20.8968W	Reference
Enabled	State - WUL	21.0930 VV	21.1092 VV	ZU.0300VV	Reference
	WOL Fashisa	0.057646)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0.05465004	0.020500\\	Perference
Sieep (S3)	- WOL Enabled	0.857616W	0.854652W	0.838596W	Reference

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Long Idle Enabled	State - WOL	W	W	W	Reference	
Off (S5) - V	VOL Enabled	0.519084 W	0.49038W	0.521856W	Reference	
Off (S5) - V	VOL Disabled	W	W	W	Reference	
		W	W	W	Reference	
EPS No-loa	ad	W	W	W		
	supply / charger plugged in the connected from the product.)					
PTEC *		W	W	W		
	ergy Consumption					
ETEC *		11:248.03 kWh/year	11:247.04kWh/year	11:150.03kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$	
Annual Ene	ergy Consumption	12:136.39kWh/year	12:136.44kWh/year	12:133.97kWh/year	+ P _{sleep} x 0.05 + P _{long_Idle} x 0.15+	
		<i>l</i> 3:126.76kWh/year	/3:131.24kWh/year	/3:135.20 kWh/year	P _{short_Idle} x 0.35)	
		P _{off} : Off Mode(S	5) - WOL Enabled: Pelasi	: Sleep Mode(S3) - WOL	Enabled; P _{idle} : Idle State - WOL Enabled	
External Po	ower Supply Efficier	ncy Level (International				
Display res	olution * : 2.07 meg	gapixels				
Default time	e to enter energy sa	ave mode: 25 minutes				
P9.2*	Information about	the energy save function	on is provided with the	product.		
P9.3	Energy efficiency	class (monitors only):				
P10	Emissions					
	Noise emission -	- Declared according to	ISO 9296 (See NOTE	E B9)		
P10.1	Mode N	Mode description		Statistical upper limit	t A-weighted sound power level, L _{WA,c} (B)	
	Idle *	HDD:Idle		* 3.1		
	Operation *	HDD: Operating		* 3.2		
		Declared A-weighted sound				
	Other mode Declared A-weighted sound pressure level (dB) L_{pAm} 25.1 (operator position desktop – operating)					
	Measured accordi	ng to: 🔀 ISO 7779	ECMA-74			
	Other (only if not covered by ECMA-74)					

Model nu	mber *	F0D0				Logo	Long	VO	
Issue date	e *	2017.6.19					Leno	VO,	м
Product	environr	nental attribute	es - Market requirements	(continued)			Require	ment	met
Item							Yes	No	n.a.
		magnetic emission							
P10.4	program	(s): CE/FCC/VCC		ncy electromagnetion	c fields of the follo	owing voluntary			
P12		mics for comput							
P12.1*			onomic requirements of ISO 9			gies.		\boxtimes	
P12.2*	The phys	sical input device	meets the requirements of ISC	0 9995 and ISO 92	41-410.			\boxtimes	
P13		ng and docume							
P13.1*	Product		3. ()	ox weight (kg): 1 ht (kg): 1.652 ht (kg): 0.0619	.853				
P13.2*	Product	plastic primary pa	ckaging is free from PVC. (GF	P)			\boxtimes		
P13.3*	consume	er recovered fiber			ned percentage	of minimum po	st-		
P13.4*		media for user an ronic, ⊠Paper,	d product documentation (tick Other	box):					
P13.5	Ùser and		s item if paper documentation entation on paper media is chlo						
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta ENV	ry programs							
P14.1	The prod	duct meets the red	quirements of the following vol	untary program(s):					
	Eco-labe	el:	Criteria version: <i>6.1</i> Criteria version: Criteria version:	Date: Date: Date:	Product of Product of Product of				
P15		nal information (,						
P9			specific configuration may v						
	informati knowled provided informati	ion contained in the ge available at the I here is approximation.	o representations, guarantees, nis document. All information p e time of completion, and supp late and provided for information	provided by supplier plier shall have no o conal purposes only.	r in this documen obligation to upda . See a Lenovo A	t is provided bas ite such informat	sed on supp tion. The inf	olier's formati	ion
P9			l Notebooks & Tablet Compute r/index.cfm?fuseaction=find_a			code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ideacentre AIO 520-27IKL	Logo
Model Number	F0D0	Lonovo
Issue Date	2017/6/17	Lenovo.
Additional information	Energy Star 6.1;Greenguard	

P7.1.1 d)	Product environmental attributes				Power RD					
1)	year of manufacture:				2017					
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.									
·)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable									
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)					
capability adjustments applied during testing	Memory over base [GB]		32		32					
	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)					
	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)					
bility avied dur	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)					
capa appl	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)					
	Category of discrete graphics Card(s)	(1657140)	G2	(1657140)	G2					
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		80.32		88.10					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		N/A		N/A					
g)	Idle state power demand (Watts);	<u> </u>	<u> </u>	1	24.30					
h)	Sleep mode power demand (Watts);	ver demand (Watts);								
i)	Sleep mode with WOL enabled power d		0.92							
j)	Off mode power demand (Watts);	0.53								
k)	Off mode with WOL enabled power demand (Watts) (where enabled);									
(I)	Internal power supply efficiency at 10 %									
	10% 20% 50%	100%	Average							
(m)	External power supply efficiency (if applicable)*:									
	Average active efficiency: 120w 89.80%									
(a)	*internal note: show values for all available external p									
(o)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): N/A									
p-1)	Measurement methodology used to dete	ermine information men	tioned in points (I) – in	nternal PSU efficiency:						

(p-2)	Measurement metho	dolog	y used to determine information mention	ed in points (m) – external PSU efficiency:					
. ,	EPA "Test Method for Calculating the Energy Efficiency of Single-Voltage. External Ac-Dc and Ac-Ac Power Supplies" dated August 11, 2004								
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:								
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:								
	IEC 62623 Edition 1.0 2012-10 - Desktop and notebook computers - Measurement of energy consumption/ IEC EN50564:2011 measurement methodology								
(q)	Sequence of steps for	power demand::							
	Based on user manual/Power on->Wait 5 minutes->Stable condition								
(r)	r) Description of how sleep and/or off mode was selected or programmed: **Based on user manual/Begin menu -> Power -> Select sleep or off mode**								
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:								
Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan									
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode, (in minutes): 25 minutes								
(u)	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): Length of time after a period of user inactivity in which the computer automatically reaches a power mode (in minutes):								
(v)	mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes):								
(w)	Information on the energy-saving potential of power management functionality: Based on user manual								
(x)	User information on I	nality:							
	Based on user manual								
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:								
	Test voltage in V and frequency in Hz: 230V/50Hz Total harmonic distortion of the electricity supply system: ≤2%								
	Instrument		Range Used	Make and Model **					
	Туре		Or ***	Make and Model					
	Power Meter Hygrothermograph Light Measuring		230V;50Hz	EXTECH;6810;SN:1450172					
			0~200V;0~20A	YOKOGAWA;WT210;SN:91H427511					
			−20 to 50°C;20 to 90%	SEKONIC;ST-50					
			+-2.5°;0.1-1000cd/ m2	Konica Minolta;CA-210					
Addition	Notebook Battery		rmation: ttery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily			II/a				
		replaced by users themselves. 1)		sasily					
Internal/built-in Battery									
External/detachable Battery									
Bios Backup Battery									
Other:									
Additiona	al information	l							
			-						

The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

De baterij(eri) in dit product is (zjin) door de gebruiker inte gernakerijk vervarigbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.