



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter				
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	ttp://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	DT			
Commercial name *	Lenovo Legion T530 AMD			
Model number *	90JY, 90K0			
Issue date *	2018/05/21			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		90JY, 90K0	Logo	Long		
Issue dat	e *	2018/05/21		Lend	JVC) _{TH}
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*	Commer	do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe concentr	e do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	aximum			
P1.4*	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html					
P2	Batterie					
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See lega	ıl 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	\boxtimes		
		laration of Conformity can be requested at (add link or e-mail address):				
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).				
	Required	I information is; given in item P15 or added to this document, available at (add URL):				
P5	Product	packaging				
P5.1*	Packagir hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.				
P5.2*	used (se	α aging materials are marked with abbreviations and numbers indicating the nature α e legal reference).	·	,		
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). t: Legal reference has no maximum concentration values.	in the Montre	al 🔀		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Treatment information

Information for recyclers/treatment facilities is available (see legal reference).

P6 P6.1*

Model number *	90JY, 90K0	Logo	Longvo
Issue date *	2018/05/21		LEI IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS PCR65%+ABS Material type: Metal*2 (SGCC+SUS 301) Material type: pure material+PC+POM			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(17), FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	☐TBBPA (additive), ☐TBBPA (reactive) (See NOTE B3), ☐Other: , CAS #: 97-94-7	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		П	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; <i>R45</i> , <i>R40</i> , <i>R46</i> , <i>R48</i> , <i>R50</i> , <i>R51</i> , <i>R53</i> , <i>R60</i> , <i>R61</i> and Hazard statements:	_		
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered;			
	 a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 12.1%. 			
	or b) The weight of recycled material is <i>315.9</i> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

wodei nun		9031, 90				Logo	Lend)VC	
Issue date	*	2018/05/	21				ECIT		тм
Product	environn	nental at	tributes - Market re	equirements (conti	nued)		Requir	emen	t met
Item				•	•		Yes	No	n.a.
	Material	and subs	stance requirements	(continued)					
P7.21*				in the product (See N	OTE B7):				\boxtimes
	If YES; a	t least one	e of the two alternative	es below shall be answe	ered;				
				, the biobased plastic	material content (calcula	ated as a perce	entage		
	of to	otal plastic	by weight) is 0%.						
		weight of	the biobased plastic r	naterial is <i>0</i> g.					
P7.22*	Light sou	rces are f	ree from mercury, i.e.	less than 0,1 mg/lamp.			\boxtimes		
			specify: Number of lan	nps: and maxim	um mercury content per	lamp: m			
P8.1*	Batteries		amanasitian. Lithium I	Annanana Diavida					
			omposition: Lithium N	Manganese Dioxide					
P9			tion (See NOTE B8)	s or energy consumption	one are reported:				
Energy mo		TOGGET THE	Power level at	Power level at	Power level at	Reference/Sta	ndard for en	ergy	
0,			100 V AC	115 V AC	230 V AC	modes and tes			<u> </u>
Peak (On-i	max)		W	W	W	Full load		-	
Categor	v D2								
Short Idle Enabled	State - W	OL	51.828 W	51.732 W	48.924 W	Use for ENER			
						registration (
Long Idle	State - Wo	OL	49.392 W	49.836 W	47.988 W	Use for ENER			
Enabled						registration (dle)		
Sleep (S3)	- WOL Er	nabled	1.464 W	0.912 W	1.428 W	Use for ENER	RGY STAR V6		
2 2 2 (00)						registration(F			
Off (S5) - V	NOL Enal	oled	0.456 W	0.492 W	0.564 W	Use for ENER	RGY STAR V6		
3 (33)						registration(F			
Off (S5) - V	NOL Dies	bled	0.27 W	0.271 W	0.324 W	Use for ErP			
						COC TOT ETT			
EPS No-loa		nluggod i= #-	W	W	W				
(External powers	connected from	piugged in the the product.)							
PTEC *	oray Can-	umptics	24 .6 W	25.8333 W	25.87 W				Ш
Typical Ene	ergy Cons	иприоп	D2:215.5 kWh/year	D2:226.3 kWh/year	D2:226.65 kWh/year	$E_{TEC} = (8760/1)$	1000) x (P _{off} x 0	.45	
Annual Ene	ergy Consi	umption			K.VIII you		+ $P_{long_ldle} \times 0.1$		ш
		-				Pshort_ldle x 0.3	5)		
External Da	War Sunn	ly Efficien		S5) - WOL Enabled; Psleep I Efficiency Marking Pro	o: Sleep Mode(S3) - WOL E	nabled; P _{idle} : Id	le State - WOL E	nabled	
		•	` `	i Emoleticy Warking Pro	JUGOIJ . N/A				 -
Display res									
			ve mode: 25 minutes	an io neovided with the the	n radii at		N		
P9.2*				on is provided with the	product.	T			
P9.3			class (monitors only):						
P10	Emissio Noise er		Declared according to	ISO 9296 (See NOTE	: B9)				
P10.1	Mode		Node description	0.00 0200 (000 14012	Statistical upper limit	A-weighted sou	and power level	, Lwa.c	(B)
	Idle	*	HDD:Idle		* 4.0	. 0 500		,,0	
	Operatio	n *	HDD: Operating		* 4.1				Ħ
	Other mo		eclared A-weighted soun	d pressure level (dBL)(A)	31.0 (operator positi	on desktop – idle			
	Other mo		eclared A-weighted soun	d pressure level (dBL)(A)	32.4 (operator positi				
	Measure	d accordir	ng to: 🔀 ISO 7779 🔀	ECMA-74		-			
			Other	(only if not covered by	ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see $\frac{http://www.ecma-international.org/publications/standards/Ecma-370.htm}{}$

Model number *	90JY, 90K0			Logo	Long	1/0	
Issue date *	2018/05/21				Lenc	VO	м
Product environr	nental attributes - M	larket requirements (continued)		Require	ment	met
Item			•		Yes	No	n.a.
	nagnetic emissions						
P10.4 Compute program		uirement for low frequenc	cy electromagnetic fi	elds of the following volun	tary 🔀		
	nics for computing pro						
P12.1* The disp	lay meets the ergonomi	ic requirements of ISO 92	241-307 for visual dis	splay technologies.			\boxtimes
P12.2* The phys	sical input device meets	the requirements of ISO	9995 and ISO 9241	-410.			\boxtimes
P13 Packagi	ng and documentatior	n					
Product	packaging material type packaging material type packaging material type	e(s): PE weight	t (kg): 2.224 t (kg): 0.731 t (kg): 1.560				
P13.2* Product	plastic primary packagir	ng is free from PVC.					\boxtimes
	uct primary corrugated recovered fiber conte		specify the containe	d percentage of minimun	n post-		
	media for user and prod onic, ⊠Paper, ☐Oth	luct documentation (tick ber	oox):				
Ùser and		if paper documentation u n on paper media is chlor					
•	hlorine-free al chlorine-free						
Process	ed chlorine-free						
P14 Volunta	y programs				<u></u>		
P14.1 The prod	luct meets the requirem	ents of the following volu	ntary program(s):				
Eco-labe	l: <i>EPEAT</i> Cr	riteria version: 6.1 riteria version: 1.0 riteria version:	Date: Date: Date:	Product category: D2 Product category: Product category:	2		
	al information (See No						
				the tested product config			
informati knowled provided informati	on contained in this doo ge available at the time here is approximate an on.	cument. All information pr of completion, and suppl nd provided for informatio	ovided by supplier in ier shall have no obli nal purposes only. S	nties whether express or in this document is provided gation to update such info ee a Lenovo Account Rep	d based on supportant the in-	olier's format	ion
		books & Tablet Computer c.cfm?fuseaction=find_a_					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Legion T530-28APR	Logo
Model Number	90JY, 90K0	Lopovo
Issue Date	2018/05/21	Lenovo
Additional information	Energy Star 6.1	

(d)	year of manufacture:				2018
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]				28
nts ing	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
сар	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)
	Category of discrete graphics Card(s)				G7
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				152.50
g)	Idle state power demand (Watts);	<u>'</u>		<u> </u>	50.51
h)	Sleep mode power demand (Watts);				1.57
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.61
j)	Off mode power demand (Watts);				0.50
k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		0.53
1)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	450W: 10% 79.94% 20% 84.48% 50	0% 86.15% 100% 83.	33% Average 84.69	5%	
m)	external power supply efficiency (if applic	cable)*:			
	Average active efficiency: N/A				
	*internal note: show values for all available external po				
(o)	Minimum number of loading cycles that t	he batteries can withst	tand (applies only to n	otebook computers):	N/A
(p-1)	Measurement methodology used to dete Generalized Test Protocol for Calcu		iciency of Internal A		

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: N/A						
(p-3)	Measurement method	dology used to determine information mentioned in polymer. N/A	points (o) – loading cycles batteries:				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623 Edition 1.0 2012-10 - Desktop and notebook computers - Measurement of energy consumption/ IEC EN50564:2011 measurement methodology						
(q)	Sequence of steps for achieving a stable condition with respect to power demand:: **Based on user manual/Power on->Wait 5 minutes->Stable condition**						
(r)		eep and/or off mode was selected or programmed: ed on user manual/Begin menu -> Power -> Select	ct sleep or off mode				
(s)	off mode:	required to reach the mode where the equipment autonual/Control Panel->Power Options-> Change Sofor this plan	• •				
(t)		e condition before the computer automatically re not exceed the applicable power demand requirement		20			
(u)	Length of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	180			
(v)		re the display sleep mode is set to activate after		10			
(w)	Information on the er	ergy-saving potential of power management function Based on user manual	nality:				
(x)	user information on h	ow to enable the power management functionality: Based on user manual					
(z)		neasurements: — test voltage in V and frequency in tem, — information and documentation on the instruction. 230V, 50Hz, Total Harmonic Distortion	mentation, set-up and circuits used				
Addition	Notebook Battery	Information:					
	•	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{\rm 1)}$					
Internal/b	uilt-in Battery						
External/detachable Battery							
	Bios Backup Battery						
	Other:						
Additional	I information						
L 1) The hatterylies	s) in this product cannot be	easily replaced by users themselves.					
Augustania	oralistal foregrafial process	The fiver up works to be accomplished the or common terrofity	N=14				

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от сами Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissá. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.