



Product environmental attributes - THE ECO DECLARATION

Brand *	ThinkPad	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter	
	1009 Think Place	lenovo
	Building 2 / 5J3	
	Morrisville, North Carolina 27560	
	alcarter@lenovo.com	
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Portable PC		
Commercial name *	Lenovo 3000 G430,G530		
Model number *	M/T: 20003;4153,20004;4151		
Issue date *	2008, June 20		
Intended market *	☑ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other		
Additional information	ENERGY STAR® 4.0 Qualified		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo 3000 G430,G530 M/T: 20003;4153,20004;4151			
Issue date *	2008 June, 20	Logo	lenovo	

Product e	nvironmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : Regulation (<i>EC</i>) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU 76/769/EEC, amendment 2003/3/EC</i>			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			\boxtimes
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.	\boxtimes		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	Lenovo3000G430,G530 M/T: 20003;4153,20004;4151					
Issue date *	2008 June, 20	Logo	lenovo			

Product	environmental a	attributes - Market req Requirem	uirements - Environmental conscious design nent met			
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re	ecycling				
P7.1*		arts that have to be treated separately are easily separable				
P7.2*	Plastic materials	in covers/housing have	e no surface coating.			$\overline{\Box}$
P7.3*	Plastic parts >10	0g consist of one mate	rial or of easily separable materials.		Ħ	Ħ
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.			$\overline{\Box}$
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.		П	Ħ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			П	Ħ	
	Product lifetime					
P7.7*	Upgrading can be	e done e.g. with proces	ssor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be	e done using commonl	y available tools	\boxtimes		
P7.9.	Spare parts are a	available after end of pr	oduction for: 5 years			
P7.10	Service is availab	ole after end of product	ion for: 5 years			
		bstance requirements			•	
P7.11*		ousing material type:				
P7.12*	Material type: PC		wer cables are halogen free (including PVC)			_
P7.12			gnal cables are halogen free (including PVC)			井
P7.13		•	, , , , , , , , , , , , , , , , , , , ,			井
		plastic parts >25g are				井
P7.15			onents) >25g are halogen free		\boxtimes	井
P7.16	ISO FR(40): Hale	ogen-free organic pho				<u> </u>
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14					
P7.18	Weight of recycled material in plastic parts is 0 g					
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46 R50/51/53 and R60/61 (67/548/EEC)				Ц	<u> </u>
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 0 and max. mercury content per lamp: 0 mg					Ш
P8	Batteries					
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC			\boxtimes		<u> </u>
P8.2*	Battery chemical composition: <i>Lithium-ion/Lithium Mangaese Dioxide</i>					
P8.3	Batteries meet the requirements of the following voluntary program/s:					
P9 9.1	Energy consum		els or energy consumptions have been measured:			
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Reference		n.a.
On-max	90 W		* Full load	*See P1		П
On- normal	* 90 W	to	* default	*		
On-idle	15.64 W	to	* Idle State (Category B) for Energy Star V4	*See P1	4	
Save 1	* 1.73 W	to	* Sleep w/ WOL Enable for Energy Star V4	*See P1	4	Ħ
Save 2	1.52 W	to	* Sleep w/ WOL Disable for Energy Star V4	*See P1	4	
Off 1	* 0.74 W	to	* Standby (Off Mode) w/ WOL Enable for Energy Star V4	*See P1		
Off 2	W	to	*	*		$\overline{\Box}$
No load	* 0.5 W		External power supplies/charger plugged in but disconnected from the product	*See P1	4	
TEC	* kWh/v	Typical Energy Consun		*		
P9.2*			tion is provided with the product.			
P9.3	The product mee	ets the energy requirem B MOU Version 4.0 do	ents of the following voluntary program/s:			

Model number *	Lenovo 3000 G430,G530 M/T:20003;41	53,20	0004;4151
Issue date *	2008, June, 20	Logo	lenovo

Product 6	environmental att	ributes - Market requirements (continue	d) Requirement n	net		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.					
P10	Emissions					
	Noise emission	- Declared according to ISO 9296				
P10.1	Mode	Mode description	Declared	Declared A-weighte	ed	
	Mode	mode description	A-weighted	sound pressure level L _p		
			sound power		nder positions	
			level L _{WAd} (B)	\boxtimes		
					product is not	
				or Deskside opera	ator attended)	
	Idle	* Idle	* 3.93	39.3		
	Operation	* Operation	* 3.02	30.2		
	Other mode					
	Measured accord	ding to: X ISO 7779 ECMA-74	•			
				n L _{pAm} measurement distance	m)	
P10.2	· · · · · · · · · · · · · · · · · · ·	ets the acoustic noise requirements of the fo	llowing voluntary	orogram/s:		\boxtimes
	Chemical emiss	ions from printing products				
P10.3*	Test performed a	according to ECMA-328 standard, other	specify:			\boxtimes
	The test covers:	Dust Ozone Styrene	Benzene	TVOC		
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:					
	Electromagnetic emissions					
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II					
P11		aterials for printing products				
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					
P11.2*	Paper containing	recycled fibres that meets the requirement	s of EN12281 can	be used.		\boxtimes
P11.3*	, , ,	printing/copying is an integrated product fur	nction.			\boxtimes
P12	Ergonomics for computing products					
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. See P14					
P12.2*	The product keyl	poard meets the requirements of ISO 9995	and EN 29241-4.			
P12.3*	The computer in	out device meets the requirements of ISO 9	241-9.		\square	
P13	Packaging and	documentation				
P13.1*	Product packagir	ng material type(s): Corrugated cardboard	weight (Kg):0.6	i7Kg		
		ng material type(s): Polystyrene &Polyethy	lene weight (Kg):	0.0 94 Kg		
P13.2*	Product plastic p	ackaging is halogen free (including PVC)				
P13.3*	User and produc	t documentation do not contain chlorine ble	ached paper			
P13.4*	User and produc	t documentation contain recycled paper				
P14	Additional infor					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					
P7.17		ot contain free TBBPA in printed circuit l	boards(without c	omponents)>25g.		
P9.1	Lenovo Internal	Standard gned to meet the subject ISO Standard 1	2406-2 but in ma	t confirmed through formal to	et mothode	
P12.1	rroauct is aesi	gnea to meet the subject ISO Standard 1	3400-∠, DUT IS NO	t confirmea through formal te	st metnoas.	