



Product environmental attributes – THE ECO DECLARATION

Brand *	Lenovo 3000	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Portable PC		
Commercial name *	Lenovo 3000 Y310		
Model number *	<i>M/T: 7756</i>		
Issue date *	2007, Aug.24		
Intended market *	🔀 Global 📃 Europe 📃 Japan 📃 U.S. 📃 Other		
Additional information	ENERGY STAR® 4.0 Qualified		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square	

Model number *	Lenovo 3000 Y310 M/T: 7756		
Issue date *	2007, Aug.24	Logo	lenovo

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>	\square		
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>EU 76/769/EEC</i>)			\square
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU</i> 76/769/ <i>EEC</i> , amendment 2003/3/ <i>EC</i>			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>EU 76/769/EEC</i>)			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			\square
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			\square
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC	\boxtimes		
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)	\square		
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	\square		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.	\square		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	Lenovo 3000 Y310 M/T: 7756		
Issue date *	2007, Aug.24	Logo	lenovo

Product	t environmental a	attributes - Market req Requirem	uirements - Environmental conscious design ent met				
Item	*=mandatory to f		tion regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design						
D7.4*	Disassembly, re		en eesile eenerele				
P7.1*	Parts that have to be treated separately are easily separable					<u> </u>	
P7.2*		in covers/housing have	5				
P7.3*	•	-	rial or of easily separable materials.				
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.						
P7.5	Plastic parts are	free from metal inlays of	or have inlays that can be removed with commonly available tools.	\square			
P7.6*	Labels are easily	/ separable. (This requi	rement does not apply to safety/regulatory labels).	\boxtimes			
	Product lifetime						
P7.7*			sor, memory, cards or drives	\square			
P7.8*		e done using commonly		\square			
P7.9.	Spare parts are a	available after end of pr	oduction for: 5 years				
P7.10	Service is availal	ble after end of product	ion for: 5 years				
	Material and su	bstance requirements					
P7.11*		ousing material type:					
D7 40*	Material type: PC	C+ABC	Material type: Material type:				
P7.12*			wer cables are halogen free (including PVC)				
P7.13*			nal cables are halogen free (including PVC)		\square		
P7.14		g plastic parts >25g are		\square			
P7.15	•		onents) >25g are halogen free		\boxtimes		
P7.16		cations of flame retarda ogen-free organic pho	ants in cover / housing plastic parts >25g according ISO 1043-4: sphorus compounds				
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14						
P7.18		ed material in plastic pa					
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)						
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 1 and max. mercury content per lamp: 3 mg						
P8	Batteries						
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC						
P8.2*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide						
P8.3	Batteries meet the requirements of the following voluntary program/s:						
P9	Energy consum						
9.1			els or energy consumptions have been measured:				
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Refere Standa	ırd	n.a.	
On-max	90 W		* Full load	*See F	P14		
On- normal	* W	to	*	*			
On-idle	26.9 W	to	* Idle State (Category B) for Energy Star V4	*See F	14		
Save 1	* 1.3 W	to	* Sleep w/ WOL Enable for Energy Star V4	*See F	P14		
Save 2	1.0 W	to	* Sleep w/ WOL Disable for Energy Star V4	*			
Off 1	* 0.7 W	to	* Stanby (Off Mode) w/ WOL Disable for Energy Star V4	*See F	14		
Off 2	W	to	*	*			
No load	* 0.5 W		External power supplies/charger plugged in but disconnected from the product	*See F	914		
TEC	* kWh/v	Typical Energy Consum		*			
P9.2*			ion is provided with the product.				
P9.3	The product mee	ets the energy requirem ® MOU Version 4.0 da	ents of the following voluntary program/s:				

Model number *	Lenovo 3000 Y310 M/T: 7756		
Issue date *	2007, Aug.24	Logo	lenovo

		tributes - Market requirements (continue				
Item	· · · · · ·	ill in. Additional information regarding each	item may be found	d under P14.	Yes No	n.a.
P10	Emissions					
	Naina aminaian	Declared according to ICO 0000				
	Noise emission	 Declared according to ISO 9296 				
P10.1	Mode	Mode description	Declared	Declared A-w	/eighted	1
			A-weighted	sound pressure lev		
			sound power	Operator position E	Bystander positions	5
			level L _{WAd} (B)	\square		
					only if product is no	
				or Deskside	operator attended	,
	Idle	* HDD:Idle, Fan: Optimize Speed	* 2.95	26.8	1	
	Operation	* HDD:Operating, Fan: Optimize Speed	* 3.70	32.5]	
	Other mode	Speed				-
	Management					+
	ivieasured accor	ding to: ISO 7779 ECMA-74		h l magguramant dista		
P10.2	The product me	ets the acoustic noise requirements of the fo	u by ECIVIA-74 Will	h L _{pAm} measurement dista	ince m)	
1 10.2		sions from printing products	bilowing voluntary	program/s.		
P10.3*		according to ECMA-328 standard , other	cpocify:			
			<u> </u>	TVOC		
P10.4	The test covers:	ets the chemical emission requirements of the				\boxtimes
1 10.4				ary program/s.		
P10.5	Electromagnetic emissions Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary					
	program/s:					
P11	Consumable materials for printing products					
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required [] [] [] [] (see P4.3).					
P11.2*		g recycled fibres that meets the requirement		be used.		\mathbf{X}
P11.3*	,	printing/copying is an integrated product fur	nction.			\square
P12	Ergonomics for computing products					
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. See P14					
P12.2*		board meets the requirements of ISO 9995				
P12.3*	The computer in	put device meets the requirements of ISO 9	9241-9.			
P13		documentation				
P13.1*	Product packagi	ng material type(s): Corrugated cardboarc ng material type(s): Polystylene ng material type(s): Polyethylene	weight (kg): weight (kg): weight (kg):	0.09		
P13.2*	Product plastic c	backaging is halogen free (including PVC)	weight (kg).	A.AA		
P13.3*		t documentation do not contain chlorine ble	ached paper			∺
P13.4*	User and product documentation contain recycled paper					H
P14	Additional info	rmation				
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informati provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					
P7.17		ot contain free TBBPA in printed circuit	boards(without c	omponents)>25g.		
P9.1 P12.1	Lenovo Interna	l Standard gned to meet the subject ISO Standard 1	3406-2 but is no	t confirmed through form	nal test methods	
1 14.1	1 100001 13 0831	gnea to meet the subject iou stanuaru i	0	e voimmen an ough 10m	nur test methous.	