

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo			
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_i	notebooks.html		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	All-in-One Desktop PC			
Commercial name *	deaCentre C365			
Model number *	10148; F0AC			
Issue date *	14/05/2014			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	IdeaCentre C365	MT: 10148; F0AC		
Issue date *	14/05/2014		Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.4*	concentration values. Products do not contain more than: 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated		$\overline{}$	
1 1.4	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			X
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\boxtimes
	aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).		Ш	Ш
D4 40*	Comment: Max limit in legal reference when tested according to EN1811:1998.		_	
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	\boxtimes		Ш
DO	<u> </u>			
P2.1*	Batteries If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains		_	
F2.1	more than 0.005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			
DO 0*	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)		Ш	
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		\dashv	∺
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies		∺	∺
P3.4*	with legally required standards for radio and telecommunication devices (see legal reference).			
	The product is labeled to show conformance with applicable legal requirements (see legal reference).		Ш	Ш
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).		<u> </u>	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		Щ	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).		Ш	
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	IdeaCentre C365	MT: 10148; F0AC		
Issue date *	14/05/2014		Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design	quire	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	П	X	$\neg \Box$
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			\Box
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		$\overline{\Box}$	币
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
D7.40	Material type: Material type: Material type:		N 1	
P7.12	Electrical cable insulation materials of power cables are PVC free.	ᆚ	$\underline{\underline{X}}$	Щ.
P7.13	Electrical cable insulation materials of signal cables are PVC free	Щ		_ <u></u>
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	\square		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	$\stackrel{\square}{\vdash}$	井	╬
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	Ш	Ш	Ш
P7.20	Of total plastic parts' weight >25g, recycled material content is 75%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.	<u> </u>		
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		Ш	Ш
P8	Batteries			
P8.1*	Battery chemical composition:			\square
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	IdeaCentre C365	MT: 10148; F0AC		
Issue date *	14/05/2014		Logo	lenovo.

	Product environmental attributes - Market requirements (continued) Requirement met				
P9 Energy consumpt	tion			Υε	es No n.a.
	following power leve	ale or energy cone	umntions are re	ported: See P14	
Energy mode *		Power level at 115 V AC		Reference / Standard for energy modes method *	and test
Peak (On-max)	<i>53.1610</i> W	<i>52.9160</i> W	<i>53.5590</i> W	Full load	
Category I1	·				
Short Idle State - WOL Enabl	ed 36.7740 W	36.0180 W	<i>37.2880</i> W	Use for ENERGY STAR V6 registration	n (P _{idle})
Long Idle State - WOL Enable	ed 21.5340 W	21.6770 W	22.4120 W	Use for ENERGY STAR V6 registration	n (P _{idle})
Sleep (S3) - WOL Enabled	1.6012 W	1.6029 W	1.6017 W	Use for ENERGY STAR V6 registration	n(P _{sleep})
Sleep (S3) - WOL Disabled	1.5716 W	1.5814 W	1.5232 W	Reference	
Off (S5) - WOL Enabled	1.0633 W	1.0631 W	1.0623 W	Use for ENERGY STAR V6 registration	n(P _{off})
Off (S5) - WOL Disabled	0.9781 W	0.9632 W	0.9146 W	Use for EuP	
Category I2					
Short Idle State - WOL Enabl	ed W	W	W	Use for ENERGY STAR V6 registration	_
Long Idle State - WOL Enable	ed W	W	W	Use for ENERGY STAR V6 registration	_
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration	n (P _{sleep})
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration	n(P _{off})
Off (S5) - WOL Disabled	W	W	W	Use for EuP	\Box
Category I3 Short Idle State - WOL Enable	ed 36.8070 W	36.0910 W	<i>37.0310</i> W	Has for ENERGY STAR VS registration	-(D)
Long Idle State - WOL Enable		21.5490 W	22.7320 W	Use for ENERGY STAR V6 registration Use for ENERGY STAR V6 registration	
Sleep (S3) - WOL Enabled	1.6011 W	1.5932 W	1.6073 W	Use for ENERGY STAR V6 registration	
Sleep (S3) - WOL Disabled	1.5756 W	1.5932 W	1.5312 W	Reference	(Psieep)
Off (S5) - WOL Enabled	1.0693 W	1.0639 W	1.0656 W	Use for ENERGY STAR V6 registration	n/P
Off (S5) - WOL Disabled	0.9871 W	0.9421 W	0.9346 W	Use for EuP	(Foff)
EPS No-load	0.1862 W	0.1881 W	0.2270 W	036 101 241	
PTEC *	N/A W	N/A W	N/A W		
TEC *	Catl1:81.28	Catl1: 81.87	Catl1:84.35		
Typical Energy Consumption	Catl3:81.22 kWh/week	Catl3: 81.33 kWh/week	Catl3: 85.49 kWh/week		
ETEC *	Catl1:81.28	Catl1: 81.87	Catl1:84.35	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45 + P_{sleep})$	x 0.05
Annual Energy Consumption	Catl3:81.22 kWh/year	Catl3: 81.33 kWh/year	Catl3: 85.49 kWh/year	+ <i>P</i> _{ShortIdle} <i>x</i> 0.35 + <i>P</i> _{LongIdle} <i>x</i> 0.15)	
Display productions 4000st		5) - WOL Enabled;	P _{sleep} : Sleep Mode	(S3) - WOL Enabled; P _{idle} : Idle State - WOL E	nabled
Display resolution* : 1600*s Print Speed * : N/A	Megapixels Images per minute				
Default time to enter energy sa		utes			
	he energy save func		th the product.		
P9.3* The product meets	the energy requirem	ents of the following	ng voluntary pro		<u> </u>
ENERGY STAR® Others specify:	version: Version 6.0	Tier: Pro	oduct category:		4
P10 Emissions					
	Declared according	to ISO 9296		_	
P10.1 Mode N	Mode description		Declared A-weighted	Declared A-weighted	ID)
			sound power	er $E_{p\text{Am}}$ (o	
			level L_{WAd}		cositions
				or Desk side (only if produ	
Idle *	Idle		* 3.7 Bel(A)	operator a	ttended)
Operation *	CPU stress loading	80%	* 4.4 Bel(A)	39 dB(A)	ㅡᅱ片
Other mode			. , ,		
Measured according	Measured according to: ISO7779 ECMA-74				
P10.2 The product meets	Other				m)
10.2 The product meets the acoustic noise requirements of the following voluntary program/s:					

Model number *	IdeaCentre C365	MT: 10148; F0AC		
Issue date *	14/05/2014		Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item	•	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions		_	
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:		Ш	\boxtimes
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).		П	X
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of	ıf 🗌	Ħ	
	EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		\boxtimes	
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes	
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): paper weight (kg): 0.90			
	Product packaging material type(s): PE weight (kg): 0.27			
D40.0*	Product packaging material type(s): HDPE weight (kg): 0.003			_
P13.2*	Product plastic packaging is free from PVC.		\boxtimes	<u>Ц</u>
P13.3*	Specify media for user and product documentation (tick box):			Ш
D40.4*	Electronic, Paper, Other			_
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			Ш
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied	, regardin	g the	
	information contained in this document. All information provided by supplier in this document is provided base	d on supp	olier's	
	knowledge available at the time of completion, and supplier shall have no obligation to update such informatic provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent			ion
	information.	auve IUI I	HOLE	
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	C365	Logo
Model Number	10148/F0AC	
Issue Date	14/05/2014	lenovo.
Additional information	N/A	

P/.1.1	Product environmental attributes	
(d)		manufacturing- ee product name plate
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display: Cat. C 165	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics carenabled: Cat. C 211	ds (dGfx) are
(g)	idle state power demand (Watts);	22.73
(h)	sleep mode power demand (Watts);	1.53
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	1.61
(j)	off mode power demand (Watts);	0.93
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	1.07
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 80.77 % 20% 87.00 % 50% 89.90 % 100% 90.59 % Average 87.06 %	
(m)	external power supply efficiency (if applicable): 10% N/A 20% N/A 50% N/A 100% N/A Average N/A ; or Level: N/A	
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	N/A
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: Test Voltage: 230V-50HZ Test Equipment: Digital Power Meter: Chroma 66202 Measurement Test fixture: Chroma A662003 AC Source: Gwinstek ASP-9102	
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: Test Equipment: AC Source CHROMA: 6430/643000000908 Electronic Load CHROMA: 63030/6300006368 Power Meter CHROMA: 66202/662022003033 Test Setup:	

			e EUT to suitably calibrated AC source, power meter and electronic load.	
	□ W	arm up a	t least 30 minutes at 100% of nameplate current output.	
	☐ Th cond		nall be tested at 100%, 75%, 50%, 25% of nameplate output current and no load	
	□ Me	easure th	e relative parameters required from test record.	
	□ Th	e input to	est voltage shall be used 230V/50HZ.	
	□Ar	nbient te	mperature: 23 +/-5℃.	
			ode: Not connection to a product or any other load.	
			dure following Test Method for Calculating the Energy Efficiency of single-voltage	
		•	OC and AC-AC Power Supplies and "IEC 62301"	
(p-2)			ent methodology used to determine information mentioned in points (m) - external PSU	
	efficie	ency:	N/A	
(p-3)	the n	neasurem	nent methodology used to determine information mentioned in points (o) – loadingcycles	
(1 /	batte			
(n. 4)	4la aa		N/A	
(p-4)	powe		ent methodology used to determine information mentioned in maximum, idle, sleep, off mode ed in Point P9.1 in the Product IT Eco Declaration: n:	
			e: Measure Panel brightness 150cd/m2	
			de: Turn off the display: after 10minutes Burn In Mode(Driver: Burn In Pro 7.1 Build 1017)	
	Sleep	o(S3) : P	C Setting go to Sleep	
(a)			Setting to Shut down eps for achieving a stable condition with respect to power demand::	
(q)	Seque	ence or st	eps for achieving a stable condition with respect to power demand N/A	
(r)	descr	iption of h	now sleep and/or off mode was selected or programmed:	
	Class	. Mada		
		o Mode 1. Select	Shut down or sign out	
	Step	2. Select		
	Off N		Chut daym ar aign aut	
			Shut down or sign out Shut down	
(s)	seque off me		vents required to reach the mode where the equipment automatically changes to sleep and/or	
	Sleep	o Mode		
			control panel Power Options	
			Choose when to turn off the display	
			Turn off the display	
	Off N		Shut down or sign out	
			Shut down	
(t)	the d	uration o	f idle state condition before the computer automatically reaches sleep mode, or another n does not exceed the applicable power demand requirements for sleep mode (in minutes):	25 minutes
(u)			ime after a period of user inactivity in which the computer automatically reaches a hat has a lower power demand requirement than sleep mode (in minutes):	25 minutes
(v)	the le	ngth of t	ime before the display sleep mode is set to activate after user inactivity (in minutes):	10 minutes
(w)	inforn	nation on	the energy-saving potential of power management functionality:	
			on to BIOS Setting:	
(x)			Enhanced Power Saving Mode(ErP) on on how to enable the power management functionality:	
` ′	Pres	s F1 Butt	on to BIOS Setting:	
			Automatic Power on Wake on LAN	
(z)			s for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the	
			ly system, — information and documentation on the instrumentation, set-up and circuits used	
		ectrical te: <i>Voltage:</i>	sting: 230V-50HZ	
	Test	Equipme	nt:	
			Meter: Chroma 66202 Test fixture : Chroma A662003	
			vinstek ASP-9102	
	n Notebo	ok Batter	ry Information:	-
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a	non-professional

				The battery[ies] in this product cannot be easily replaced by users themselves	
Additional information					
I	N/A				
I					
I					