



## Product environmental attributes – THE ECO DECLARATION

Brand *	Lenovo	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@us.lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environmen	nt
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Workstation			
Commercial name *	ThinkStation D10			
Model number *	6427, 6493			
Issue date *	2008-02-14			
Intended market *	Global Europe Japan U.S. Other			
Additional information	ENERGY STAR® 4.0 Qualified; EPEAT Silver Rating			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\boxtimes$	

Model number *	ThinkStation D10 Models: 6427, 6493		
Issue date *	2008-02-14	Logo	lenovo

Product environmental attributes - Legal requirements Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P1	Hazardous substances and preparations							
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>	$\boxtimes$						
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\times$						
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide ( <i>EU</i> : <i>Regulation (EC) No.</i> 2037/2000, 2038/2000, 2039/2000)							
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$						
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002							
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) ( <i>EU 76/769/EEC</i> )			$\square$				
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			$\boxtimes$				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)							
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC	$\square$						
P2	Batteries							
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)	$\boxtimes$						
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC	$\square$						
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			$\boxtimes$				
P3	Electrical safety, EMC and connection to the telephone network							
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	$\square$						
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007							
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	$\boxtimes$						
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$						
P4	Consumable materials							
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)							
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			$\square$				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.							
P5	Product packaging							
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).							
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\square$						
P5.3*	The product packaging material is free from CFC/HCFC.	$\square$						
P6	Treatment information							
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$						

Model number *	ThinkStation D10 Models: 6427, 6493		
Issue date *	2008-02-14	Logo	lenovo

Product	t environmental attrib	utes - Market requ Requireme	Jirements - Environmental conscious design ent met				
Item	*=mandatory to fill in.		ion regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, recycli	ing					
P7.1*	Parts that have to be t		are easily separable				
P7.2*	Plastic materials in covers/housing have no surface coating.						
P7.3*			ial or of easily separable materials.		╞		
P7.4*			according to ISO 11469 referring ISO 1043.		┝┝		
P7.5			r have inlays that can be removed with commonly available tools.		╞		
		-			⊢⊢		
P7.6*	Product lifetime	arable. (This require	ement does not apply to safety/regulatory labels).				
P7.7*		e e.a. with process	sor, memory, cards or drives				
P7.8*	Upgrading can be don				╞	╞	
P7.9.	Spare parts are availa					╞	
P7.10	Service is available af					╞	
17.10	Material and substar		Sirior. 5 years				
P7.11*	Product cover/housing						
	Material type: Steel	, material type:	Material type: ABS, PC/ABS Material type:				
P7.12*		tion material of pov	ver cables are halogen free (including PVC)		$\square$		
P7.13*	Electrical cable insula	tion material of sign	nal cables are halogen free (including PVC)	— Ħ		Ħ	
P7.14	All cover/housing plas					Ħ	
P7.15	<b>.</b>		nents) >25g are halogen free			∺	
P7.16			nts in cover / housing plastic parts >25g according ISO 1043-4:	- #			
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO I 1043-4: Brominated Epoxy Resin See P14						
P7.18	Weight of recycled material in plastic parts is						
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)						
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg						
P8	Batteries						
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC						
P8.2*			Battery chemical composition:			$\boxtimes$	
P8.3	Batteries meet the rec	uirements of the fo	ollowing voluntary program/s:			$\boxtimes$	
P9	Energy consumption						
9.1			s or energy consumptions have been measured:				
Mode	Power level at * 115 Volts	Time (s) to <mode></mode>	Mode description	Referen		n.a.	
On-max	328.3 W		* Max consumption (P <sub>Max</sub> )	*See P1			
On-	* W	to	*	*			
normal							
On-idle	154.7 W	to	* Idle Mode (P <sub>Idle</sub> )	*See P1	4	$\mathbb{X}$	
Save 1	5.6 W	to	* Sleep Mode (P <sub>Sleep</sub> )	*See P1	4		
Save 2	* W	to	*	*		$\boxtimes$	
Off 1	* <b>2.7</b> W	to	* Off Mode (P <sub>Standby</sub> )	*See P1	4		
Off 2	W	to	*	*		$\square$	
No load	W	to	*	*			
TEC	* 109.7 W Typical E	nergy Consumptio	n P <sub>TEC</sub>	*See P1	4		
P9.2*			on is provided with the product.			H	
P9.3	The product meets the energy requirements of the following voluntary program/s:						
	ENERGY STAR® 4.0 Others specify:		,	$\square$			

Model number *	ThinkStation D10 Models: 6427, 6493		
Issue date *	2008-02-14	Logo	lenovo

		tributes - Market requirements (continue			Yes		
Item P10	*=mandatory to fill in. Additional information regarding each item may be found under P14. Emissions					No	n.a.
FIU	Emissions						
	Noise emission – Declared according to ISO 9296				$\square$		
							_
P10.1	Mode						
			A-weighted sound power	sound pressure level Operator position By	el L <sub>pAm</sub> (dB) ystander pos	itiono	-
			level L <sub>WAd</sub> (B)		ystanuer pos		
			what ( )	Desktop (on	ly if product	is not	
				DUSKUP	operator atte		
	Idle	* System is on under the Windows	* 4.3	32			
		screen, no disk activities.					
	Operation	* Hard disk drive is randomly seeking by PC-Doctor.	* 4.6	35			
	Other mode						
	Measured accor	ding to: 🔀 ISO 7779 🗌 ECMA-74					
		-	d by ECMA-74 wit	h L <sub>pAm</sub> measurement distan	ce m	)	
P10.2	The product me	ets the acoustic noise requirements of the fo	ollowing voluntary	program/s:			
		sions from printing products					
P10.3*	Test performed	according to ECMA-328 standard 📃, other	specify:				$\boxtimes$
	The test covers:						
P10.4	The product me	ets the chemical emission requirements of t	he following volunt	tary program/s:			
<b>B</b> / <b>a F</b>	Electromagneti						
P10.5	Computer displa program/s:	y meets the requirement for low frequency	electromagnetic fie	elds of the following volunta	ry		
P11		aterials for printing products					
P11.1*	A Material Safet (see P4.3).	y Data Sheet (MSDS) is available for the inl	<td>n, even if not legally required</td> <td>d 🗌</td> <td></td> <td><math>\boxtimes</math></td>	n, even if not legally required	d 🗌		$\boxtimes$
P11.2*						$\boxtimes$	
P11.3*	2-sided (duplex) printing/copying is an integrated product function.						
P12	Ergonomics for computing products						
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays.						
P12.2*	The product keyboard meets the requirements of ISO 9995 and EN 29241-4.						
P12.3*		put device meets the requirements of ISO 9	9241-9.		$\boxtimes$		
P13		documentation					
P13.1*		ng material type(s): Corrugated cardboard ng material type(s): EPO	weight (kg): 2.1 weight (kg): 0.74				
		ng material type(s):	weight (kg):	•			
P13.2*		backaging is halogen free (including PVC)			$\boxtimes$		
P13.3*	User and produc	t documentation do not contain chlorine ble	ached paper		$\boxtimes$		
P13.4*	User and produc	t documentation contain recycled paper			$\boxtimes$		
P14	Additional info						
		upplier makes no representations, guarante					
		contained in this document. All information p able at the time of completion, and supplier					
	provided here is	approximate and provided for informational					
07.47	information. 7 Product does not contain free TBBPA in printed circuit boards(without components)>25g.						
P7.17 P9.1		does not contain free TBBPA in printed of STAR Program Requirements for Comp					
	Power lev			-,			
		sumption (P <sub>Max</sub> ) 323.5 W 332.7	W				
	Idle Mod						
	Sleep Mode (P <sub>Sleep</sub> )         5.5 W         5.6 W           Off Mode (P <sub>Standby</sub> )         2.7 W         2.7 W						
	TEC (P <sub>TEC</sub> ) 109.7 W 109.8 W						
	* =	concumption will your based where the	aurotica				
	" ⊏nergy	consumption will vary based upon confi	yurauon.				