

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC				
Commercial name *	Lenovo E40-30				
Model number *	20379;80EN				
Issue date *	2014-03-25				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo E40-30		
Issue date *	2014-03-25	Logo	lenovo.

Product environmental attributes - Legal requirements				t met
Item	<u> </u>	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	X		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
D4 Ot	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.		Ш	
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	S		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀	Ц	Ш

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo E40-30		
Issue date *	2014-03-25	Logo	lenovo.

Produc	t environmental attributes - Market requirements - Environmental conscious design Re	quire	men	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
D7 1*	Disassembly, recycling Details that have to be treated apparetally are positive energiable.		_	
P7.1*	Parts that have to be treated separately are easily separable			<u> </u>
P7.2*	Plastic materials in covers/housing have no surface coating.			Щ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Щ	<u> </u>
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC+ABS-FR(40) Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes	
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	Ш		
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	П		
	ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	Ш		
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	\square		
P7.19	FR(40) Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,		+	-H
1 7.10	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ш	ш	Ш
P7.20	Of total plastic parts' weight >25g, recycled material content is 5.07%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.			
P7.22	Light sources are free from mercury	\boxtimes		
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batteries District August 2011			_
P8.1*	Battery chemical composition: Lithium lon/Lithium Manganese Dioxide			Щ
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo E40-30		
Issue date *	2014-03-25	Logo	lenovo.

	environmental a	ittributes - Mark	ecrequ	inements (con	imuea)		nequirement me	
Item	_						Yes No	n.a.
P9	Energy consump							
9.1	For the product the	e following power I	evels o	energy consump	tions are reporte			
Energy mo	de *	Power le 100 V A		Power level at 115 V AC	Power level at 230 V AC		eference / Standard for energy modes and test ethod *	
Peak (On-	max)	45 W		45 W	45 W	F	full load	
Categor	v l1	l l				1		
_	State - WOL Enal	oled 7.29 W		7.10 W	7.23 W	He	se for ENERGY STAR V6 registration (Pidle)	
	State - WOL Enal			4.96 W	5.34 W		se for ENERGY STAR V6 registration (P _{idle})	
_								
	- WOL Enabled	0.81 W		<i>0.80</i> W	0.81 W	Use for ENERGY STAR V6 registration(P _{sleep})		
	- WOL Disabled	<i>0.81</i> W		<i>0.80</i> W	<i>0.81</i> W	Re	eference	\boxtimes
Off (S5) - 1	WOL Enabled	<i>0.46</i> W		<i>0.45</i> W	<i>0.48</i> W	Us	se for ENERGY STAR V6 registration(Poff)	\boxtimes
Off (S5) - 1	WOL Disabled	0.311 W		0.313 W	0.359 W	Us	se for EuP	
Categor	y D 1/2	<u>.</u>				•		
Short Idle	State - WOL Enal	oled W		W	W	Us	se for ENERGY STAR V6 registration (P _{idle})	
Long Idle	State - WOL Enal	oled W		W	W	Us	se for ENERGY STAR V6 registration (Pidle)	
Sleep (S3)	- WOL Enabled	W		W	W	Us	se for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3)	- WOL Disabled	W		W	W	Re	eference	$\pm \overline{\Box}$
Off (S5) -	WOL Enabled	W		W	W	Us	se for ENERGY STAR V6 registration(Poff)	$+\overline{\Box}$
Off (S5) -	WOL Disabled	W		W	W	Us	se for EuP	
EPS No-lo		0.087 W		0.091 W	0.141 W			Ħ
	ower supply / char							
	the wall outlet but ed from the produc	et.)						
PTEC * Typical En	ergy Consumption	W		W	W			
TEC * Typical En	ergy Consumption	kWi	n/week	kWh/week	kWh/week			
ETEC * Annual End	ergy Consumption	26.84 kWh	/year	26.44 kWh/year	27.21 kWh/year		$EC = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$ P _{short idle} $\times 0.3 + P_{long idle} \times 0.1)$	
		P _{off} : Off Mod	le(S5) -	WOL Enabled; P _{slee}	: Sleep Mode(S3)) - W(OL Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	solution* : 1920*10	080 Megapixels						
Print Spee	d* : I	mages per minute						
Default tim	e to enter energy s	ave mode: 25 minu	ites					$\pm \overline{\Box}$
P9.2*		the energy save fu		s provided with the	e product.			
P9.3*		s the energy requir		•	<u>'</u>	1/6.		
1 0.0		version: Version			t category: B	1/3.		
P10	Emissions							
		 Declared accordi 	ng to IS	O 9296				
P10.1	Mode	Mode description			Declared A-weighted		Declared A-weighted	
					sound power		sound pressure level $L_{p{\sf Am}}$ (dB)	
					level L_{WAd}	(B)	Operator position Bystander positions	
							Desktop (only if product is not	
							or Desk side operator attended)	
		* HDD:Idle			* 3.0		25.4	
	Operation	* HDD: Operating	9		* 3.1		26.1	
	Other mode		_					
	Measured accord	ing to: ISO7779		CMA-74	FOMA 74 . '''		management distant	
P10.2	The product	Other					Am measurement distance m)	
F 1U.2	The broauct mee	s the acoustic nois	e requit	ements of the toll	owing voluntary	hing	nann/5.	\boxtimes

Model number *	Lenovo E40-30		
Issue date *	2014-03-25	Logo	lenovo.

Product environmental attribu	iles - Market lequ	illelilelilə (coll	unueu)	nequirement me	
Item				Yes No	n.a.
P9 Energy consumption					
9.1 For the product the follo	wing power levels or	energy consump	tions are reporte		
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)	45 W	45 W	45 W	Full load	\boxtimes
Category I2			ı		
Short Idle State - WOL Enabled	7.12 W	7.08 W	6.84 W	Use for ENERGY STAR V6 registration (Pidle)	
	4.73 W	4.81 W	5.01 W	Use for ENERGY STAR V6 registration (Pidle)	
Long Idle State - WOL Enabled					
Sleep (S3) - WOL Enabled	0.64 W	0.63 W	<i>0.65</i> W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3) - WOL Disabled	0.64 W	<i>0.63</i> W	<i>0.65</i> W	Reference	
Off (S5) - WOL Enabled	0.41 W	<i>0.40</i> W	0.42 W	Use for ENERGY STAR V6 registration(Poff)	\boxtimes
Off (S5) - WOL Disabled	0.311 W	0.313 W	0.359 W	Use for EuP	
Category D 1/2					•
Short Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Pidle)	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{sleep})	П
Sleep (S3) - WOL Disabled	W	W	W	Reference	$\overline{\Box}$
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	Ħ
Off (S5) - WOL Disabled	W	W	W	Use for EuP	Ħ
EPS No-load	0.087 W	0.091 W	0.141 W		H
(External power supply / charger					
plugged in the wall outlet but disconnected from the product.)					
PTEC *	W	W	W		
Typical Energy Consumption		V V		ш	
TEC *	kWh/week	LeVA/In / ven elle	Is/A/In/vvo.ols		
Typical Energy Consumption		kWh/week	kWh/week		
ETEC *	25.68 kWh/year	25.59	25.27	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$	
Annual Energy Consumption		kWh/year	kWh/year	+ P _{short idle} x 0.3+ P _{long idle} x 0.1)	
	P: Off Mode(\$5) -	WOL Enabled: P	: Sleen Mode(S3)	- WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolution* : 1920*1080 Me		TO E Enabled, 1 siee	procep mode(co)	The state of the s	\vdash
	per minute				
	•				
Default time to enter energy save m					ᄖ
P9.2* Information about the el		<u> </u>	<u>'</u>		
P9.3* The product meets the end ENERGY STAR® version of the end of			oluntary program t category: B	//s:	
Others specify: P10 Emissions					
Noise emission – Decl	ared according to IS	O 9296			
	description		Declared	Declared A-weighted	
			A-weighted		
			sound power level $L_{W\!Ad}$ (
			level L _W Ad	Desktop 🗵	
				or Desk side (only if product is not	
Idle * HD	D:ldle		* 3.0	operator attended)	\vdash
	D: Operating		* 3.1	26.1	1H
Other mode					┧ 🗀 .
Measured according to:	X ISO7779 ☐ FC	CMA-74		l	1
			by ECMA-74 with	L _{pAm} measurement distance m)	
P10.2 The product meets the					

Model number *	Lenovo E40-30		
Issue date *	2014-03-25	Logo	lenovo.

	environinentai a	ittributes - Market	requ	irements (com	imuea)		nequirement me	
Item	_						Yes No	n.a.
P9	Energy consum							
9.1	For the product the	ne following power lev	els or	energy consump	tions are reporte			
Energy mode *		Power leve 100 V AC	l at	Power level at 115 V AC	Power level at 230 V AC		eference / Standard for energy modes and test ethod *	
Peak (On-max)		45 W		45 W	45 W	F	Full load	
Categor	v I3	<u> </u>				<u> </u>		
_	State - WOL Enal	bled 7.45 W		7.38 W	8.31 W	116	se for ENERGY STAR V6 registration (Pidle)	
				4.81 W	5.55 W		se for ENERGY STAR V6 registration (Pidle)	
_	State - WOL Enal			_				
	- WOL Enabled	0.66 W		0.64 W	0.66 W		se for ENERGY STAR V6 registration(P _{sleep})	
	- WOL Disabled	<i>0.66</i> W		0.64 W	<i>0.66</i> W	Re	eference	\boxtimes
Off (S5) - 1	WOL Enabled	0.41 W		0.41 W	<i>0.43</i> W	Us	se for ENERGY STAR V6 registration(Poff)	\boxtimes
Off (S5) -	WOL Disabled	0.311 W		0.313 W	0.359 W	Us	se for EuP	
Categor	y D 1/2							•
Short Idle	State - WOL Enal	bled W		W	W	Us	se for ENERGY STAR V6 registration (P _{idle})	
Long Idle	State - WOL Enal	oled W		W	W	Us	se for ENERGY STAR V6 registration (Pidle)	+
Sleep (S3)	- WOL Enabled	W		W	W	Us	se for ENERGY STAR V6 registration (P _{sleep})	П
Sleep (S3)	- WOL Disabled	W		W	W	Re	eference	〒
Off (S5) - 1	WOL Enabled	W		W	W	Us	se for ENERGY STAR V6 registration(Poff)	Ħ
Off (S5) -	WOL Disabled	W		W	W	Us	se for EuP	Ħ
EPS No-lo		0.087 W		0.091 W	0.141 W			H
	ower supply / char							
	the wall outlet but ed from the produc	ot.)						
PTEC * Typical Energy Consumption		W		W	W			
TEC * Typical Energy Consumption		kWh/v	veek	kWh/week	kWh/week			
ETEC * Annual Energy Consumption		26.72 kWh/y	ear	26.46 kWh/year	29.66 kWh/year		$_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$ $P_{short idle} \times 0.3 + P_{long idle} \times 0.1)$	
	P _{off} : Off Mode(S5) - WOL Enabled; P _{sleep} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled							
Display res	Display resolution*: 1920*1080 Megapixels							
Print Spee	Print Speed * : Images per minute							
Default tim	e to enter energy s	save mode: 25 minute	es					一
P9.2*		the energy save fund		s provided with the	e product.			措
P9.3*		ts the energy requirer		<u> </u>	<u>'</u>	1/5:		
1 0.0		version: Version 6.			t category: B	1,0.		
P10	Emissions							
		 Declared according 	to IS	O 9296				
P10.1	Mode	Mode description			Declared A-weighted		Declared A-weighted	
					sound power		sound pressure level $L_{p{\sf Am}}$ (dB)	
					level L_{WAd}	(B)	Operator position Bystander positions	
							Desktop (only if product is not	
							or Desk side operator attended)	
	Idle	* HDD:Idle			* 3.0		25.4	
	Operation	* HDD: Operating			* 3.1		26.1	
	Other mode							1
	Measured accord	ing to: X ISO7779 [MA-74				
D10.0		Other					Am measurement distance m)	
P10.2	rne product mee	ts the acoustic noise	requir	ements of the follo	owing voluntary i	prog	gram/s:	

Model number *	Lenovo E40-30		
Issue date *	2014-03-25	Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item	, , ,	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\times		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Carton weight (kg): 0.318 Product packaging material type(s): Polyethylene Cushions weight (kg): 0.053 Product packaging material type(s): Others weight (kg): 0.123			
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic , Paper , Other			_
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, information contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of completion, and supplier shall have no obligation to update such informatio provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent information.	d on sup n. The in	plier's format	
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			
		•		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo E40-30	Logo
Model Number	20379, 80EN	_
Issue Date	2014/4/30	lenovo.
Additional information		

d)	year of manufacture:	2014
e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:	NA
f)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:	17.58
(g)	idle state power demand (Watts);	5.62
h)	sleep mode power demand (Watts);	0.64
i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.64
(j)	off mode power demand (Watts);	0.43
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.43
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
	or Level: V	
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers)	:
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:	
	230V/50Hz	

(p-1)			nent methodology used to determine information mentioned in points (I) - internal PSU	
	efficie	ency.	NA NA	
(p-2)	the n	neasurem	nent methodology used to determine information mentioned in points (m) - external PSU	
(1- /	efficie		Energy-star requirement	
(p-3)	the r		nent methodology used to determine information mentioned in points (o) - loadingcycles	
			NA (ErP ot 3 test isn't contained Batteries)	
(p-4)	the m powe	r as defin	ent methodology used to determine information mentioned in maximum, idle, sleep, off mode led in Point P9.1 in the Product IT Eco Declaration:	
			Energy-star requirement	
(q)	seque	ence of st	teps for achieving a stable condition with respect to power demand::	
			Based on user manual	
(r)	descr	ription of h	how sleep and/or off mode was selected or programmed:	
			Based on user manual	
(s)	seque off m		vents required to reach the mode where the equipment automatically changes to sleep and/or	
	On m	ouo.		
			Based on user manual	
(t)			of idle state condition before the computer automatically reaches sleep mode, or another	05
			h does not exceed the applicable power demand requirements for sleep mode (in minutes):	25
(u)			time after a period of user inactivity in which the computer automatically reaches a that has a lower power demand requirement than sleep mode (in minutes):	10
(v)	the le	ength of t	time before the display sleep mode is set to activate after user inactivity (in minutes):	10
(w)	inforn	nation on	the energy-saving potential of power management functionality:	
			Based on user manual	
(x)	user	informatio	on on how to enable the power management functionality:	
			Based on user manual	
(z)	the e	lectricity s	s for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of supply system, — information and documentation on the instrumentation, set-up and circuits ical testing:	
			230V/50Hz	
		ok Batte	ry Information:	
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a nuser.	on-professional
			The battery[ies] in this product cannot be easily replaced by users themse	elves
Additio	nal infori	mation		
L				