

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html	
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html		

	pased on product specification or test results based obtained from sample testing), that the product ts given in this declaration.
Type of product *	Personal Computer
Commercial name *	Lenovo E50-05
Model number *	90CS 90CT
Issue date *	2014-11-14
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	ENERGY STAR® Qualified; GreenGuard

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo E50-05 (90CS, 90CT)		
Issue date *	2014.11.14	Logo	lenovo.

Item	Product	environmental attributes - Legal requirements	Require	ment	met
P1.1° Products do not contain more than; 0.1% lead. 0.01% cadmium. 0.1% netroup. 0.1% networking. 0.1% polytrominated biphenyls (PBB) or 1.0% polytrominated biphenyls (PBB) or 1.0% polytrominated biphenyl ethers (PBDE). (See legal reference and Note B1) P1.2° Products do not contain Asbestos (see legal reference). Comment, Legal reference has no maximum concentration value. P1.3° Products do not contain in 20:ne Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HBFC)	Item		Yes	No	n.a.
chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE), (See legal reference and roto test of the products of not contain Asbestos (see legal reference). Products do not contain Asbestos (see legal reference). Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromfluorocarbons (HBFC), Nurchochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration value. Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorina	P1				
legal reference and Note B1) 1.2* Products do not contain Asbastos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chloroflucrocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrobromofluorocarbons (HBFC), hydrochronofluorocarbons (H	P1.1*				
P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), Mydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichlorocthane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated the terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2,3-dibromopropyl)-phosphate (TRIS), Tri-(scarlidnyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) P1.8* Wooden parts do not contain arosen to contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) P1.9* Parts with direct and prolonged skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/"week (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/"week (see legal reference). Comment: Max limit in legal reference when lested according to EN1811:1998. P1.10* REACH Article 33 information about substances in articles is available at (add URL or ma					
Comment: Legal reference has no maximum concentration value. P1.3" Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochronofluorocarbons (HBFC), hydrochronofluorocarbons (HBFC), hydrochronofluorocarbons (HBFC), hydrochronofluorocarbons (HBFC), hydrochronofluorocarbons (HBFC), Halons, carbontetrachloride, 1,1,1-trichlorocethane, methyl bromide (see legal reference). P1.4" Products do not contain more than 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5" Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6" Textile and leather parts with direct skin contact do not contain Tri-(2,3-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). P1.7" Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference has no maximum concentration values. P1.1" Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference). Comment: Legal reference has no maximum concentration values. P1.9" P1.					
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), Mydrochlorofluorocarbons (HFC), Mydrochlorofluorocarbons (HFC), Malons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated iterphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2.3-dibromopropyl)-phosphate (TRIS), Tri-(azirdinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachiorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/ week (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/ week (see legal reference). Comment: Max limit in legal reference when lested according to EN1811:1998. P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovc.com/social_responsibility/user/materials.html P2.4* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.000% of lead, it shall be marked with the chemical symbol for the m	P1.2*				
hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichlorocarbons, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Textile and leather parts with direct skin contact do not contain 17-12.3, dibromorpoyl)-phosphate (TRIS), Tris-(azidiryl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines, (See legal reference) and Note B1) P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to ENI811:1998. P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenov.com/social_responsibility/us/an/materials.html more than 0,0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be more disposal is provided in user manual. (See legal reference) Batteries P2.1* Interpoduct contains a battary or an accumulator, it is labeled with the disposal symbol and if it contains more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) Batteries Batteries Batteries and accumulators are	D			_	
trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.5* Textile and leather parts with direct skin contact do not contain Tri-(2.3, -dibromopropyl)-phosphate (TRIS), Tris-(azirdinyl-phosphate) parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) P1.5* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm² /week (see legal reference). P1.0* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lerovo.com/socie/responsibility/sis/en/materia/sis/latin/sis/en/materia/sis/en/materia/sis/latin/sis/en/materia/sis/en/materia/sis/en/materia/sis/en/materia/sis/en/materia/sis/en/materia/sis/en/materia/sis/en/materia/sis/en/materia/sis/en/materia/sis/en/materia/sis/en/materia/sis/en/materia/sis/en/materia/sis/en/materia/sis/en/m	P1.3*		\boxtimes		
concentration values. P1.4" Products do not contain more than: 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		nydropromotiuorocarpons (HBFC), nydrocniorotiuoroarpons (HCFC), Haions, carpontetracnioride, 1,1,1-			
P1.4: Products do not contain more than: 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5: Products do not contain more than 0.1% short chain chloroparatfins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6: Textile and leather parts with direct skin contact do not contain Tri-(2.3 -dibromopropyl)-phosphate (TRIS), Tris-(azirdinyl-phosphate) parts with direct skin contact do not contain Tri-(2.3 -dibromopropyl)-phosphate (TRIS), Comment: Legal reference has no maximum concentration values. P1.7: Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) P1.8: Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentiachlorophenol and derivalives (see legal reference). Comment. Legal reference has no maximum concentration values. P1.9: Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm² week (see legal reference). Comment. Legal reference when tested according to EN1811:1998. P2.0: REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenvoc.om/social/reparable/hr/materials.html P2.1: If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.005% of mercury (for button cells used in the product of to for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2: Buttories P2.2: Buttories P3. Safety, EMC connection to the telephone network or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable", (See legal reference). P3.1					
terpheny(IPCT) in preparations (see legal reference). P1.5' Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6' Testile and leather parts with direct skin contact do not contain 17+(2.3-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.7' Testile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference) and Note 81). P1.8' Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pertachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9' Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10' REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html P2. Batteries P2.1' If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.0004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2' Button cells used in the product do not contain more than 9% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury (for button cells on the product or deal integrity renaual. (See legal reference). P3.1' The product complies with legally required standards for electromagnetic compatibility (see legal	D1 //*				
P1.6* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of tonionie in the SCCP (see legal reference). P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2.3-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pertachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/m²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenov.com/social_responsibility/us/en/materials.html P2 Batteries If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be 'easily removable'. (See legal reference). P3.4* The product complies with legally required standards for electromagnetic compatibility (see legal P1.) P4.2	F 1.4			Ш	
the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). 16	P1 5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	\square	П	
P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2.3,-dibromoproyi)-phosphate (TRIS), Tris-(azidridnyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pertachlorophenol and derivatives (see legal reference and Note B1) P1.9* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pertachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prionigned skin contact of not release nickel in concentrations above 0.5	1 1.0			Ш	
Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.8' Toxilie and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) P1.8' Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference, has no maximum concentration values. P1.9' Parts with direct and prolonged skin contact do not contain concentration sabove 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10' REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html P2.1' If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2' Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3' Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference). P3.3' The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.4' The product complies with legally required standards for electromagnetic compatibility (see legal ref	P1.6*	Textile and leather parts with direct skin contact do not contact Tri-(2 3 -dibromopropyl)-phosphate (TRIS)			\square
Comment: Legal reference has no maximum concentration values. P1.8' Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pertachlorophenol and derivatives (see legal reference and Note B1) P1.9' Parts with direct and prolonged skin contact do not rotelase incikel in concentrations above 0.5 Comment: Legal reference has no maximum concentration values. P1.9' Parts with direct and prolonged skin contact do not release incikel in concentrations above 0.5 microgram/cm/*week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10' REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html P2 Batteries P2.1' If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2' Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.005% of mercury or 0.002% of cadmium. (See legal reference) P2.3' Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference). P3.1' The product complies with legally required standards as specified (see legal reference). P3.1' The product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4' The product is included for connecti		Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).		ш	
P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split armatic amines. (See legal reference and Note B1) P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pertachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html P2 Batteries P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators on to contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference). P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required safety standards as specified (see legal reference). P4.1* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electrom					
P1.8' Wooden parts do not contain arsenic and Note B1) P1.8' Wooden parts do not contain arsenic and normium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9' Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 Comment: Hax limit in legal reference when tested according to EN1811:1998. P1.10' REACH Article 33 information about substances in articles is available at (add URL or mail contact): The product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2' Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3' Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference). P3.2' The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3' If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference). P3.4' The product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference). P4.10' If in photo conductor (drum, belt etc.) is used in th	P1.7*				\square
P1.9* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/www.eke (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html P2 Batteries F2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.3* Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.2* The product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If ink/loner					
pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html P2 Batteries P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.3* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required safety standards as specified (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P4. Consumable materials	P1.8*				\boxtimes
P1.9° Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10° REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.kenovo.com/social_responsibility/usen/materials.html P2 Batteries P2.1° If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2° Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference). P3.1° The product complies with legally required safety standards as specified (see legal reference). P3.2° The product complies with legally required safety standards as specified (see legal reference). P3.3° If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P4 Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.2° If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		pentachlorophenol and derivatives (see legal reference).		_	
microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact):					
P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/lus/en/materials.html P2.1*	P1.9*				
P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.4* The product complies with legally required safety standards as specified (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference). P3.4* The product is intended for sonnection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If inklorner is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If inklorner is used in the product, it does not contain cadmium max 0.01% (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by w					
P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.3* Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.5* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not cont					
P2.1° If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2° Button cells used in the product Deproduct do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3° Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.1° The product complies with legally required safety standards as specified (see legal reference). P3.2° The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3° If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for redio and telecommunication devices (see legal reference). P3.4° The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1° If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2° If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.2° If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1° Packaging and packaging components do not contain more than 0.01% lead, mercury, ca	P1.10*				
P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.3* Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for readio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.2* If the ink/toner formulation/preparation is classified as hazardous according to applicable requiations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging					
more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.4* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P4. Consumable materials F4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If Ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	P2	Batteries			
marked with the chemical symbol for the metal concerned, Fig or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3. Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P6.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P2.1*		\boxtimes		
P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.4* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4. Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If hink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).					
P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3. Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).					
P2.3° Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3. Safety, EMC connection to the telephone network and labeling P3.1° The product complies with legally required safety standards as specified (see legal reference). P3.2° The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3° If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4° The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1° If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2° If ink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.3° If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1° Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2° Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P6.3° The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	Do ot				
P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3. Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P6.3* The product packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	P2.2"		\boxtimes		
design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3. Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	D2 2*			_	
P3. Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4. Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	F2.3			Ш	
P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			u.		
P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4. Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5. Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P3				
P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4. Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		· · · · · · · · · · · · · · · · · · ·		+	<u> </u>
P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4. Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5. Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P3.2			Ш	
with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5. Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	D3 3*		$\overline{\square}$		
P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4. Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5. Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	1 3.3			Ш	
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5. Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\overline{\square}$		
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		11 0 1 1			
legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	F4. I		Ш		$oldsymbol{ol}oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{ol}oldsymbol{ol{oldsymbol{ol}}}}}}}}}}}}}}}}}$
P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	D/1 2*			$\overline{}$	
product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			_#	井	
requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P4.3"				\boxtimes
P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	D5				
hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			4		
P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	1.0.1		Д		
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P5 2*		$\overline{\square}$		
Protocol (see legal reference).				 	_
	۲5.3°		n 🔀	Ш	Ш
		Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo E50-05 (90CS, 90CT)		
Issue date *	2014.11.14	Logo	lenovo

Product	oduct environmental attributes - Market requirements - Environmental conscious design		ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	\overline{X}	∺	╫
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\square	+	╫
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	$\overline{\mathbb{X}}$	+	\vdash
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		+	+
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		+	-
F1.0	Product lifetime		<u> Ц</u>	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		$\overline{}$	_
P7.8*	Upgrading can be done using commonly available tools		井	- -
				<u> </u>
P7.9.	Spare parts are available after end of production for: 5 years	_		<u> </u>
P7.10	Service is available after end of production for: 5 years			
D7 44*	Material and substance requirements			
P7.11*	Product cover/housing material type: Material type: PC Material type: Steel			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free	-	$\overline{\mathbb{X}}$	\dashv
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			\overline{H}
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			
F7.13	Note B2)	, <u> </u>		Ш
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:	\boxtimes		
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):	\bowtie		
	TBBPA (additive) ☐, TBBPA (reactive) ☒, Other; chemical name: , CAS #:	_	_	_
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4: Brominated Epoxy Resin See P14		Ш	Ш
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in	1		\boxtimes
	concentrations above 0.1%:	_	_	_
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #:			
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
D= 10			<u>Ц</u>	Щ.
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\boxtimes	Ш	Ш
P7.20	Of total plastic parts' weight >25g, recycled material content is 8.8%. (contains keyboard, mouse and power code)			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.			
P7.22	Light sources are free from mercury			\boxtimes
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batteries Patternes Management of the Control of th			
P8.1*	Battery chemical composition:			
P8.2	Batteries meet the requirements of the following voluntary program/s:			-1×1

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo E50-05 (90CS, 90CT)		
Issue date *	2014.11.14	Logo	lenovo.

Product environmental attrib	utes - Market r	equirements ((continued)	Requirement	met
Item				Yes No	n.a.
P9 Energy consumption9.1 For the product the following		s or energy cons	sumptions are re	ported: See P14	
	<u> </u>	Power level at		Reference / Standard for energy modes and test	
Linergy mode	100 V AC	115 V AC	230 V AC	method *	
Category 0		1			
Short Idle State - WOL Enabled	14.67 W	13.95 W	14.70 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enabled	12.64 W	12.56 W	12.52 W	Use for Energy Star V6.0 registration	
Sleep (S3) - WOL Enabled	1.86 W	1.86 W	1.89 W	Use for Energy Star V6.0 registration (P _{sleep})	
Off (S5) - WOL Enabled	0.53 W	0.53 W	<i>0.56</i> W	Use for Energy Star V6.0 registration (Poff)	
Peak (On-max)	29.57 W	32.78 W	29.86 W	Full load	
Category I1					
Short Idle State - WOL Enabled	15.85 W	14.41 W	15.52 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	
Long Idle State - WOL Enabled	13.22 W	13.13 W	13.34 W	Use for Energy Star V6.0 registration	
Sleep (S3) - WOL Enabled	2.00 W	2.00 W	2.03 W	Use for Energy Star V6.0 registration (P _{sleep})	
Off (S5) - WOL Enabled	0.69 W	0.67 W	0.70 W	Use for Energy Star V6.0 registration (Poff)	
Peak (On-max)	35.00 W	29.69 W	36.35 W	Full load	
Category I2				1	
Short Idle State - WOL Enabled	15.04 W	13.77 W	13.37 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	П
Long Idle State - WOL Enabled	12.47 W	12.56 W	12.57 W	Use for Energy Star V6.0 registration	
Sleep (S3) - WOL Enabled	2.00 W	2.00 W	2.05 W	Use for Energy Star V6.0 registration (P _{sleep})	
Off (S5) - WOL Enabled	0.69 W	0.68 W	0.71 W	Use for Energy Star V6.0 registration (Poff)	$\vdash \Box$
Peak (On-max)	35.00 W	35.89 W	37.28 W	Full load	H
Category I3	<u> </u>	<u> </u>		1	
Short Idle State - WOL Enabled	15.19 W	13.47 W	15.48 W	Use for Energy Star V6.0 registration(PshortIdle)	
Long Idle State - WOL Enabled	12.97 W	13.09 W	13.12 W	Use for Energy Star V6.0 registration	
Sleep (S3) - WOL Enabled	1.94 W	1.94 W	1.98 W	Use for Energy Star V6.0 registration (P _{sleep})	\vdash
Off (S5) - WOL Enabled	0.63 W	0.63 W	0.66 W	Use for Energy Star V6.0 registration (Poff)	H
Peak (On-max)	42.9 W	43.10 W	42.87 W	Full load	
Category D1	1210 11	10110 11	12.07 11	. un roud	
Short Idle State - WOL Enabled	23.49 W	23.76 W	24.12 W	Use for Energy Star V6.0 registration(P _{Shortidie})	
Long Idle State - WOL Enabled		20.57 W	20.97 W	Use for Energy Star V6.0 registration	
Sleep (S3) - WOL Enabled	2.05 W	2.05 W	2.10 W	Use for Energy Star V6.0 registration (P _{sleep})	
<u> </u>		2.05 W			Щ
Off (S5) - WOL Enabled	0.66 W		0.67 W	Use for Energy Star V6.0 registration (Poff)	Щ
Peak (On-max)	41.5 W	47.08 W	47.77 W	Full load	
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W		
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption	Cat 0: 64.51; Cat I1: 69.52; Cat I2: 66.05; CatI3: 66.96; CatD1: 102.57 kWh/year	Cat 0: 62.17; Cat 11: 64.98; Cat 12: 62.26; Cat13: 61.84; CatD1: 103.36 kWh/year	Cat 0: 64.56; Cat I1: 68.78; Cat I2: 61.22; CatI3: 68.18; CatD1: 105.08 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45 + P_{sleep} \times 0.05 + P_{shortldle} \times 0.35 + P_{Longldle} \times 0.15)$	
	P _{off} : Off Mode(S5)	- WOL Enabled;	 P _{sleep} : Sleep Mode(3	S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	<u> </u>
Display resolution* : Mega	I pixels				
Print Speed * : Image	es per minute				

Default tim	ne to enter energy	save mode: 25 minutes				
P9.2*	Information about the energy save function is provided with the product.					
P9.3*		ets the energy requirements of the following ® version: <i>Version 6.1</i> Product category: <i>0</i>		m/s:		
P10	Emissions					
	Noise emission	 Declared according to ISO 9296 				
P10.1	Mode	Mode description	Declared A-weighted sound power level L_{WAd} (B)	Operator position Operator position or Desk side	evel $L_{p m Am}$ (dB) Bystander position (only if product is no operator attended)	ot
	Idle	* HDD:Idle	* 3.3	23 27		
	Operation	* HDD: Operating	* 3.6			
	Other mode					
	Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)					
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:					

Model number *	Lenovo E50-05 (90CS, 90CT)		
Issue date *	2014.11.14	Logo	lenovo.
Product environmental attributes - Market requirements (continued)			Requirement met
Itom			Voc No no

Product e	environmental attributes - Market requirements (continued)	equirer	nent	met
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): <i>carton</i> weight (kg): 1.2			
	Product packaging material type(s): <i>EPE</i> weight (kg): <i>0.18</i>			
P13.2*	Product packaging material type(s): weight (kg): Product plastic packaging is free from PVC.		$\overline{}$	$\overline{}$
-				<u> </u>
P13.3*	Specify media for user and product documentation (tick box): Electronic , Paper , Other .			Ш
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			
	fiber: 0%			Ш
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied,			
	information contained in this document. All information provided by supplier in this document is provided based knowledge available at the time of completion, and supplier shall have no obligation to update such information			ion
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representa			1011
	information.			
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo E50-05	Logo	
Model Number	90CS 90CT	lenovo	
Issue Date	2014-11-14		
Additional information			

P7.1.1	Product environmental a	ttributes				
(d)	Year of manufacture:				Availible on product label	
(e)	` ,	, , ,		all discrete graphics cards (dGi ics mode with UMA driving the	fx)	
(f)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are enabled: Cat. B 83.48 Cat. C 81.86 Cat. D 78.87					
(g)	idle state power demand (Watts);					
(h)	sleep mode power demand (Watts);					
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);					
(j)	off mode power demand (Watts);					
(k)	off mode with WOL enabled power demand (Watts) (where enabled);					
(l)	Internal power supply effic	eable):				
	10% 20%	50% 100)%			
(m)	External power supply eff	N/A				
	10% 20%	50% 100)% Aver	age ;		
(o)	or Level: V The minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):					
(f)	Test parameters for meas the electricity supply syste used for electrical testing. Test voltage in V and free Total harmonic distortion Information and documen Instrument	and circuits				
	Type AC Power Source		or *** 1~550HZ;1000V	Make and Model ** NF;EC1000S; SN:915212	4	
			Α.			
	Digital Watch	Full	l range	CASIO; HS-70W; SN:208Q0	JOK	

		The battery	/[ies] in this product ca	annot be easily replaced by users the	mselves		
Yes	No			ery/ies that cannot be accessed and replaced b	y a non-professional		
Additio	n Noteh	ook Battery Information:	Refer to User 0	Guide			
(x)	Usei	r information on how to en	able the power management f	unctionality:			
			N/A				
(w)	Infor	mation on the energy-sav	ing potential of power manage	ment functionality:			
(v)	The	length of time before the	e display sleep mode is set t	o activate after user inactivity (in minutes):	15 minutes		
(u)				ch the computer automatically reaches a than sleep mode (in minutes):	45 minutes		
(t)				automatically reaches sleep mode, or another nd requirements for sleep mode (in minutes):	30 minutes		
		Control Panel->Power	r Options-> Change Settings	s-> Restore default settings for this plan			
(s)		uence of events required t	o reach the mode where the e	quipment automatically changes to sleep and/or			
		В	egin menu -> Power -> Selec	ct sleep or off mode			
(r)	Desc		or off mode was selected or pr				
(q)	Seq	·	ng a stable condition with resp Power on -> Wait 5 minutes	·			
(a)	0-	upper of store for a bl	IEC 62301				
(p-4)	The measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
(n. 4)	Th	mooguromonttht	N/A	on montioned in movimum idle steep off and to			
(p-3)	The measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:						
(p-2)	The measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: N/A						
	The measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: 80 PLUS® Program						
(p-1)	The	Light Measuring	1°;1-300cd/m ²	Konica Minolta;LS-110;	<u> </u>		
		Hygrothermograph Thermal anemometer	15~35℃/15~90% 0~20m/s,-20~70℃	testo; 608-H1,SN:1034895602 Testo;425;SN:02591883			
		Power Meter	0~600V;0~20A	YOKOGAWA;WT210;SN:91M94456 0			