

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo		
Internet site *	nttp://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC			
Commercial name *	Lenovo G700			
Model number *	20251;80AG			
Issue date *	2012-05-22			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	bl 🔀	

Model nu	umber *	Lenovo G700				
Issue da	te *	2013-05-22 Log		епс)V() .
Product	t enviror	mental attributes - Legal requirements	B	equire	ment	met
Item				Yes	No	n.a.
P1	Hazard	ous substances and preparations				mai
P1.1*	Product chromiu	s do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalen m, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBD erence and Note B1)				
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobr trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride ethane, methyl bromide (see legal reference). Comment: Legal reference has no maxim ration values.				
P1.4*	Product	s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorina (I (PCT) in preparations (see legal reference).	ated	\boxtimes		
P1.5*	Product	s do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon an ocorrect of the second and the second second and the second sec	toms in	\boxtimes		
P1.6*	Textile a Tris-(az	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phospha ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). nt: Legal reference has no maximum concentration values.	te (TRIS),			
P1.7*	Textile a	and leather parts with direct skin contact do not contain more than 0.003% Azo colorants c amines. (See legal reference and Note B1)	that split			\boxtimes
P1.8*	Wooder pentach	a parts do not contain arsenic and chromium as a wood preservation treatment as well as lorophenol and derivatives (see legal reference). nt: Legal reference has no maximum concentration values.	;			
P1.9*	Parts wi microgra	th direct and prolonged skin contact do not release nickel in concentrations above 0.5 am/cm ² /week (see legal reference).		\square		
		nt: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*		Article 33 information about substances in articles is available at (add URL or mail conta ww.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment	ict):	\boxtimes		
P2	Batterie					
P2.1*	more th marked	oduct contains a battery or an accumulator, it is labeled with the disposal symbol and if it an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disp d in user manual. (See legal reference)	shall be			
P2.2*		ells used in the product do not contain more than 2% by weight of mercury. Other batter lators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal r		\boxtimes		
P2.3*	design o	s and accumulators are easily removable by either users or service providers (as depend of the product). Exception: Batteries that are permanently installed for safety, performan- ntegrity reasons do not have to be "easily removable". (See legal reference)		\boxtimes		
P3		EMC connection to the telephone network and labeling				
P3.1*	The pro	duct complies with legally required safety standards as specified (see legal reference).		\boxtimes		
P3.2*	The pro reference	duct complies with legally required standards for electromagnetic compatibility (see legal e).		\boxtimes		
P3.3*	with leg	ct is intended for connection to a public telecom network or contains a radio transmitter, ally required standards for radio and telecommunication devices (see legal reference).		\boxtimes		
P3.4*	The pro	duct is labeled to show conformance with applicable legal requirements (see legal refere	nce).	\boxtimes		
P4		nable materials				
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0. erence and Note B1).				
P4.2*		ner is used in the product, it does not contain cadmium max 0.1% by weight (see legal re	,			
P4.3*	product	v/toner formulation/preparation is classified as hazardous according to applicable regulat packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with thes nents is available (see legal reference).				
P5		t packaging				
P5.1*	Packagi hexaval	ng and packaging components do not contain more than 0.01% lead, mercury, car ent chromium by weight of these together.				
P5.2*		packaging material is marked according to ISO 11469 referring ISO 1043 (see legal refer	ence).	\boxtimes		
P5.3*	The pro Protoco	duct packaging material is free from ozone depleting substances as specified in th (see legal reference). nt: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	Lenovo G700				
Issue da	ate *	2013-05-22 Logo	le	no	vo	
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Be	quire	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.	110	Yes	No	n.a.
P6		nt information			-	
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).		\boxtimes		
P7	Design					
		mbly, recycling				
P7.1*		at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.		\square		
P7.3*		arts >100g consist of one material or of easily separable materials.		\boxtimes		
P7.4*	-	arts >25g have material codes according to ISO 11469 referring ISO 1043.		\boxtimes		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available	tools.	\boxtimes		
P7.6*	Labels a		\boxtimes			
		lifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradii	ng can be done using commonly available tools		\boxtimes		
P7.9.	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type:				
DT (0	Material	type: PC+ABS-FR(40) Material type: Material type:				
P7.12		I cable insulation materials of power cables are PVC free.		Ц_		<u>Ц</u>
P7.13		I cable insulation materials of signal cables are PVC free				
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	Note B2		!1. (See			
P7.16	Marking	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)		\square		
P7.17		al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	Chemica	al specifications of flame retardants in printed circuit boards (without components) >25g acco 3-4: Brominated Epoxy Resin See P14	ording			
P7.18		etarded plastic parts >25g contain the following flame retardant substances/prepara ations above 0.1%:	tions in			
	Provide complete 1. Chem 2. Chem 3. Chem	nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must e chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:	contain			
	FR(40)	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	R45,			
P7.20		plastic parts' weight >25g, recycled material content is 5.3%.				
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22	0	urces are free from mercury				
P8	Batterie					
P8.1*	,	chemical composition: Lithium Ion/Lithium Manganese Dioxide				<u> </u>
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nu	mber *	Leno	vo G700						
Issue date	e *	2013-05-					Logo	lenov	10.
	environr	nental at	tributes - Market	requirements (c	ontinued)			Requirem	
Item	F		·					Yes	No n.a
P9 9.1		consumpt	e following power lev	ole or operav consu	motions are report	od: See P1/			
0.1			ped w/ WOL Enable					\boxtimes	
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference and test me		rd for energy mo	des
Peak (On	-max)		65W	65 W	65 W	Full load			
Catego	r <mark>y A</mark>		•		•	•			
Idle State	- WOL Er	nabled	5.609W	5.327W	<i>5.509</i> W	Use for Ene	ergy Star	V5 registration(Pi	dle)
Sleep (S3) - WOL E	nabled	0.752 W	0.750 W	0.767W	Use for Ene	ergy Star	V5 registration(Ps	sleep)
Sleep (S3) - WOL D	isabled	0.752 W	0.750 W	0.767 W	Reference			
Off (S5) -	WOL Ena	bled	0.223 W	0.222 W	0.253 W	Use for Ene	ergy Star	V5 registration(Pa	off)
Off (S5) -	WOL Disa	abled	0.220W	0.220 W	0.250 W	Use for Eul			
EPS No-lo			0.070 W	0.080 W	0.120 W				
(External charger pl outlet but the produc	disconnec	he wall							
TEC Typical Er	nergy Cons	sumption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Er	ergy Cons	sumption	16.570 kWh/year	15.820 kWh/year	16.480 kWh/year	$E_{TEC} = (876)$ 0.1 + P_{idle} x		(Poff x 0.6 + Psle	ep X 🔀
			Poff: Off Mode(S5) - 1	NOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WO	L Enabled; P _{idle}	: Idle State	e - WOL Enabled	
Display re	solution	: 1600*900	Megapixels						
Print Spee	bd	:	Images per minu	te					
			ave mode: 25 minute						
P9.2*			the energy save fund		the product.			\square	┍┑╵╞╸
P9.3*	The proc	duct meets Y STAR®	the energy requiren version: <i>Version 5.0</i> ergy Star for Exten	nents of the followin 1 dated July 1, 200	g voluntary program Product category:	: A			
P10	Emissio	ons							
_			Declared according	to ISO 9296	1 1				
P10.1	Mode	Ν	Node description		Declared A-weighted sound power			-weighted evel $L_{p{\sf Am}}$ (dB)	
				level L_{WAd} (B)	Operator pos Des or Desk	ktop 🔀	Bystander positi (only if product is operator attend	not	
	Idle		HDD: Idle		* 3.0		23		
	Operatio		HDD: Operating		* 3.0		26	.1	
	Other m			_					
	Measure	ed accordir	ng to: 🔀 ISO7779 [Dther	ECMA-74 (only if not cover	red by ECMA-74 wit	th L _{pAm} measu	rement di	stance m)	
P10.2	The proc	duct meets	the acoustic noise						

Model nu			<u>vo G700</u>					
Issue dat	te * 20	13-05-2	22			Logo	lenova	D .
Product	environmen	tal att	ributes - Market	requirements (co	ontinued)		Requiremen	t met
Item							Yes No	
P9	Energy cons	sumpt	ion					
9.1			following power lev ped w/ WOL Enable	els or energy consu ed.	mptions are reporte	ed: See P14		
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard and test method *	for energy modes	3
Peak (On	n-max)		90W	90 W	90 W	Full load		
Catego	ry B				L	•		
Idle State	e - WOL Enable	ed	6.458W	6.486W	6.679 W	Use for Energy Star	/5 registration(P _{idle})	
Sleep (S:	3) - WOL Enab	led	0.832 W	0.839 W	0.890W	Use for Energy Star	/5 registration(P _{sleep})	
Sleep (S:	3) - WOL Disab	oled	0.832 W	0.839 W	0.890 W	Reference		市
Off (S5) -	WOL Enabled	1	0.269 W	0.274 W	0.317 W	Use for Energy Star \	/5 registration(Poff)	T
Off (S5) -	WOL Disable	d	0.27W	0.27 W	0.32 W	Use for EuP		
EPS No-l			0.086 W	0.091 W	0.141 W			
(External power supply / charger plugged in the wall outlet but disconnected from the product.)		all		0.001				
TEC Typical E	nergy Consump	otion	kWh/week	kWh/week	kWh/week			
Etec * Annual Ei	nergy Consump	otion	19.110 kWh/year	19.220 kWh/year	20.000 kWh/year	$E_{TEC} = (8760/1000) x 0.1 + P_{idle} x 0.3)$	(Poff x 0.6 + P _{sleep})	۲ 🗆
			Poff: Off Mode(S5) - V	VOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WOL	Enabled; Pidle: Idle State	- WOL Enabled	
Display re	esolution : 16	00*900	Megapixels					
Print Spe	ed :		Images per minu	te				
•		rav sa	ve mode: 25 minute					
P9.2*				tion is provided with	the product.			ᆜ岩
P9.3*	The product ENERGY ST	meets AR® \	the energy requiren	nents of the followin 1 dated July 1, 2005	g voluntary program Product category:	В		
B / 6		ty: En	ergy Star for Exter	nal Power Supplies	s Eligibility Criteria	Version 2		
P10	Emissions	lion	Declared according					
P10.1	Mode		lode description	10 130 9290	Declared A-weighted sound power	Declared A- sound pressure le	0	
					level L _{WAd} (B)	Operator position 🔀 Desktop 🔀 or Desk side 🗌	Bystander positions (only if product is no operator attended)] t
	Idle	*	HDD: Idle		* 3.0	23.3		
Operation *		*	HDD: Operating		* 3.0	26.	1	
	Other mode			_				_
	Measured ac	cordin	g to: 🛛 ISO7779 🗌 Other	ECMA-74 (only if not cover	ed by ECMA-74 with	h L _{pAm} measurement dis	tance m)	
P10.2	The product	meets			following voluntary p			

Model nu	umber *	Lenovo G700				
Issue dat	te *	2013-05-22	Logo	Іепо		
Product	environ	nental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
	Chemic	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard , other speci	ify:			\boxtimes
P10.4	Typical	emission rate (print phase) is (mg/h):				
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemic		net for :			\boxtimes
		Dust Ozone Styrene Benzene	TVOC			
	Electro	nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields o	of the following volunt	ary 🔀		
		/s: MPR-II				
P11		nable materials for printing products		<u> </u>		
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not leg	, , , ,	·		
P11.2*	EN1228		neets the requireme	nts of		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergono	mics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display t	technologies.	\boxtimes		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13	Packag	ng and documentation			_	
P13.1*	Product	packaging material type(s): <i>Corrugated Carton</i> weight (kg): <i>0.420</i> packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.000</i> packaging material type(s): <i>Others</i> weight (kg): <i>0.248</i>				
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes		
P13.3*		media for user and product documentation (tick box): ic \square , Paper \square , Other \square				
P13.4*	For pap	er user and product documentation, please specify contained percentage of % (Japan only 70%)	f post-consumer recy	cled		
P14		nal information (See Note B4)				
	NOTE: informat knowled	Supplier makes no representations, guarantees, assurances or warranties ion contained in this document. All information provided by supplier in this of ge available at the time of completion, and supplier shall have no obligation I here is approximate and provided for informational purposes only. See a L	document is provided to update such info	based on sup rmation. The ir	plier's format	
P7.17		t does not contain free TBBPA in printed circuit boards(without comp	onents)>25a.			
P9		ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Note		atest informa	tion:	
-		ownloads.energystar.gov/bi/gplist/laptops_prod_list.xls (insert appro				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo G700	Logo
Model Number	20251, 80AG	_
Issue Date	2014-06-19	lenovo
Additional information		

P7.1.1	Product environmental attributes	
d)	year of manufacture:	2014
e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:	15.44
f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics ca enabled:	rds (dGfx) are
	Category N/A EtecN/A	
g)	idle state power demand (Watts);	5.1792
h)	sleep mode power demand (Watts);	0.5280
i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.5280
j)	off mode power demand (Watts);	0.2604
k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.2604
1)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
o)	or level: V the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	
0)		500
f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:	
	230V/50Hz	
p-1)	the measurement methodology used to determine information mentioned in points (I) - internal PSU efficiency:	
	N/A	
p-2)	the measurement methodology used to determine information mentioned in points (m) - external PSU efficiency:	
	EN 50563:2011 External a.c.—d.c. and a.c.—a.c. power supplies — Determination of no-load power and average efficiency of active modes.	

(p-3)	the n batter		nent methodology used to determine information mentioned in points (o) - loadingcycles	
	EN	l 61960:2	011 Secondary cells and batteries containing alkaline or other non-acid electrolytes — lithium cells and batteries for portable applications: 7.6.1 General; 7.6.3 Endurance in cycles (accelerated test procedure).	
(p-4)			ent methodology used to determine information mentioned in maximum, idle, sleep, off mode ed in Point P9.1 in the Product IT Eco Declaration:	
	EN		013 — Desktop and notebook computers — Measurement of energy consumption: 5.2.; ; 5.8.; Annex E.2 (informative) ENERGY STAR® V5 compliant testing methodology.	
(q)	seque	ence of st	eps for achieving a stable condition with respect to power demand::	
	EN Te	l 62623:20 est setup	013 — Desktop and notebook computers — Measurement of energy consumption: 5.2. ; 5.3.2. Measuring off mode; 5.3.3. Measuring sleep mode; 5.3.4. Measuring long idle mode.	
(r)	descr	iption of h	now sleep and/or off mode was selected or programmed:	
			Yes	
(s)	seque off me		vents required to reach the mode where the equipment automatically changes to sleep and/or	
			Yes	
(t)			f idle state condition before the computer automatically reaches sleep mode, or another n does not exceed the applicable power demand requirements for sleep mode (in minutes):	25 min
(u)			ime after a period of user inactivity in which the computer automatically reaches a hat has a lower power demand requirement than sleep mode (in minutes):	N/A
(v)	the le	ength of t	ime before the display sleep mode is set to activate after user inactivity (in minutes):	10 min
(w)	inforn	nation on	the energy-saving potential of power management functionality:	
			Yes	
(x)	user i	nformatio	n on how to enable the power management functionality:	
			Yes	
(Z)	the el	ectricity s	s for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of supply system, — information and documentation on the instrumentation, set-up and circuits ical testing:	
			230V/50Hz	
Additio	n Notebo	ok Batter	ry Information:	
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a user.	non-professional
			The battery[ies] in this product cannot be easily replaced by users thems	selves
Additio	nal inform	nation		

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo G700	Logo
Model Number	20251, 80AG	_
Issue Date	2014-06-19	lenovo
Additional information		

P7.1.1	Product environmental attributes					
(d)	year of manufacture:	2014				
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:					
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:					
	Category B Etec18.33					
(g)	idle state power demand (Watts);	5.9844				
(h)	sleep mode power demand (Watts);	0.7212				
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.7212				
(j)	off mode power demand (Watts);	0.3744				
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.3744				
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):					
	10% 20% 50% 100% Average					
(m)	external power supply efficiency (if applicable):					
	10% 20% 50% 100% Average ;					
(0)	or level: V					
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	500				
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:					
	230V/50Hz					
(p-1)	the measurement methodology used to determine information mentioned in points (I) - internal PSU efficiency:					
	N/A					
(p-2)	the measurement methodology used to determine information mentioned in points (m) - external PSU efficiency:					
	EN 50563:2011 External a.c.—d.c. and a.c.—a.c. power supplies — Determination of no-load power and average efficiency of active modes.					

(p-3)	the n batter		nent methodology used to determine information mentioned in points (o) - loadingcycles		
	EN	61960:2	011 Secondary cells and batteries containing alkaline or other non-acid electrolytes — lithium cells and batteries for portable applications: 7.6.1 General; 7.6.3 Endurance in cycles (accelerated test procedure).		
(p-4)			ent methodology used to determine information mentioned in maximum, idle, sleep, off mode ed in Point P9.1 in the Product IT Eco Declaration:		
	EN		013 — Desktop and notebook computers — Measurement of energy consumption: 5.2.; ; 5.8.; Annex E.2 (informative) ENERGY STAR® V5 compliant testing methodology.		
(q)	seque	ence of st	eps for achieving a stable condition with respect to power demand::		
	EN Te	62623:20 st setup	013 — Desktop and notebook computers — Measurement of energy consumption: 5.2. ; 5.3.2. Measuring off mode; 5.3.3. Measuring sleep mode; 5.3.4. Measuring long idle mode.		
(r)	descr	iption of h	now sleep and/or off mode was selected or programmed:		
			Yes		
(s)	seque off me		vents required to reach the mode where the equipment automatically changes to sleep and/or		
			Yes		
(t)			f idle state condition before the computer automatically reaches sleep mode, or another n does not exceed the applicable power demand requirements for sleep mode (in minutes):	25 min	
(u)	(u) the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): N/A				
(v)	the le	ngth of t	ime before the display sleep mode is set to activate after user inactivity (in minutes):	10 min	
(w)	inforn	nation on	the energy-saving potential of power management functionality:		
			Yes		
(x)	user i	nformatio	n on how to enable the power management functionality:		
			Yes		
(Z)	the el	ectricity s	s for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of supply system, — information and documentation on the instrumentation, set-up and circuits ical testing:		
			230V/50Hz		
Addition Notebook Battery Information:					
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a user.	non-professional	
	\square		The battery[ies] in this product cannot be easily replaced by users thems	selves	
Additional information					