

#### Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	All-in-One Desktop PC						
Commercial name *	Lenovo N300						
Model number *	10161, F0AL						
Issue date *	2014/05/12						
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo N300	MT: 10161, F0AL		
Issue date *	2014/05/12		Logo	lenovo

Pit   Hazardous substances and preparations	Product	environmental attributes - Legal requirements	Require	men	t met
Pl.11		<b>y</b> 1			n.a.
chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE), (See legal reference and Note B1) P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromfluorocarbons (HBFC), Nydrochlorofluorocarbons (HBFC), Nydrochlorocarbons (HBFC),					
Comment: Legal reference has no maximum concentration value.  P1.3' Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrobromofluorocarbons (HBFC), hydrobromofluorocarbons (HBFC), hydrobromofluorocarbons (HBFC), hydrobromofluorocarbons (HBFC), hydrobromofluorocarbons (HBFC), Halons, carbonetratchioride, 1,1,1-trobromofluorocarbons (HBFC), hydrobromofluorocarbons (HBFC), Halons, carbonetratchioride, 1,1,1-trobromofluorocarbons (HBFC), Halons, carbonetratchioride, 1,1,1-trobromofluorocarbons (HBFC), Halons, carbonetratchioride, 1,1,1-trobromofluorocarbons (HBFC), Halons, carbonetratchioride, 1,1,1-trobromofluorocarbons, Halons, Halon		chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See			
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrochromofluorocarbons (HBFC), hydrochlorofluorocarbons (HBFC), halons, carbontetrachloride, 1,1,1-trichlorochtane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).  P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP, (see legal reference).  P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2.3-dibromopropyl)-phosphate (TRIS), Tri-(aridridyl-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.9* Weather and protograps with direct skin contact do not contain more than 0.003% Azo colorants that split aromable amines. (See legal reference and Note B1)  Weather and protograps (See legal reference) and Note B1)  Podedop parts do not contain arsenic and chromium as a wood preservation treatment as well as protochrophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.9* Parts with direct and protograps skin contact do not release nickel in concentrations above 0.5 microgram/cmi/week (see legal reference).  P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury of the breat contains are since provided in user manual. (See legal reference).  P2.2* Batteries  P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) are valued with the chemical symbol for the metal concerned, Hig or Pb. Information on proper disposa	P1.2*				
trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  P1.4* Products do not contain more than; 0.05% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).  P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP) (see legal reference).  P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2.3-dibromopropyl)-phosphate (TRIS), Tris-(azirdinyl)-phosphinexoide (TPA), polybrominated biphenyl (PBB) (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)  P1.8* Wooden parts do not contain assensic and chromium as a wood preservation treatment as well as pertachlorophanol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.9* Parts with direct and prolonged skin contact do not reflease nickel in concentrations above 0.5 microgramicm / week (see legal reference).  P1.0* Introduction with the legal reference when lested according to EN1811:1998.  P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference).  P2.2* Batteries  P2.2* Batteries  Safety, EMC connection to the telephone network or long the safety, performance, medical or data integrity reasons do not have to be "assily removable" (See legal reference).  P3.1* The product complies with legally required standards for electromagnetic compatibility (see legal	P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
terpheny (PCT) in preparations (see legal reference).  P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2.3, -dibromopropyl)-phosphate (TRIS), Tris-(azirdinyl-phosphineoxide (TEPA), polybrominated biptienyl (PBB) (see legal reference).  P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)  P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pertachilorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgramicm' week (see legal reference).  Comment: Max limit in legal reference when tested according to ENI\$11:1998.  P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html  P2. Batteries  P2.11* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only by weight, or more than 0.004% of lead; shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Batteries and accumulators are assily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reaching standards for electromagnetic compatibility (see legal reference)  P3.3* The product complete with legally required safety standards as specified (see legal reference).		trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.5' Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of tolhorine in the SCCP (see legal reference).  P1.6' Textile and leather parts with direct skin contact do not contain Tri-(2.3-dibromopropyl)-phosphate (TRIS), Tris-(azidicinyl-)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.7' Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)  P1.8' Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pertachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.9' Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	P1.4*		$\boxtimes$		
P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2.a-dibromopropyl)-phosphate (TRIS), Tris-(azididnyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).  P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)  P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5    P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5    P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5    P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5    P1.0* PEACH Article 33 information about substances in articles is available at (add URL or mail contact):    http://www.lenovo.com/social_responsibility/usien/materials.hiv/us	P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in			
P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)  P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.  P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html  P2 Batteries  P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators on on to contain more than 0.005% of deadnium. (See legal reference)  P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference).  P3.1* The product complies with legally required safety standards as specified (see legal reference).  P3.2* The product complies with legally required satedy standards as specified (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic compat	P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
P1.9* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pertachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.  P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.  P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact):	P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			
P1.19* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html  P2 Batteries  P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Butteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  P3.1* The product complies with legally required safety standards as specified (see legal reference).  P3.2* The product complies with legally required safety standards as specified (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference).  If the ink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference).  If the ink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference).  If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SD	P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact):  http://www.lenovo.com/social_responsibility/us/en/materials.html  P2. Batteries  P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  P3. Safety, EMC connection to the telephone network and labeling  The product complies with legally required safety standards as specified (see legal reference).  P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for readio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If inkloner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data She	P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).			
P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  P3.1* The product complies with legally required safety standards as specified (see legal reference).  P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and	P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  P3. Safety, EMC connection to the telephone network and labeling  P3.1* The product complies with legally required safety standards as specified (see legal reference).  P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P4. Consumable materials  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal ref	P2	Batteries			
P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  P3. Safety, EMC connection to the telephone network and labeling  P3.1* The product complies with legally required safety standards as specified (see legal reference).  P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	P2.1*	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
P2.3*   Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)   P3	P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			
P3.1* The product complies with legally required safety standards as specified (see legal reference).  P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.4* Product packaging  Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			
P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4 Consumable materials  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging  Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P3	Safety, EMC connection to the telephone network and labeling			
reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4 Consumable materials  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4 Consumable materials  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P3.2*				
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	P3.3*				
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).			
legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P4	Consumable materials			
P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P4.1*				
product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  Product packaging  Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P4.3*	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these			
hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		hexavalent chromium by weight of these together.	d 🔀		
Protocol (see legal reference).		Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
Comment: Legal reference has no maximum concentration values.	P5.3*	Protocol (see legal reference).	म 🔼		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo N300	MT: 10161, F0AL		
Issue date *	2014/05/12		Logo	lenovo.

Product	t environmental attributes - Market requirements - Environmental conscious design	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X	$\Box$	$\Box$
P7.2*	Plastic materials in covers/housing have no surface coating.	Ħ		Ħ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			Ħ
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		$\pm$	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		∺	Ħ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		$\overline{}$	$\Box$
P7.8*	Upgrading can be done using commonly available tools		$\overline{}$	$\pm$
P7.9.	Spare parts are available after end of production for: 5 years			Ħ
P7.10	Service is available after end of production for: 5 years			Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: ABS Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		$\boxtimes$	
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\boxtimes$	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		$\boxtimes$	
P7.16	Note B2) Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	$\square$	$\overline{}$	$\overline{}$
	Marking: >PC-GF30%<			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):			П
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: <i>Epoxy Resin</i> , CAS #: <i>26265-08-7</i>		_	
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: plastic parts >25g doesn't contain flame retardant		$\boxtimes$	Ш
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: CAS #: , Supplier:			
	2. Chemical name: CAS #: , Supplier:			
	3. Chemical name: CAS #: , Supplier:			
	Alt. 2 Chemical specifications of flame retardants in plastic part			
	chemical specifications of name retainants in plastic part			$\boxtimes$
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is <i>15.3</i> %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	$\boxtimes$		
Do	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
<b>P8</b> P8.1*	Batteries  Battery chemical composition: Lithium Ion /Lithium Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s:			
1 0.4	Datteries meet the requirements of the following voluntary program/s.			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo N300	MT: 10161, F0AL		
Issue date *	2014/05/12		Logo	lenovo.

Product environmental attributes - Market requirements (continued) Requirement met					
Item				Yes No	n.a.
9.1 Energy consumption For the product the fo		le or operay cons	umptions are re-	portod: See P14	
	Power level at 100 V AC				
Peak (On-max)	W	W	W W	Full load	$\vdash$
Category D2	••				Ш
Short Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Pidle)	
Long Idle State - WOL Enabled		W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P <sub>sleep</sub> )	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Pott)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category D1					
Short Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	
Long Idle State - WOL Enabled		W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P <sub>sleep</sub> )	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category I3				<u>L</u>	
Short Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P <sub>sleep</sub> )	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category I2					_
Short Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P <sub>sleep</sub> )	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category I1					$\overline{}$
Short Idle State - WOL Enabled	w	W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Psleep)	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W		
PTEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week		

P_C W Mode(\$5) - WOL Enabled; P_m_: Sleep Mode(\$3) - WOL Enabled; P_m_: tide State - WOL Enabled	ETEC * Annual En	ergy Consumption	kWh/week	kWh/week	kWh/week	idle )	C = (8760/1000) x (P <sub>off</sub> x 0.45 + P <sub>sleep</sub> x 0.15+ P <sub>short idle</sub> x 0.35)			
Pint Speed * : Images per minute  Default time to enter energy save mode: 25 minutes  P9.2* Information about the energy save function is provided with the product.  P9.9* The product meets the energy requirements of the following voluntary program/s: ENERGY STARes version: Version 6.0 Tier: Product category: Integrated Desktop Computer Others specify:  P10 Emissions  Noise emission - Declared according to ISO 9296  P10.1 Mode	Disalessas			5) - WOL Enabled; P	P <sub>sleep</sub> : Sleep Mode(	(S3) -	WOL Enabled; P <sub>idle</sub> : Idle State - Wo	OL Enab	led	
Default time to enter energy save mode: 25 minutes   P9.2'	. ,		wegapixeis							
P9.2° Information about the energy save function is provided with the product.	Print Spee	ed * : Ima	iges per minute							
P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: Version 6.0* Tier: Product category: Integrated Desktop Computer  Others specify:  P10.1 Emissions  Noise emission — Declared according to ISO 9296  P10.1 Mode	Default tim	ne to enter energy sav	e mode: 25 minute	S						
ENERGY STAR® version: Version 6.0 Tier: Other specify: Integrated Desktop Computer Others specify: Integrated Desktop Computer Other specify: Integrated Desktop Computer Other Specify: Integrated Desktop Computer Other Specification    P10.1 Note emission - Declared according to ISO 9296  P10.1 Note emission - Declared according to ISO 9296  P10.2 Declared A-weighted Sound proseure level L <sub>IVAd</sub> (B) Declared A-weighted Sound proseure level L <sub>IVAd</sub> (B) Operator positions on Operator Desk side	P9.2*	Information about th	e energy save fund	tion is provided wit	th the product.			$\boxtimes$		$\overline{\Box}$
ENERGY STAR® version: Version 6.0 Tier: Other specify: Integrated Desktop Computer Others specify: Integrated Desktop Computer Other specify: Integrated Desktop Computer Other Specify: Integrated Desktop Computer Other Specification    P10.1 Note emission - Declared according to ISO 9296  P10.1 Note emission - Declared according to ISO 9296  P10.2 Declared A-weighted Sound proseure level L <sub>IVAd</sub> (B) Declared A-weighted Sound proseure level L <sub>IVAd</sub> (B) Operator positions on Operator Desk side	P9.3*	The product meets t	the energy requiren	nents of the following	ng voluntary pro	aram	n/s:			
Noise emission — Declared according to ISO 9296	. 0.0	ENERGY STAR® v								
P10.1   Mode   Mode description   Aveighted Sound power level   L_NAM (B)   Departor position   Desktop   Operator	P10									
A-weighted sound power level \$L_{WAd}\$ (B)   Deparator position   Desktop   Operator position   Desktop   Operator position   Operator attended   Idle	D10.1			to ISO 9296	Doolared		Declared A weighte	d		
Sound power	F 10.1	Mode	ode description				•			
Idle							•			
Desktop or Desk side of Desk si					level $L_{WAd}$ (	(B)	Operator position Bystar	nder pos	itions	
Idle					,,,,td		Desktop 🗵		Ш	
Idle										
Operation		Idle *	HDD:Idle		2.7			ator atte	naca)	П
Other mode   ODD operating   N/A   N/A   N/A     Measured according to   StO7779   ECMA-74   Conly if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance   m)										ΙĦ
Measured according to:		_ '								
Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance m)				FCMA-74						1
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:   Chemical emissions from printing products   P10.4 Typical emission rate (print phase) is (mg/h):   Dust		mododiod doosidiiig			red by ECMA-74	1 with	Lnam measurement distance	m)		
Chemical emissions from printing products	P10.2	The product meets t								
P10.4 Typical emission rate (print phase) is (mg/h):  Dust Ozone Styrene Benzene TVOC  P10.5 Chemical emission requirements of the following voluntary program/s are met for:  Dust Ozone Styrene Benzene TVOC  Electromagnetic emissions  P10.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:  P11.0 Consumable materials for printing products  P11.1 A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).  P11.2 Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.  P11.3 2-sided (duplex) printing/copying is an integrated product function.  P12 Ergonomics for computing products  P12.1 The display meets the ergonomic requirements of ISO 9941-307 for visual display technologies.  P12.2 The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13.1 Product packaging material type(s): Paper weight (g): 1073.8 Product packaging material type(s): PPE weight (g): 537.2 Product packaging material type(s): EPE weight (g): 537.2 Product packaging material type(s): EPE weight (g): 30  P13.2 Product plastic packaging is free from PVC.  P13.3 Specify media for user and product documentation, please specify contained percentage of post-consumer recycled fiber: 80 %  P14 Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information more information.				•			· · · ·			
P10.4 Typical emission rate (print phase) is (mg/h):  Dust	P10.3*	Test performed acco	ording to ECMA-32	8 (ISO/IEC 28360)	standard, ot	ther s	specify:			$\boxtimes$
P10.5   Chemical emission requirements of the following voluntary program/s   are met for :   Dust   Ozone   Styrene   Benzene   TVOC	P10.4	Typical emission rat	e (print phase) is (r	ng/h):			-			$\boxtimes$
Dust										
P10.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:  P11 Consumable materials for printing products  P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).  P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.  P11.3* 2-sided (duplex) printing/copying is an integrated product function.  P12 Ergonomics for computing products  P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation  P13.1* Product packaging material type(s): Paper weight (g): 1073.8 Product packaging material type(s): EPE weight (g): 537.2 Product packaging material type(s): LDPE weight (g): 30  P13.2* Product plastic packaging is free from PVC.  P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other , Othe	P10.5									
P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): Paper weight (g): 1073.8 weight (g): 537.2 Product packaging material type(s): EPE weight (g): 537.2 Product packaging material type(s): LDPE weight (g): 30 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic  Paper  Other  Other  PVC. P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 80 % P14 Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:										
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).  P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.  P11.3* 2-sided (duplex) printing/copying is an integrated product function.  P12 Ergonomics for computing products  P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation  P13.1* Product packaging material type(s): Paper weight (g): 1073.8 Product packaging material type(s): LDPE weight (g): 537.2 Product packaging material type(s): LDPE weight (g): 30  P13.2* Product plastic packaging is free from PVC.  P13.3* Specify media for user and product documentation (tick box): Electronic Apaper Onter Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.		program/s:	·	<u> </u>	y electromagnet	tic fie	elds of the following voluntary			
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.  P11.3* 2-sided (duplex) printing/copying is an integrated product function.  P12 Ergonomics for computing products  The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13.1* Product packaging material type(s): Paper weight (g): 1073.8 Product packaging material type(s): EPE weight (g): 537.2 Product packaging material type(s): LDPE weight (g): 30  P13.2* Product packaging is free from PVC.  P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other   P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 80 %  P14 Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						.,				<u> </u>
EN12281.  P11.3* 2-sided (duplex) printing/copying is an integrated product function.  P12 Ergonomics for computing products  P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation  P13.1* Product packaging material type(s): Paper weight (g): 1073.8									Щ.	$\square$
P12 Ergonomics for computing products  P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation  P13.1* Product packaging material type(s): Paper weight (g): 1073.8 Product packaging material type(s): EPE weight (g): 537.2 Product packaging material type(s): LDPE weight (g): 30  P13.2* Product plastic packaging is free from PVC.  P13.3* Specify media for user and product documentation (tick box): Electronic 风, Paper 风, Other □  P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 80 %  P14 Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.  P3 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:		EN12281.			7.1	d tha	it it meets the requirements of	_ <u>_</u> _	<u> </u>	
P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13.1* Product packaging material type(s): Paper weight (g): 1073.8 Product packaging material type(s): EPE weight (g): 537.2 Product packaging material type(s): LDPE weight (g): 30  P13.2* Product plastic packaging is free from PVC.  P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other  P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 80 %  P14 Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.  P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:					function.				Ш	$\boxtimes$
P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation  P13.1* Product packaging material type(s): Paper weight (g): 1073.8     Product packaging material type(s): EPE weight (g): 537.2     Product packaging material type(s): LDPE weight (g): 30  P13.2* Product plastic packaging is free from PVC.  P13.3* Specify media for user and product documentation (tick box):     Electronic , Paper , Other   P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 80 %  P14 Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.  P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			1 01		44.007.6	1 -0	alas da alas alas da a			
P13.1* Product packaging material type(s): Paper weight (g): 1073.8 Product packaging material type(s): EPE weight (g): 537.2 Product packaging material type(s): LDPE weight (g): 30  P13.2* Product plastic packaging is free from PVC.  P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other   P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 80 %  P14 Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.  P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:								<u> </u>		<u> </u>
P13.1* Product packaging material type(s): Paper weight (g): 1073.8 Product packaging material type(s): EPE weight (g): 537.2 Product packaging material type(s): LDPE weight (g): 30  P13.2* Product plastic packaging is free from PVC.  P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other   P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 80 %  P14 Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.  P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:				quirements of ISO	9995 and 150 9	241-	410.			Ш
Product packaging material type(s): EPE weight (g): 537.2 weight (g): 30  P13.2* Product plastic packaging is free from PVC.  P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other   P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 80 %  P14 Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informati provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.  P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:				Panar weight	(a): 1072 P					
Product packaging material type(s): LDPE weight (g): 30  P13.2* Product plastic packaging is free from PVC.  P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other   P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 30 %  P14 Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.  P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:	1 13.1									
P13.3* Specify media for user and product documentation (tick box):  Electronic , Paper , Other   P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 80 %  P14 Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.  P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:										
P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 80 %  P14 Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.  P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:		Product plastic pack	aging is free from I	PVC.				$\boxtimes$		
fiber: 80 %  P14 Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.  P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:	P13.3*			cumentation (tick be	ox):					
P14 Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informati provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.  P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:	P13.4*	For paper user and		tion, please specif	y contained perc	centa	age of post-consumer recycled			
<ul> <li>information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informatio provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.</li> <li>P9 See Energy Star Qualified Notebooks &amp; Tablet Computers for the latest information:</li> </ul>	P14		tion (See Note B4)							
	P9	information containe knowledge available provided here is app information.	ed in this document at the time of com proximate and provi	. All information propletion, and supplied ded for information	ovided by supplicer shall have no nal purposes only	er in oblig y. Se	this document is provided based gation to update such information ee a Lenovo Account Representa	d on sup n. The ir	plier's nforma	
http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO										

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## **Lenovo ErP Lot3 Information Sheet**

## - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo N300	Logo
Model Number	10161, F0AL	_
Issue Date	2014.05.15	lenovo.
Additional information		

P7.1.1	Product environmental attributes	
(d)	year of manufacture: Please see product name plate	
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:	188
(f)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:;c	NA
(l)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10%: 20%: 50%: 100%: Average:	
(m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
	or Level: V	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	NA
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:	
	230 Volts AC, 50 Hz	
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:	
	Follow Energy-Star requirement if internal PSU is applicable	
(p-2)	the measurement methodology used to determine information mentioned in points $(m)$ – external PSU efficiency:	
	Follow Energy-Star requirement if external PSU is applicable	

(p-3)	the r		nent methodology used to determine information mentioned in points (o) – loadingcycles	NA	
(p-4)			ent methodology used to determine information mentioned in maximum, idle, sleep, off mode ed in Point P9.1 in the Product IT Eco Declaration:		
	Follow	w Energy-	-Star requirement		
(q)	seque	ence of st	eps for achieving a stable condition with respect to power demand::		
	Follow	w Energy-	-Star requirement		
(r)	descr	ription of h	now sleep and/or off mode was selected or programmed:		
			will enter sleep mode automatically after no user or network activity for a period of time (it wer management setting).		
(s)	seque off m		vents required to reach the mode where the equipment automatically changes to sleep and/or		
			le, the computer will enter sleep mode automatically after no user or network activity for a		
			(it depends on power management setting). user could press "Start", and select "Shut down" in OS to allow the computer to shut off		
(t)			of idle state condition before the computer automatically reaches sleep mode, or another in does not exceed the applicable power demand requirements for sleep mode (in minutes):	25	
(u)		-	ime after a period of user inactivity in which the computer automatically reaches a	40	
	powe	er mode t	hat has a lower power demand requirement than sleep mode (in minutes):	10	
(v)	the le	ength of t	ime before the display sleep mode is set to activate after user inactivity (in minutes):	10	
(w)	inforn	nation on	the energy-saving potential of power management functionality:		
	Inforr	Information on the energy-saving potential of power management functionality is shown in OS			
(x)	user information on how to enable the power management functionality:				
	Please Lenovo confirm where or which document will show user information about how to enable the power management functionality.				
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:				
	230 \	/olts AC,	50 Hz		
Additio		ok Batte	ry Information:		
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a n user.	on-professional	
			The battery[ies] in this product cannot be easily replaced by users themse	elves	
Addit: -	nol info				
Additional information					

# Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19