

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	personal computer
Commercial name *	ideacentre 720 Tower
Model number *	90HT
Issue date *	2018-03-28
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other
Additional information	ENERGY STAR® Qualified;

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	90HT Logo			
Issue dat	e *	2018-03-28	Lena)
Product	environ	mental attributes - Legal requirements	Require	ment	met
Item			Yes	No	n.a.
P1	Hazardo	ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
1 1.0		pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentr	ration values.			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\square		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the))		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μ g/cm²/week	\square		
		al reference).			
D4 7		nt: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
		vw.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batterie				
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\square		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes		
	referenc				
P2.3*		s and accumulators are readily removable. (See legal reference)	\square		
P3		nity verification & Eco design (ErP)			
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference).	\bowtie		
		laration of Conformity can be requested at (add link or e-mail address):			
D2 0*		vw.lenovo.com/social_responsibility/us/en/ec_doc_desktops/			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).			
	•	d information is; given in item P15 or added to this document,			
	Required				
DE	Draduct	available at (add URL):			
P5.1*		<mark>: packaging</mark> ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an			
	hexavale	ent chromium by weight of these together.			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material(s e legal reference).			
P5.3*		duct packaging material is free from ozone depleting substances as specified in the Montrea	1 🖂		
		(see legal reference).			
		nt: Legal reference has no maximum concentration values.			
P6		nt information			_
P6.1*	Informati	ion for recyclers/treatment facilities is available (see legal reference).	\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	90HT	Logo	Lenovo			
Issue dat	te *	2018-03-28		Len		D	
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)				
		onmental conscious design		Require		met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7 P7.1*		Disassembly, recycling t have to be treated separately are easily separable					
P7.2*		haterials in covers/housing have no surface coating.				╞	
P7.3*		arts > 100 g consist of one material or of easily separable materials.				<u> </u>	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>	
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools		╞	╞	
P7.6*	•				<u> </u>	<u> </u>	
P7.6		re easily separable. (This requirement does not apply to safety/regulatory labels).					
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives					
P7.8*		ig can be done using commonly available tools			<u> </u>	<u> </u>	
P7.9						<u> </u>	
		arts are available after end of production for: years				<u> </u>	
P7.10		s available after end of production for: years					
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):					
F7.11			al type:				
P7.12		n materials of external electrical cables are PVC free.			\square		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				Ħ	
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	promine and 0,19	%		H	
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	e retardants, an	ld			
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) g more than 25% post-consumer recycled content.	chlorine in par	IS			
P7.15		circuit boards, PCBs (without components) are low halogen: all PCBs >	25 g are lo	w	\square		
		as defined in IEC 61249-2-21. (See 1NOTE B2)					
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes			
P7.17	Marking:	nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):				
1 7.17		A (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy		\boxtimes			
			,				
	<u>Alt. 2: </u> Ch	nemical specifications of flame retardants in printed circuit boards (without compon	ents) > 25 g	\bowtie			
		g ISO 1043-4: FR(16)	, 0				
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0.1%:	es/preparations i	n			
		ical name: , CAS #: (See NOTE B4)					
		ical name: , CAS #: "					
	3. Chemi	ical name: , CAS #: "					
	<u>Alt. 2: </u> Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:				
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	h have been				
	assigned	the following Risk phrases; and Hazard statements:					
	The sour	rce(s) for these classifications is/are found at (add URL(s)):	See note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes			
	If YES: a	t least one of the two alternatives below shall be answered;					
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter	nt (calculated as				
	•	ercentage of total plastic by weight) is 60.84%.					
	or b) The	weight of recycled material is 235 g.					
	b) The						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	90HT				Logo		
Issue date *	2018-03-	28				Lenovo	
Product environ	nental at	tributes - Market r	equirements (conti	nued)		Requirement r	met
Item	nontal at		equilemente (conti	nacaj			n.a.
Materia	and subs	tance requirements	(continued)				-
			in the product (See N	OTE B7):			
If YES: a	at least one	e of the two alternative	es below shall be answ	ered:			
a) Of	total plasti	c parts' weight > 25 g		material content (calcu	lated as a percent	tage	
	otal plastic	by weight) is %	, D.				
or b) The	e weiaht of	the biobased plastic r	material is a.				
			less than 0,1 mg/lamp.				\boxtimes
		specify: Number of lar	nps: and maxim	um mercury content pe	r lamp: mg		
P8 Batterie P8.1* Battery (-	omposition: Lithium L	on/Lithium Manganes	o Dioxido			
		ion (See NOTE B8)					
			s or energy consumption	ons are reported:			
Energy mode *		Power level at	Power level at	Power level at	Reference/Stand	dard for energy	
		100 V AC	115 V AC	230 V AC	modes and test		
Peak (On-max)		W	W	W	Full load		
Category I2							
		100.144					
Short Idle State - W Enabled	/OL	160. W	16.6 W	15.9 W	Use for ENERG registration (Pic		
					· ·		
Long Idle State - W Enabled	OL	14.6 W	15 W	14.3 W	Use for ENERG		
Enabled					registration (P _{ic}	die)	
Sleep (S3) - WOL E	nabled	1.2 W	1.2 W	1.6 W	Use for ENERG	Y STAR V6	
					registration(Psic	еер)	
Sleep (S3) - WOL D	isabled	W	W	W	Reference		
Off (S5) - WOL Ena	blod	1.0 W	1.0 W	1.1 W	Use for ENERG	V STAR VA	
	bieu	1.0 W	1.0 VV	1.1 VV	registration(Pof		
Off (S5) - WOL Disa	blod	W	W	W	Use for ErP		
	ibieu						
		W	W	W	Reference		
Category I3							
Short Idle State - W	/OL	16 W	17.7 W	16.2 W		RGY STAR V6	
Enabled					registration (P _{ic}		
Long Idle State - W Enabled	OL	14.6 W	15 W	14.6 W		RGY STAR V6	
Enabled					registration (P _{ic}	die)	
Sleep (S3) - WOL E	nabled	1.2 W	1.2 W	1.6 W	Use for ENE	RGY STAR V6	
					registration(Psic	еер)	
Sleep (S3) - WOL D	isabled	W	W	W	Reference		
Off (S5) - WOL Ena		1.0 W	1.0 W	1.1 W	lise for ENE	RGY STAR V6	
	NICU				registration(Pof		
Off (S5) - WOL Disa	abled	W	W	W	Use for ErP		
		W	W	W	Reference		
Category D1					1		
Short Idle State - W Enabled	/OL	26.1 W	26.5 W	26.3 W	Reference		
LIIANICU							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

	05 7 14/	00.144	05.0.14	Defense
Long Idle State - WOL Enabled	25.7 W	26 W	25.8 W	Reference
Enabled				
Sleep (S3) - WOL Enabled	1.3 W	1.3 W	1.3 W	Reference
Sleep (S3) - WOL Disabled	W	W	W	Reference
Off (S5) - WOL Enabled	1.0 W	1.0 W	1.0 W	Reference
Off (S5) - WOL Disabled	W	W	W	Reference
	W	W	W	Reference
Category D2				
Short Idle State - WOL Enabled	26.3 W	26.6 W	26.5 W	Reference
Long Idle State - WOL	25.9 W	26.1 W	25.7 W	Reference
Enabled				
Sleep (S3) - WOL Enabled	1.3 W	1.3 W	1.3 W	Reference
Sleep (S3) - WOL Disabled	W	W	W	Reference
Off (S5) - WOL Enabled	1.0 W	1.0 W	1.0 W	Reference
Off (S5) - WOL Disabled	W	W	W	Reference
	W	W	W	Reference
EPS No-load	W	W	W	
(External power supply / charger plugged in the wall outlet but disconnected from the product.)				
wall outlet but disconnected from the product.) PTEC *	W	W	W	
Typical Energy Consumption	vv	vv	VV	
ETEC *	73.2 kWh/year	74.8 kWh/year	72.7 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.45
Annual Energy Consumption	72.5 kWh/year	78.2 kWh/year	73.9 kWh/year	+ $P_{sleep} \times 0.05 + P_{long_ldle} \times 0.15+$
	118.3 kWh/year	119.7 kWh/year	119 kWh/year	Pshort_Idle x 0.35)
	119 kWh/year	120.1 kWh/year	119.4 kWh/year	
External Power Supply Efficien				Enabled; Pidle: Idle State - WOL Enabled
	•	TETICIENCY Marking Pro		
	egapixels			
Default time to enter energy sa				
P9.2* Information about 1	the energy save functi	on is provided with the p	product.	
P9.3 Energy efficiency of	class (monitors only):			
P10 Emissions				
	Declared according to	DISO 9296 (See NOTE		
P10.1 Mode M	Iode description		Statistical upper limit	t A-weighted sound power level, L _{WA,c} (B)
Idle *	HDD:Idle		* 3.3	
Operation *	HDD: Operating		* 3.4	
Other mode	eclared A-weighted soun	d pressure level (dB) L _{pAm}	18 (operator positio	n desktop – idle)
Other mode	eclared A-weighted soun	od pressure level (dB) L _{pAm}	20 (operator positio	n desktop – operating)
Measured accordir	ng to: 🔀 ISO 7779 🗌	ECMA-74		
	Other	(only if not covered by	ECMA-74)	

Model nu	nber *	90HT					Logo			
Issue date	*	2018-03-28						Len	ovo	тм
Product	environr	mental attribute	es - Market requiren	nents (con	tinued)			Requir	ement	t met
ltem								Yes	No	n.a.
		nagnetic emissic								
P10.4	program	(s):	ne requirement for low	frequency el	ectromagneti	ic fields of the foll	owing volunta	ry		
P12		mics for computi								
P12.1*	The disp	lay meets the erg	onomic requirements o	of ISO 9241-3	307 for visual	l display technolo	gies.			\square
P12.2*	The phy	sical input device	meets the requirements	s of ISO 999	5 and ISO 92	241-410.			\boxtimes	
P13	Packagi	ing and documer	itation							
P13.1*	Product	packaging materia packaging materia packaging materia	al type(s): <i>paper</i>	weight (kg weight (kg weight (kg): 1.060					
P13.2*	Product	plastic primary pa	ckaging is free from PV	/C.						
P13.3*	For proc		igated fiberboard pack		ify the conta	ained percentage	of minimum	post-		
P13.4*	Specify		d product documentatio	on (tick box):						
P13.5	Ùser and		item if paper documer ntation on paper media					\boxtimes		
	Totallv c	hlorine-free								
		al chlorine-free								
	Process	ed chlorine-free								
P14	Volunta	ry programs								
P14.1			uirements of the follow	ving voluntar	y program(s)	:				
	ENERG Eco-labe Eco-labe		Criteria version: 6. Criteria version: Criteria version:	1	Date: Date: Date:	Product of Product of Product of		9,D1,D2		
P15	Addition	nal information (S	See NOTE B10)				<u> </u>			
P9			specific configuration	n may vary;	description	of the tested pro	oduct configu	iration:		
	NOTE: S informat knowled	Supplier makes no ion contained in th ge available at the I here is approxima	representations, guara is document. All inform time of completion, ar ate and provided for inf	antees, assu nation provid nd supplier s	rances or wa ed by supplie hall have no	rranties whether er in this documer obligation to upda	express or import is provided late such inform	plied, regardi based on su nation. The i	oplier's nformat	tion
P9	See Ene	ergy Star Qualified	Notebooks & Tablet C /index.cfm?fuseaction=				code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ideacentre 720 Tower	Logo
Model Number	90HT	
Issue Date	2018-03-28	Lenovo
Additional information	ENERGY STAR® Qualified;	

P7.1.1	Product environmental attributes				
(d)	year of manufacture:				2018
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with	y and capability adjust switchable graphics m	ments applied when a node with UMA driving	Ill discrete graphics of the display.	cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	III discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]		30		28
ents ting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
ability a	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
cap app	Discrete graphics Card(s) [number / #]	# <u>:</u> (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)
	Category of discrete graphics Card(s)		G7		G7
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		62.11		63.42
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		98.53		97.45
(g)	Idle state power demand (Watts);				26.57 26.26
(h)	Sleep mode power demand (Watts);				1.29 1.3
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.29 1.3
(j)	Off mode power demand (Watts);				0.92 0.92
(k)	Off mode with WOL enabled power dema	and (Watts) (where ena	abled);		1.01 1.01
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output pow	er (if applicable):	
	FSP400-40AGPAA: 10% 86.34% 20%	90.92% 50% 92.29	% 100% 89.96% A	verage	
(m)	External power supply efficiency (if applied	cable)*:			
	Average active efficiency:				
(0)	*internal note: show values for all available external po Minimum number of loading cycles that t		and (applies only to p	otobook computers):	
(0)		ne ballenes can willist	and (applies only to h	olebook computers).	N/A

	Measurement metho	dology used to determine information mentioned in p 80 PLUS® Program	ooints (I) – internal PSU efficiency:	
(p-2)	Measurement metho	dology used to determine information mentioned in p N/A	ooints (m) – external PSU efficiency:	
(p-3)	Measurement metho	dology used to determine information mentioned in p N/A	oints (o) – loading cycles batteries:	
(p-4)		dology used to determine information mentioned in n Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement n		
(q)	Sequence of steps fo	r achieving a stable condition with respect to power Power on -> Wait 5 minutes ->Stable con		
(r)	Description of how sl	eep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or o	ff mode	
(s)		required to reach the mode where the equipment aut	omatically changes to sleep and/or	
	off mode: Control Pane	el->Power Options-> Change Settings-> Restore of	default settings for this plan	
(t)	condition which does	e condition before the computer automatically re not exceed the applicable power demand requirement	ents for sleep mode (in minutes):	25min
(u)	•	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	• •	
(v)	Length of time befo	re the display sleep mode is set to activate after u	user inactivity (in minutes):	10min
(w)	Information on the en	ergy-saving potential of power management function N/A	nality:	
(x)	User information on h	now to enable the power management functionality: <i>Refer to User Guide</i>		
(z)		neasurements: — test voltage in V and frequency in system, — information and documentation on the ins tting:		
		230V/50Hz		
Additiona	al Notebook Batter	v Information:		
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily		
		replaced by users themselves. ¹⁾		
	uilt-in Battery			
	uilt-in Battery detachable Battery			
External/d Bios Back	-			
External/d	letachable Battery			
External/d Bios Back Other:	letachable Battery			
External/d Bios Back Other:	detachable Battery kup Battery			
External/d Bios Back Other:	detachable Battery kup Battery			
External/d Bios Back Other: Additional	detachable Battery sup Battery information			
External/d Bios Back Other: Additional	detachable Battery kup Battery information i) in this product cannot be o ra[ите] батерия[и] в този и	аsasily replaced by users themselves.	П	
External/d Bios Back Other: Additional	Information	еаsily replaced by users themselves. продукт не може да се замени[ят] лесно от самите потребите ser sustituidas fácilmente por los propios usuarios. r neměli provádět sami uživatelé.	 Полистрания Полистрания Воли. 	
External/d Bios Back Other: Additional	letachable Battery sup Battery information] in this product cannot be of rта[ите] батерия[и] в този о е este producto по риеби e/baterif и tomto výrobku by kke uden videre udskifte ba	еasily replaced by users themselves. продукт не може да се замени[ят] лесно от самите потребите ser sustituidas fácilmente por los propios usuarios. // neměli provádět sami uživatelé. titeriet/batterierme i dette produkt.		
External/d Bios Back Other: Additional	detachable Battery kup Battery information information in this product cannot be of in this product cannot be of in this product cannot be of information information information information information information	еаsily replaced by users themselves. продукт не може да се замени[ят] лесно от самите потребите ser sustituidas fácilmente por los propios usuarios. / neměli provádět sami uživatelé. utteriet/batterierne i dette produkt. //können nicht ohne weiteres vom Benutzer selbst ausgetauscht e hölpsasti asendada.		
External/d Bios Back Other: Additional	letachable Battery kup Battery information i) in this product cannot be d rra[ите] батерия[и] в този и e este producto no pueden e/baterií v tomto výrobku by kke uden videre udskifte ba kkus dieses Produkts kann aa selle toote akut/akusid is c) ото προϊόν αυτό δεν μπο is présente(s) dans ce prod	a a a b b c <t< td=""><td>werden.</td><td></td></t<>	werden.	
External/d Bios Back Other: Additional	detachable Battery kup Battery information i in this product cannot be of e este producto no pueden e/baterii of tomto výrobku by kke uden videre udskifte ba kkus dieses Produkts kann as selle toote akut/akusid is g ото проїо́х ошто́ δεν µто is présente(s) dans ce prod ize lako zamijeniti Bateriju s atterie in questo prodotto n	Basily replaced by users themselves. ppogykr не може да се замени[ят] лесно от самите потребите ser sustituidas fácilmente por los propios usuarios. r neměli provádět sami uživatelé. titterier/batterierne i dette produkt. /können nicht ohne weiteres vom Benutzer selbst ausgetauscht e hôlpsasti asendada. poύν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs e sam u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente.	werden.	
External/d Bios Back Other: Additional	Aetachable Battery kup Battery information i) in this product cannot be of tra[tre] δατερισ4[μ] ε τουμ of e este producto no pueden e/baterii v tomto výrobku by kke uden videre udskifte ba kkus dieses Produkts kann as selle toote akuťAkusid is c] στο προϊόν αυτό δεν μπο (s présente(s) dans ce prod že lako zamijeniti Bateriju s atterie in questo prodotto n evar nomainīt šā ražojuma	a a b b b c <t< td=""><td>werden.</td><td></td></t<>	werden.	
External/d Bios Back Other: Additional	letachable Battery kup Battery information information in this product cannot be of ra[ите] батерия[и] в този об e este producto no pueden e/baterií v tomto výrobku by kke uden videre udskifte ba kkus dieses Produkts kann aa selle toote akut/akusid is g oro mpoióv auró šev µro s présente(s) dans ce prod že lako zamijeniti Bateriju s vatterie in questo prodotto n evar nomainīt šā ražojuma terijos [bateriju] pats vartotm mulátorát/akkumulátorait a	easily replaced by users themselves. popykr He Moжe да се замени[ят] лесно от самите потребите ser sustituidas fácilmente por los propios usuarios. r neměli provádět sami uživatelé. titeriet/batterierne i dette produkt. /können nicht ohne weiteres vom Benutzer selbst ausgetauscht e hőlpsasti asendada. poúv vα αντικατασταθούν εύκολα από τους ίδιους τους χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs e sam u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us). jas negali lengvai pakeisti. jelahasználó nem tudja egyedül egyszerűen kicserélni.	werden.	
External/d Bios Back Other: Additional	Ietachable Battery Aup Battery information in this product cannot be rra[ите] батерия[и] в този и e este producto no pueden e/baterií v tomto výrobku by kke uden videre udskifte ba kkus dieses Produkts kann aa selle toote akut/akusid is j oro προϊόν αυτό δεν μπο is présente(s) dans ce prod iže lako zamijeniti Bateriju s vatterie in questo prodotto n evar nomainīt šā ražojuma iterijos [baterijų] pats vartot mulátorát/Jakkumulátorait a a i dette produktet kan ikke le	easily replaced by users themselves. πродукт не може да се замени[ят] лесно от самите потребите ser sustituidas fácilmente por los propios usuarios. / neměli provádět sami uživatelé. tteret/batterierne i dette produkt. //können nicht ohne weiteres vom Benutzer selbst ausgetauscht e hölpsasti asendada. poúv vα αντικατασταθούν εύκολα από τους ίδιους τους χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs e sam u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente. aakumulatoru(-us). ojas negali lengvai pakeisti. felhasználó nem tudja egyedül egyszerűen kicserélni. «/jistgħux tiġi/jiğu sostitwita/i mil-utenti stess. ti erstattes av brukerne selv.	werden.	
External/d Bios Back Other: Additional	letachable Battery kup Battery information information in this product cannot be of ra[ите] батерия[и] в този оf e este producto no pueden e/baterií v tomto výrobku by kke uden videre udskifte ba e/baterií v tomto výrobku by kke uden videre udskifte ba e/baterií v tomto výrobku by kke uden videre udskifte ba spester udskifte ba spester (s) dans ce prod še prózente(s) dans ce prod še lako zamijeniti Bateriju s vatterie in questo prodotto n evar nomainīt šā ražojuma uterijos [bateriju] pats vartotr mulátorát/akkumulátorait a i dette produktet kan ikke le in dit product is (zijn) door r može sam w latwy sposób	Basily replaced by users themselves. ppogykr не може да се замени[ят] лесно от самите потребите ser sustituidas fácilmente por los propios usuarios. r neměli provádět sami uživatelé. ttteriet/batterierne i dette produkt. /können nicht ohne weiteres vom Benutzer selbst ausgetauscht e hôlpsasti asendada. poúv va αντικατασταθούν εύκολα από τους ίδιους τους χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs e sam u ovom proizvodu. on puó/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us). pias negali lengvai pakeisti. felhasználó nem tudja egyedűl egyszerűen kicserélni. v/jistghux tiģi/jigu sostitwita/i mill-utenti stess. tt erstattes av brukerne selv. de gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie.	werden.	
External/d Bios Back Other: Additional	Aetachable Battery kup Battery information i in this product cannot be ra[μτe] δarepμя[μ] в този e este producto no pueden e/baterií v tomto výrobku by kke uden videre udskifte ba kkus dieses Produkts kann as selle toote akuťvákusid is c] στο προϊόν αυτό δεν μπο is présente(s) dans ce prod ze lako zamijeniti Bateriju s vatterie in questo prodotto n evar nomainīt šā ražojuma tterijos [baterijų] pats vartott mulátorát/akkumulátorait a eriji f dan il-prodott ma tistaz i dette produktet kan ikke le in dit product is (zijn) door c s može sam w latwy sposób sa deste produto não poden	easily replaced by users themselves. πродукт не може да се замени[ят] песно от самите потребите ser sustituidas fácilmente por los propios usuarios. r neměli provádět sami uživatelé. tteriet/batterierne i dette produkt. /können nicht ohne weiteres vom Benutzer selbst ausgetauscht e hölpsasti asendada. poúv vα αντικατασταθούν εύκολα από rouç íδiouç rouç χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs e sam u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us). ojas negali lengvai pakeisti. felhasználó nem tudja egyedül egyszerűen kicserélni. utjistgħux tiġi/jiġu sostitwita/i mill-utenti stess. et erstattes av brukerne selv. te esterties av brukerne selv. mymenić baterii w tym produkcie. n ser facilmente substituidas pelos próprios utilizadores.	werden.	
External/d Bios Back Other: Additional	In this product cannot be in this product cannot be in this product cannot be ra[Ime] Garepus[in] B tosu e este producto no pueden e/baterii v tomto výrobku by kke uden videre udskifte ba kkus dieses Produkts kann aa selle toote akut/akusid is g oro mpoïóv curó õse µrro is présente(s) dans ce prod že lako zamijeniti Bateriju s ratterie in questo prodotto n evar nomainīt šā ražojuma terijos [bateriju] pats vartot mulátorát/akkumulátorait a i dette produktet kan ikke le in dit product is (zijn) door e može sam w łatwy sposób as deste produto não poden le) din acest produs nu poa pomto výrobku nemôže vymi	asily replaced by users themselves. πродукт не може да се замени[ят] лесно от самите потребите ser sustituidas fácilmente por los propios usuarios. y neměli provádět sami uživatelé. uteriet/batterierne i dette produkt. /können nicht ohne weiteres vom Benutzer selbst ausgetauscht e hölpsasti asendada. poúv vť avrukardardeðúv εύκολα από rouç íδιouç rouç χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs e sam u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us). ojas negali lengvai pakeisti. felhasználó nem tudja egyedül egyszerűen kicserélni. /jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. tit erstattes av brukerne selv. de gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. n ser facilmente substituídas pelos próprios utilizadores. te (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.	werden.	

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.