



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo	_	
Contact information *	Lenovo Global Environmental Affairs		
e-mail address	Alvin L Carter	LEI	
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the						
statements given in this decl	statements given in this declaration.					
Type of product *	Type of product * Notebook					
Commercial name *	Lenovo ideapad S130S-14					
Model number *	81KU, 81J2					
Issue date *	2018.6.14					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	81KU, 81J2	Logo	Lonovo
Issue date *	2018.6.14		LEITOVO

Product						
Item	-	Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC)	,				
	hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT in preparations (see legal reference).					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μ g/cm ² /week (see legal reference).					
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\square				
1 2.2	reference)		ш			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		\boxtimes			
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes				
	The Declaration of Conformity can be requested at (add link or e-mail address): https://www3.lenovo.com/us/en/social_responsibility/EU_DoC_notebooks					
P3.2*	The product complies with the Eco design requirements for energy-related products,					
	(see legal reference).			ш		
	Required information is; given in item P15 or added to this document,					
	available at (add URL):					
P5	http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks/ Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent					
1 3.1	chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see	\boxtimes				
	legal reference). Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81KU, 81J2	Logo	Lonovo
Issue date *	2018.6.14		Lei IOVO.

Product environmental attributes - Market requirements (See General NOTE GN below)									
		Require	ment ı	met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.					
P7 1*	Design, Disassembly, recycling Parts that have to be treated congretally are positive anarolals.								
P7.1*	Parts that have to be treated separately are easily separable			<u> </u>					
P7.2*	Plastic materials in covers/housing have no surface coating.		<u> </u>	Ц.					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		<u>Ц</u>						
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.								
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes							
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).								
	Product lifetime								
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives								
P7.8*	Upgrading can be done using commonly available tools								
P7.9	Spare parts are available after end of production for: 4 years								
P7.10	Service is available after end of production for: 2 years								
	Material and substance requirements								
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: >ABS+PC< Material type: AL5252 Material type:								
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes						
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes						
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight								
	(1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl	. —							
	chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	6							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)								
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)								
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):								
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO , CAS #: 35948-25-5	\boxtimes							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISC 1043-4:	, _□	\boxtimes						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in								
	concentrations above 0,1%:	\boxtimes							
ĺ	1. Chemical name: Bisphenol A Diphosphate , CAS #: 181028-79-5 (See NOTE B4)								
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "								
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		\square						
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the		$\frac{\square}{\square}$	╬					
17.13	following Risk phrases; Confidential and Hazard statements: Confidential The source(s) for these classifications is/are found at (add URL(s)): European Council Directive		Ш						
	67/548/EEC , (See note B5)								
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\square						
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or								
	b) The weight of recycled material is g.								

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model num	ıber *	81KU,81	J2			Logo	Longvo
Issue date *	*	2018.6.1	4				Lenovo
Product	environn	nental at	tributes - Market ı	equirements (con	tinued)		Requirement met
Item							Yes No n.a.
	Material a	and substa	nce requirements (con	tinued)			
P7.21*	Biobased	plastic mat	erial content is used in	the product (See NOTE	B7):		
				elow shall be answered			
	-	-		e biobased plastic mate	rial content (calculated as	a percentage of tota	al
	or	tic by weig	ht) is %.				
		weight of t	he biobased plastic ma	terial is g.			
P7.22*	•		e from mercury, i.e. les				
	· · · · · · · · · · · · · · · · · · ·	is used sp	ecify: Number of lamps	: and maximum i	nercury content per lamp	: mg	
P8.1*	Batteries	omical cor	mposition: <i>Li-ion</i>				
	•		<u> </u>				
P9			(See NOTE B8)	ls or energy consump	tions are reported:		
Energy mod	-	ioduct tile	Power level at	Power level at	Power level at	Reference/Standa	ard for energy
Literay mou			100 V AC	115 V AC	230 V AC	modes and test m	
Peak (On-m	ax)		45 W	45 W	45 W	Full load	
Categor	y I <u>1</u>						
Short Idle St	tate - WOL	Enabled	5.83 W	5.68 W	6.11 W	Use for ENERGY S registration (P _{idle})	
Long Idle St	ate - WOL E	nabled	3.35 W	3.45 W	3.54 W	Use for ENERGY S registration (P _{idle})	
Sleep (S3) -	WOL Disab	led	0.27 W	0.27 W	0.30 W	Reference	
Off (S5) - W	OL Disable	1	0.22 W	0.22 W	0.25 W	Use for ErP	
EPS No-load		and to the could	0.03 W	0.03 W	0.03 W		
(External power su outlet but disconne	ipply / charger plu ected from the pro	gged in the wall duct.)					
PTEC *			W	W	W		
Typical Ener	rgy Consum	ption	19.57 kWh/year	19.26 kWh/year	20.63 kWh/year	$E_{TEC} = (8760/1000)$	N v / 0 v / 0.25 /
Annual Ener	rgy Consum	ption	19.57 KWII/year	79.20 KWII/ year	20.03 kwn/year	-	of the proof of th
			Poff: Off Mode(S5) - WOL	Enabled; Psleep: Sleep Mod	e(S3) - WOL Enabled; P _{idle} : Id	le State - WOL Enabled	
External Pov	wer Supply	Efficiency l	evel (International Effi	ciency Marking Protocol)*:		
Display reso	olution * :	1.049 meg	gapixels				
Default time	e to enter e	nergy save	mode: 20 minutes				
P9.2*	Informatio	on about th	ne energy save function	is provided with the pr	oduct.		
P9.3	.3 Energy efficiency class (monitors only):						
P10	P10 Emissions						
	Noise emi	ission – De	clared according to ISO	9296 (See NOTE B9)			
P10.1	Mode		1ode description		Statistical upper limit	A-weighted sound p	,,. ,
	Idle	*	NA		* NA		
	Operation	l l	NA		* NA		
	Other mo		eclared A-weighted sound p		(operator posit	ion desktop – idle)	
	Other mo	de D	eclared A-weighted sound p	ressure level (dB) $L_{p{\sf Am}}$	(operator posit	ion desktop – operatin	g)
Measured according to: ISO 7779 ECMA-74							

(only if not covered by ECMA-74)

NOTE B8 A Guidance document on Energy Efficiency is available;

Other

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	81KU, 81J2				Logo	Lenc	WO	
Issue date	*	2018.6.14					Leil		tm
Product	t environr	nental attribut	es - Market requirements (co	ontinued)			Require	ment	met
Item							Yes	No	n.a.
		agnetic emissions							
P10.4	•		erequirement for low frequency elec AC adapter only)	tromagnetic fields of th	ne following v	oluntary			
P12		ics for computing p							
P12.1*	The displ	ay meets the ergon	nomic requirements of ISO 9241-307	for visual display techn	ologies.				
P12.2*	The physi	cal input device m	eets the requirements of ISO 9995 ar	nd ISO 9241-410.					
P13	Packagin	g and documentati	ion						
P13.1*	Product p	packaging material packaging material packaging material	type(s): Paper weight (kg): 0.03	rg): 0.306					
P13.2*	Product p	lastic primary pack	kaging is free from PVC.				\boxtimes		
P13.3*		uct primary corrugad fiber content: 82	ated fiberboard packaging, specify the .35 %	e contained percentage	e of minimum	post-consumer			
P13.4*			oroduct documentation (tick box): Other						
P13.5	User and If Yes, ple Totally ch Elementa		em if paper documentation used) ation on paper media is chlorine-free	е:					
P14	Voluntar	y programs							
P14.1	ENERGY S	STAR® : EPEAT	irements of the following voluntary process of the	program(s): Date: 2017.4.7 Date: 2009/12/9 Date:	Product cat Product cat Product cat	egory: Silver			
P15	Addition	al information (See	NOTE B10)			<u> </u>			
P9			cific configuration may vary; descrip	tion of the tested prod	luct configura	tion:			
	NOTE: Su contained time of co provided	pplier makes no re d in this document. ompletion, and sup for informational p	presentations, guarantees, assurance All information provided by supplier plier shall have no obligation to upda purposes only. See a Lenovo Account	es or warranties wheth in this document is pr ate such information. T Representative for mo	er express or ovided based the information	implied, regardir on supplier's kno on provided here	owledge ava	ilable a	
P9			otebooks & Tablet Computers for the i/index.cfm?fuseaction=find_a_pro		roup&pgw_c	ode=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad S130S-14	Logo	
Model Number	81KU, 81J2		Lenovo
Issue Date	2018.6.14		Lenovo.
Additional information			

(d)	Year of manufacture:					
(e)	Etec value (kWh) per ErP Lot 3 Category a system is tested with switchable graphics of Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per ErP Lot 3 Category and Etec value (kWh) per Er	mode with UMA driving t	he display.			
· · ·		Category A	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D	
	Memory over base [GB]	4	(2000) 200 200 200 200 200 200 200 200 20	(Lossianing of the Lossianing	(44444444444444444444444444444444444444	
ents ting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
adjustm ring tes	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
сар	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)					
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.73				
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
g)	Idle state power demand (Watts);				3.51	
h)	Sleep mode power demand (Watts);				0.28	
i)	Sleep mode with WOL enabled power dem	and (Watts) (where enal	oled);		No 0.24	
j) k)	Off mode power demand (Watts); Off mode with WOL enabled power deman	nd (Watts) (where enable	nd).		 No	
(I)	Internal power supply efficiency at 10 %, 2 10% 20% 50% 100	0 %, 50 % and 100 % of r		pplicable):	710	
(m)	External power supply efficiency (if applicable)*: Average active efficiency: 88.64%, 88.53%, 88.45%					
(o)	*internal note: show values for all available external pov Minimum number of loading cycles that th	• • • • • • • • • • • • • • • • • • • •	d (applies only to noteb	ook computers):	800CYCLES	
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA NA					

(p-2)	o-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin						
(p-4)		ology used to determine information mentioned in max n the Product IT Eco Declaration: IEC 62623	imum, idle, sleep, off mode power as				
(q)	Sequence of steps for a	achieving a stable condition with respect to power dema Power on -> Wait 5 minutes -> Stable cond					
(r)	Description of how sle	ep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off **Table 1.5	mode				
(s)	Sequence of events re	quired to reach the mode where the equipment automa NA	tically changes to sleep and/or off mode:				
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 30min						
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):						
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10min						
(w)		ergy-saving potential of power management functionaling Refer to User Guide	ty:				
(x)	Oser information on no	ow to enable the power management functionality: Refer to User Guide					
(z)		easurements: — test voltage in V and frequency in Hz, - m, — information and documentation on the instrumer 230V50HZ-2%-Edition 2.0, 2011-01, Section 4,	tation, set-up and circuits used for				
Addition	nal Notebook Battery Ir	iformation:					
		Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a			
Internal	/built-in Battery						
External	/detachable Battery						
Bios Bac	Bios Backup Battery						
Other:	Other:						
Addition	al information						
1)							

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.