



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo | |
|--------------------------------------|--|-------|---------|
| Company name * | Lenovo | | |
| Contact information * e-mail address | Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com | | Lenovo. |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment | .html | |
| Additional information | The latest version of this document can be found at: | | |
| | http://www.lenovo.com/ecodeclaration | | |

| The company declares (| The company declares (based on product specification or test results based obtained from sample testing), that the product | | | | |
|--------------------------|--|--|--|--|--|
| conforms to the statemen | conforms to the statements given in this declaration. | | | | |
| Type of product * | Type of product * NB | | | | |
| Commercial name * | Lenovo IdeaPad S540-14/S540H-14/S540L-14/S540R-14/S540E-14/S540-14 Touch/Lenovo YangTian Air- | | | | |
| | 14 2019 | | | | |
| Model number * | 81NF/81V0/81Q2 | | | | |
| Issue date * | 2019/7/8 | | | | |
| Intended market * | Global Europe Asia, Pacific & Japan Americas Other | | | | |
| Additional information | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| Model nu | mber * | 81NF/81V0/81Q2 | Logo | Long | | |
|-----------|------------------------|--|------------------|-------------|---------------|------------------------|
| Issue dat | e * | 2019/7/8 | | Lend | | J _{TM} |
| Product | environ | mental attributes - Legal requirements | | Require | men | met |
| Item | | | | Yes | No | n.a. |
| P1 | Hazardo | us substances and preparations | | | | |
| P1.1* | Products | do comply with current European RoHS Directive. (See legal reference and NOTE | E B1) | \boxtimes | | |
| P1.2* | | do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value. | | | | |
| P1.3* | hydrobro trichloro | do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values. | | | | |
| P1.4* | terpheny | do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference). | | | | |
| P1.5* | | do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). | bon atoms in th | e 🔀 | | |
| P1.6* | (see lega | h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5. |),5 μg/cm²/weel | k 🔀 | | |
| P1.7* | REACH | Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure | contact): | \boxtimes | | |
| P2 | Batterie | | | | | |
| P2.1* | | duct contains a battery or an accumulator, the battery/accumulator is labeled with | the disposal | | $\overline{}$ | |
| 2.1 | | Information on proper disposal is provided in user manual. (See legal reference) | ine disposai | | Ш | |
| P2.2* | Batteries reference | or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme) | nium. (See lega | l 🔀 | | |
| P2.3* | Batteries | and accumulators are readily removable. (See legal reference) | | \boxtimes | | |
| P3 | Conforn | nity verification & Eco design (ErP) | | | | |
| P3.1* | | luct is CE-marked to show conformance with applicable legal requirements (see legal requirements) laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar | | | | |
| P3.2* | | luct complies with the Eco design requirements for energy-related products, al reference). | | | | |
| | Required | f information is; given in item P15 or added to this document, | | \boxtimes | | |
| | | available at: https://www.lenovo.com/us/en/compliance/e | eco-declaration | | | |
| P5 | Product | packaging | | | | |
| P5.1* | Packagir | ng and packaging components do not contain more than 0,01% lead, mercury ont chromium by weight of these together. | y, cadmium ar | nd 🔀 | | |
| P5.2* | The pack | caging materials are marked with abbreviations and numbers indicating the nature elegal reference). | of the material(| s) 🔀 | | |
| P5.3* | The prod | luct packaging material is free from ozone depleting substances as specified in the Nal reference). It reference). It: Legal reference has no maximum concentration values. | Montreal Protoc | ol 🔀 | | |
| P6 | | nt information | | | | |
| P6.1* | | on for recyclers/treatment facilities is available (see legal reference). | | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | 81NF/81V0/81Q2 | Logo | Lanava |
|----------------|----------------|------|-----------|
| Issue date * | 2019/7/8 | | Lei IOVO. |

| Product | environmental attributes - Market requirements (See General NOTE GN below) | | | |
|---------|--|------------------------------|-------------|---------------------|
| | | Require | ment | met |
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. |
| P7 | Design, Disassembly, recycling | | | |
| P7.1* | Parts that have to be treated separately are easily separable | | | |
| P7.2* | Plastic materials in covers/housing have no surface coating. | | | |
| P7.3* | Plastic parts > 100 g consist of one material or of easily separable materials. | \boxtimes | | |
| P7.4* | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | | | |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | | | |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | \boxtimes | | |
| | Product lifetime | | | |
| P7.7* | Upgrading can be done e.g. with processor, memory, cards or drives | | X | <u> </u> |
| P7.8* | Upgrading can be done using commonly available tools | | \boxtimes | |
| P7.9 | Spare parts are available after end of production for: 5 years | | | |
| P7.10 | Service is available after end of production for: 5 years | | | |
| | Material and substance requirements | | | |
| P7.11* | Product cover/housing material type (e.g. plastics, metal, aluminum): | - - - - - - - - - - - | | |
| P7.12 | Material type: Aluminum 5052 Material type: Covestro FR3008 Material type: Covestro Insulation materials of external electrical cables are PVC free. |) FR3002 | | |
| P7.13 | Insulation materials of external electrical cables are PVC free. | | | - - - |
| P7.13 | | <u> </u> | - | + |
| P7.14 | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. | d 🔼 | | Ш |
| P7.15 | Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2) | า 🗌 | | |
| P7.16 | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: | | | |
| P7.17 | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Epoxy resin flame retardant, CAS #: 26265-08-7 | | | |
| | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: | | | |
| P7.18 | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: " | | | |
| | Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: <i>FR(40)</i> | | | |
| P7.19 | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been | | \boxtimes | |
| | assigned the following Risk phrases; and Hazard statements: | | | |
| | The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) | | | |
| P7.20* | Postconsumer recycled plastic material content is used in the product (See Note B6): | \boxtimes | | |
| | If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 2%. or b) The weight of recycled material is 12 g. | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * | 81NF/81V0/81Q2 | Logo | Lonovo |
|----------------|----------------|------|-----------|
| Issue date * | 2019/7/8 | | Lei IOVO. |

| Product environmental attributes - Market requirements (continued) | Requi | remer | nt met |
|--|-------|-------|--------|
| Item | Yes | No | n.a. |

| | Matarial and and | -4 | /ti | | | |
|--|--|---|---------------------------------------|---------------------------------------|--|-------------|
| P7.21* | | stance requirements | d in the product (See N | OTE D7\: | | |
| F1.Z1 | biobaseu piastic ii | naterial content is used | in the product (See No | JIE 67). | | Ш |
| | , | | es below shall be answe | • | | |
| | | | the biobased plastic m | aterial content (calcula | ted as a percentage of | |
| | total plastic b | y weight) is %. | | | | |
| | | f the biobased plastic r | material is g. | | | |
| P7.22* | | | less than 0,1 mg/lamp. | | × n | |
| | If mercury is used | specify: Number of lar | | um mercury content pe | | |
| P8 | Batteries | | | | | |
| P8.1* | Battery chemical of | composition: lithium-ic | on | | | |
| P9 | | tion (See NOTE B8) | | | | |
| P9.1 | | | s or energy consumption | | T | |
| Energy mo | de * | Power level at | Power level at | Power level at | Reference/Standard for energy | |
| Peak (On- | movi | 100 V AC | 115 V AC | 230 V AC | modes and test method * Full load | |
| Peak (OII- | max) | 03 VV | 03 VV | 09 VV | Full load | |
| Categor | y NB1 | | | | | |
| Short Idla | State - WOL | 4.19 W | 4.03 W | 4.06 W | Use for ENERGY STAR V6 | |
| Enabled | State - WUL | 7.13 VV | 7.03 VV | 7.00 VV | registration (P_{idle}) | |
| | | | | | , , | |
| | State - WOL | 1.71 W | 1.72 W | 1.97 W | Use for ENERGY STAR V6 | |
| Enabled | | | | | registration (P _{idle}) | |
| Sloop (S2) | - WOL Enabled | 0.60 W | 0.50 W | 0.59 W | Use for ENERGY STAR V6 | |
| Sieep (SS) | - WOL LIIADIEU | 0.00 VV | 0.50 VV | 0.33 VV | registration(P_{sleep}) | |
| | | | | | , , | |
| Sleep (S3) | - WOL Disabled | 0.60 W | 0.50 W | 0.59 W | Reference | |
| Off (S5) - I | NOL Enabled | 0.32 W | 0.34 W | 0.42 W | Use for ENERGY STAR V6 | |
| | | | | | registration(P _{off}) | |
| Off (\$5) - 1 | WOL Disabled | 0.32 W | 0.34 W | 0.42 W | Use for ErP | |
| | | | | | 030 101 211 | |
| EPS No-loa | | 0.051 W | 0.051 W | 0.112 W | | |
| (External power s wall outlet but dis | supply / charger plugged in the connected from the product.) | | | | | |
| ETEC * | | 15.05 kWh/year | 14.38 kWh/year | 15.12 kWh/year | $E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$ | |
| Annual En | ergy Consumption | | | | + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ | |
| | | D + Off Mada(CE) W/ | Ol Frahladi D. i Class | Made(C2) WOL Frable | Pshort_idle X 0.30) | |
| External Da | ower Cupply Efficier | | I Efficiency Marking Pro | | ed; P _{idle} : Idle State - WOL Enabled | |
| | | • | i Elliciency Marking Pro | nocoi) . VI | | <u> </u> |
| | solution * : 1920*10 | | | | | <u> Ц</u> |
| | | ave mode: 10 minutes | | | | |
| P9.2* | | | on is provided with the | product. | | |
| P9.3 | Energy efficiency | class (monitors only): | | | | \boxtimes |
| P10 | Emissions | | | | | |
| | Noise emission - | Declared according to | ISO 9296 (See NOTE | | | |
| P10.1 | | Mode description | | | t A-weighted sound power level, $L_{WA,c}$ (| (B) |
| | | Idle | | * 2.7 | | |
| | Operation * | CPU Operating | | * 3.6 | | |
| | Other mode | Declared A-weighted soun | d pressure level (dB) $L_{p{ m Am}}$ | 19.2 (operator po | sition desktop – idle) | |
| | Other mode | Declared A-weighted soun | d pressure level (dB) $L_{p{\sf Am}}$ | 29.8 (operator po | esition desktop – operating) | |
| | | _ | | 1 1 1 1 1 1 1 1 1 1 | | |
| | Measured accordi | ng to: 🔀 ISO 7779 🔀 | | | | |
| | | Other | (only if not covered by | ECMA-74) | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Model nun | nber * | 81ND, 81QX, 81Q0 |) | | | | Logo | Lono | VO | |
|------------|--|---|--|--|---|--|--|----------------------------|-----------------|------|
| Issue date | * | 2019/1/7 | | | | | | Leno | VO | м |
| Product e | nvironn | nental attributes | - Market requirem | ents (con | tinued) | | | Require | ment | met |
| Item | | | | | | | | Yes | No | n.a. |
| | Electron | nagnetic emissions | } | | | | | | | |
| P10.4 | program(| (s): | requirement for low fr | requency el | ectromagnetic | fields of the foll | lowing voluntary | | | |
| P12 | | nics for computing | | | | | | | | |
| P12.1* | The disp | lay meets the ergon | omic requirements of | ISO 9241- | 307 for visual d | lisplay technolo | gies. | | \boxtimes | |
| P12.2* | The phys | sical input device me | ets the requirements | of ISO 999 | 5 and ISO 924 | 1-410. | | | \boxtimes | |
| P13 | | ng and documenta | | | | | | | | |
| P13.1* | Product | packaging material t packaging material t packaging material t | ype(s): pe bag | weight (kg weight (kg weight (kg |): 0.013 | | | | | |
| P13.2* | Product | plastic primary packa | aging is free from PV | C. | | | | \boxtimes | | |
| P13.3* | | luct primary corruga er recovered fiber co | ited fiberboard packa | aging, spec | ify the contain | ned percentage | of minimum pos | st- | | |
| P13.4* | | | roduct documentatior Other | n (tick box): | | | | | | |
| P13.5 | Ùser and | | em if paper document tion on paper media | | | | | | | |
| | Totally cl | hlorine-free | | | | | | | | |
| | Elementa | al chlorine-free | | | | | | | | |
| | Processe | ed chlorine-free | | | | | | | | |
| P14 | Voluntar | ry programs | | | | | | | | |
| P14.1 | | <u>, , , , , , , , , , , , , , , , , , , </u> | ements of the followi | ng voluntar | y program(s): | | | | | |
| | Eco-labe Eco-labe | l: | Criteria version: 7.1 Criteria version: Criteria version: | | Date: 7/25 Date: Date: | Product | category: NB1 category: category: | | | |
| P15 | | al information (See | | | | | | | | |
| P9 | | | ecific configuration | | • | • | | | | |
| | information knowledge provided information | on contained in this ge available at the tii here is approximate on. | presentations, guaral document. All informa me of completion, and and provided for info | ation provid d supplier s ormational p | ed by supplier hall have no ob ourposes only. | in this documer oligation to upda See a Lenovo A | nt is provided bas ate such informat | ed on supp ion. The inf | lier's ormat | on |
| P9 | | | otebooks & Tablet Co dex.cfm?fuseaction=f | | | | _code=CO | | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name | Lenovo IdeaPad S540-14IML, Lenovo IdeaPad S540H-14IML, Lenovo IdeaPad S540L-14IML, Lenovo IdeaPad S540R-14IML, Lenovo IdeaPad S540E-14IML/Lenovo IdeaPad S540-14IML Touch/Lenovo 小新 Air-14 2019 | Logo |
|------------------------|--|--------|
| Model Number | 81NF/81V0/81Q2 | Longvo |
| Issue Date | 2019/7/8 | Lenovo |
| Additional information | | |

| d) | Year of manufacture: | | | | 2019 |
|--|---|-----------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| e) f) | Etec value (kWh) per ErP Lot 3 Categordisabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categordisabled | n switchable graphic | s mode with UMA driving | the display. | . , |
| , | enable | ry and dapability daj | dounteries applied when t | in disorcic grapinos | ourus (uoix) urc |
| | | Category A | Category B (according to ErP Lot 3) | Category C (according to ErP Lot 3) | Category D (according to ErP Lot 3) |
| | Memory over base [GB] | 12 | 12 | | |
| ents | Additional internal storage | Yes (Yes / No) | Yes (Yes / No) | (Yes / No) | (Yes / No) |
| capability adjustments applied during testing | Discrete television tuner | No (Yes / No) | No (Yes / No) | (Yes / No) | (Yes / No) |
| ability a | Discrete Audio Card | No (Yes / No) | No (Yes / No) | (Yes / No) | (Yes / No) |
| cap | Discrete graphics Card(s) [number / #] | No #: (Yes / No) | Yes #: 1 (Yes / No) | #: (Yes / No) | #: (Yes / No) |
| | Category of discrete graphics Card(s) | No | G3 | | |
| saults | Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx) | 8.47 | | | |
| Test results | Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled | | 7.94 | | |
| 3) | Idle state power demand (Watts); | | | 1 | A: 2.08 |
| 1) | Sleep mode power demand (Watts); | | | | B: 1.98 A: 0.62 |
| · . | Sleep mode with WOL enabled power d | amand (Matta) (who | ro anablad): | | B: 0.60 A: 0.62 |
|) | Sleep mode with WOL enabled power d | emand (watts) (whe | re enabled), | | B: 0.60 |
|) | Off mode power demand (Watts); | | | | A: 0.47 B: 0.42 |
| () | Off mode with WOL enabled power dem | nand (Watts) (where | enabled); | | A: 0.47 |
|) | Internal power supply efficiency at 10 % | . 20 % . 50 % and 10 | 0 % of rated output now | er (if applicable). | B: 0.42 |
| , | 10% 20% 50% | | erage | c. (applicable). | |
| n) | External power supply efficiency (if appl | icable)*: | | | |
| • | Average active efficiency: 89.24%,89.03 | • | | | |
| | *internal note: show values for all available external p | | | | |
| 0) | Minimum number of loading cycles that | the batteries can wit | hstand (applies only to n | otebook computers): | 300 |

| (p-1) | Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA | | | | |
|---|--|--|-------------------------------|-----|--|
| (p-2) | Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0) | | | | |
| (p-3) | Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin | | | | |
| (p-4) | Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623 | | | | |
| (q) | Sequence of steps for achieving a stable condition with respect to power demand: *Power on -> Wait 5 minutes -> Stable condition* | | | | |
| (r) | Description of how sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> | | | | |
| (s) | Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: | | | | |
| | | NA NA | | | |
| (t) | Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): | | | | |
| (u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): | | | | NA | |
| (v) | | | | | |
| (w) | (w) Information on the energy-saving potential of power management functionality: **Refer to User Guide** | | | | |
| (x) | User information on how to enable the power management functionality: *Refer to User Guide* | | | | |
| (z) | Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301 | | | | |
| | | 200 VOOTIL 270 Lattion 2.0, 2011 01, 000tion - | , 1202001 | | |
| Addition | al Notebook Batt | ery Information: | | | |
| | | Battery[ies] not user replaceable | Battery[ies] user replaceable | n/a | |
| | | The battery[ies] in this product cannot be easily replaced by users themselves. 1) | | | |
| Internal/built-in Battery | | | | | |
| Bios Backup Battery | | | | | |
| Other: | | | | | |
| Additiona | al information | | | | |
| | | | | | |
| <u> </u> | | | | | |
| l babattanı": | 1 in this was don't seem at his | andly replaced by years themselves | | | |

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji fdan iI-prodott ma tistax/jistghux tigi/jigiu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.