

ECMA/TC38-TG3/2015/026 (Rev. 1 – 27 Feb 2019)

### Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
e-mail address	Alvin L Carter	Lenovo.				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Notebook						
Commercial name *	Lenovo IdeaPad S540-15						
Model number *	81NE, 81NG						
Issue date *	2019/08/30						
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	81NE, 81NG	Logo				
Issue date * 2		2019/08/30		Leng	Lenovo.		
Produc	t environ	mental attributes - Legal requirements		Require	men	t me	
Item				Yes	No	n.a	
P1	Hazardo	ous substances and preparations					
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\square$			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$			
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/we	ek 🔀			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail oww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	$\square$			
P2	Batterie	S					
P2.1*	If the pro symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	$\boxtimes$			
P2.2*	Batterie: referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See leg	al 🔀			
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)		$\boxtimes$			
P3	Conform	nity verification & Eco design (ErP)					
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see legel claration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar					
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		$\square$			
		d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/e	co doclaration				
P5	Product	packaging		1			
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium a	and 🔀			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of e legal reference).	of the materia	l(s) 🔀			
P5.3*	The prod (see leg	duct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Iontreal Proto	col 🔀			
P6		nt information					
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number				
Issue date *	2019/08/30 Lene	ovc	Этм	
Product envir	onmental attributes - Market requirements (See General NOTE GN below)			
	ironmental conscious design Require	ment	met	
	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			<u> </u>
P7.2*	Plastic materials in covers/housing have no surface coating.	<u>Ц</u>		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		<u>Ц</u>	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u>Ц</u>	Ц_
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u>Ц</u>	<u> </u>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
P7.7*	Product lifetime			
	Upgrading can be done e.g. with processor, memory, cards or drives		<u> </u>	<u> </u>
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		<u> </u>
P7.9	Spare parts are available after end of production for: 5 years			<u> </u>
P7.10	Service is available after end of production for: 5 years			
P7.11*	Material and substance requirements Product cover/housing material type (e.g. plastics, metal, aluminum):			
17.11	Material type: PC+ABS+15%Talc Material type: PC+ABS Material type: AL5052			
P7.12	Insulation materials of external electrical cables are PVC free.		$\square$	
P7.13	Insulation materials of internal electrical cables are PVC free.	Ħ		Ē
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)		$\square$	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >PC+ABS<, >PC+ABS-TD15FR(40)<	$\square$		
P7.17	<u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:	$\boxtimes$		
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			$\boxtimes$
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:         1. Chemical name: BDP, CAS #: 181028-79-5 (See NOTE B4)         2. Chemical name: , CAS #: , , , , , , , , , , , , , , , , , ,			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\square$
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; <i>Confidential</i> and Hazard statements: <i>Confidential</i>			
	The source(s) for these classifications is/are found at (add URL(s)): <i>European Council Directive</i> 67/548/EEC (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 2.3%.</li> </ul>			
	or b) The weight of recycled material is <b>13.7</b> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81NE, 81NG	Logo	
Issue date *	2019/08/30		Lei Iovo.

Product environmental attributes - Market requirements (continued)

Item

Requirement met Yes No n.a.

	Material and sub	stance requirements	(continued)							
P7.21*			d in the product (See NO	DTE B7):						
	If YES: at least on	e of the two alternative	es below shall be answe	red.						
	'			,	ated as a percentage of					
	total plastic b									
	or									
P7.22*				in marcini contant n						
P8	Batteries	specify: Number of lar	inps: and maximu	im mercury content pe	er lamp: mg					
P8.1*		Battery chemical composition: <i>Lithium ion</i>								
P9	-	-	UII							
P9.1		tion (See NOTE B8)	ls or energy consumptio	ns are reported:						
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy					
Lifeigy ind	oue	100 V AC	115 V AC	230 V AC	modes and test method *					
Peak (On-	-max)	65 W	65 W	65 W	Full load					
Catego	<u>ry 1</u>									
Short Idle	e State - WOL	6.09W	6.16W	6.18W	Use for ENERGY STAR V7.1					
Enabled	e State - WOL	0.09	0.7000	0.1000	registration (P <sub>idle</sub> )					
					- · · ·					
	State - WOL	0.33W	0.32W	0.36W	Use for ENERGY STAR V7.1					
Enabled					registration (Pidle)					
Sleep (S3	) - WOL Enabled	0.31 W	0.32 W	0.36 W	Use for ENERGY STAR V7.1					
	,				registration (P <sub>sleep</sub> )					
0((05)		0.40104	0.4010/	0.0014/						
0π (S5) -	WOL Enabled	0.18 W	0.18 W	0.23 W	Use for ENERGY STAR V7.1 registration (P <sub>off</sub> )					
Off (S5) -	WOL Disabled	0.18 W	0.18 W	0.23 W	Use for ErP					
EPS No-lo	had	0.062 W	0.065 W	0.134 W						
	r supply / charger plugged in the isconnected from the product.)									
wall outlet but di PTEC *	isconnected from the product.)	W	W	W						
-	nergy Consumption	vv	vv	vv						
ETEC *	longy consumption	17.64 kWh/year	17.84 kWh/year	18.16 kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25					
	nergy Consumption	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	+ P <sub>sleep</sub> x 0.35 + P <sub>long_ldle</sub> x 0.10+					
					Pshort_Idle x 0.30)					
					ed; Pidle: Idle State - WOL Enabled					
		•	I Efficiency Marking Pro	tocol) * : <b>V/</b>						
Display re	solution * : <b>1920*12</b>	00 megapixels								
Default tin	ne to enter energy sa	ave mode: 30 minutes								
P9.2*			ion is provided with the	product.						
P9.3		class (monitors only):								
P10		class (monitore only).								
110	Emissions Noise emission -	Declared according to	o ISO 9296 (See NOTE	B9)						
P10.1		Node description			hit A-weighted sound power level, <i>L<sub>WA,c</sub></i> (B)					
		System Idle		* 2.9						
	Operation *	CPU;Operation		* 3.0						
			nd pressure level (dB) $L_{pAm}$		ition desktop – idle)					
		Declared A weighted sour	$L_{pAm}$							
	Other mode	veciared A-weighted soun	ad pressure level (dB) $L_{pAm}$	20.5 (operator posi	ition desktop – operating)					
	Measured accordi	ng to: 🔀 ISO 7779 ዾ	ECMA-74							
		Other	only if not covered by	ECMA-74)						
				· · · · · · · · · · · · · · · · · · ·						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	mber *	81NE, 81NG			Logo		0100		
Issue date *		2019/08/30				Lenovo			
Product	environr	nental attribute	s - Market requirements	(continued)		F	Require	ment I	met
ltem							Yes	No	n.a
		nagnetic emissio							
P10.4	program	(s): MPR-II(3 pin )		cy electromagnetic fields	s of the following volu	untary			
P12	Ergonomics for computing products								
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.								
P12.2*	The phy	sical input device r	neets the requirements of ISC	9995 and ISO 9241-410	).		$\boxtimes$		
P13		ing and documen							
P13.1*	Product packaging material type(s): Corrugated Carton weight (kg): w/ ODD:0.32kg w/o ODD 0.37kg Product packaging material type(s): Polyethylene Cushions weight (kg): 0.17kg Product packaging material type(s): Others weight (kg): w/o ODD:0.075kg w/ODD:0.32kg								
P13.2*	Product	plastic primary pao	kaging is free from PVC.				$\boxtimes$		
P13.3*		duct primary corru	gated fiberboard packaging, content: <b>70</b> %	specify the contained p	ercentage of minim	um post-			
P13.4*		media for user and ronic, 🔀Paper, 🗌	product documentation (tick l	oox):					
P13.5	Ùser and		item if paper documentation un tation on paper media is chlo				$\boxtimes$		
		hlorine-free al chlorine-free							
	Process	ed chlorine-free					Ē		
P14	Volunta	ry programs							
P14.1	The proc	duct meets the req	uirements of the following volu	intary program(s):					
	ENERG	Y STAR®	Criteria version: 7.1	Date: 2019/07/17	Product category:	NB1			
	Eco-labe	el:	Criteria version:	Date:	Product category:				
	Eco-labe	el:	Criteria version:	Date:	Product category:				
P15	Additio	nal information (S	ee NOTE B10)						
P9	Energy	consumption of s	specific configuration may v	ary; description of the	tested product con	figuratio	n:		
	informat knowled	ion contained in th ge available at the I here is approxima	representations, guarantees, is document. All information p time of completion, and supp ate and provided for information	rovided by supplier in this lier shall have no obligati	s document is provid on to update such ir	led based	l on supp n. The inf	lier's ormatio	on
P9	See Ene	ergy Star Qualified	Notebooks & Tablet Compute index.cfm?fuseaction=find_a_						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad S540-15	Logo
Model Number	81NE, 81NG	
Issue Date	2019/08/30	Lenovo
Additional information		

P7.1.1	Product environmental attributes							
(d)	Year of manufacture:				2019			
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]	8GB						
lents sting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
ting tee	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capé app	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)	NA						
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	18.5						
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
(g)	Idle state power demand (Watts);				1. 8			
(h)	Sleep mode power demand (Watts);				0.3			
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		NA			
(j)	Off mode power demand (Watts);				0.2			
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	nabled);		NA			
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Avera	age					
(m)	External power supply efficiency (if appli	icable)*:						
	Average active efficiency: 88.24%,89.0	3%,88.93%,89.04%,89	9.92%,89.18%					
(-)	*internal note: show values for all available external p			- ( - k k				
(o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300 cycles			
(p-1)	Measurement methodology used to dete	ermine information mer NA	ntioned in points (I) – ii	nternal PSU efficiency				

	dology used to determine information mentioned in p rogram Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0)						
(p-3) Measurement metho	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: <i>≥</i> 70% of Cmin						
	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: IEC 62623	naximum, idle, sleep, off mode					
(q) Sequence of steps for	or achieving a stable condition with respect to power Power on -> Wait 5 minutes ->Stable condition						
(r) Description of how s	leep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or o	off mode					
(s) Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or					
condition which does	te condition before the computer automatically re s not exceed the applicable power demand requirement or provided of users in activity in which the computer	ents for sleep mode (in minutes):	30min				
mode that has a low	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	minutes):	NA				
	pre the display sleep mode is set to activate after nergy-saving potential of power management functio		10min				
(w) information on the en	Refer to User Guide	nanty.					
(x) User information on	how to enable the power management functionality: <i>Refer to User Guide</i>						
	measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits					
Additional Notebook Batter			-				
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{D}$						
Internal/built-in Battery							
External/detachable Battery							
Bios Backup Battery							
Other:							
Additional information							
as baterías de este producto no pueden s ýměnu baterie/baterií v tomto výrobku by rugeren kan ikke uden videre udskifte bat	родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios. neměli provádět sami uživatelé. teriet/batterierne i dette produkt. können nicht ohne weiteres vom Benutzer selbst ausgetauscht w						
l μπαταρία[-ες] στο προϊόν αυτό δεν μπορ a/les batterie(s présente(s) dans ce produ orisnik ne može lako zamijeniti Bateriju sa	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu	x-mêmes.					

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente Lietotäji paši nevar nomaint šã ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i miII-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Baterij/baterije v temi zdelku uporabniki sami ne morejo zlahka zamenjati. Tămân tuotteen akku [akut] elivăt] ole helposti käyttäjän vaihdettavissa.

Tämän tuoteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.