



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	conforms to the statements given in this declaration.				
Type of product *	NB				
Commercial name *	Lenovo ideapad 520S-14IKB,Lenovo ideapad 520SH-14IKB,Lenovo ideapad 520SL-14IKB,Lenovo ideapad 520SR-14IKB,Lenovo ideapad 520SE-14IKB,Lenovo XiaoXin CHAO7000,Lenovo 小新 潮 7000,Lenovo ideapad 320S-14IKB,Lenovo ideapad 320SH-14IKB,Lenovo ideapad 320SR-14IKB,Lenovo ideapad 320SR-14IKB,Lenovo ideapad 320SR-14IKB,Lenovo ideapad 320SR-14IKB,Lenovo ideapad 320SR-14IKB				
Model number *	80X2, 80X3, 80X4				
Issue date *	2017/3/29				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Madalas		80X2, 80X3, 80X4	1			_
Model number *		80X2, 80X3, 80X4	Logo	Lend	31/6	
Issue dat	e *	2017/3/29		Leik		тм
Product	environ	mental attributes - Legal requirements		Require	menf	met
Item			,	Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*	Products	s do not contain Asbestos (see legal reference).		$\boxtimes$		
	Commer	nt: Legal reference has no maximum concentration value.				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				ŀ
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach				
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m	aximum			
		ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	orinated	$\boxtimes$		
		/I (PCT) in preparations (see legal reference).	<del></del>			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb	on atoms in th	ne 🔀		
D4.0*		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	_ , 2,			
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	k 🔀		
	` .	al reference).				
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.	( ( )		_	
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail of	contact):		Ш	Ш
P2	Batterie	S				
P2.1*	If the pro	oduct contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal		$\overline{\Box}$	
		Information on proper disposal is provided in user manual. (See legal reference)			ш	
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	ium. (See lega	al 🔀		
	referenc	e)	, -			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3		nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see leg	al reference).	$\boxtimes$		
	The Dec	laration of Conformity can be requested at (add link or e-mail address):		_		
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products,		$\square$		
		al reference).			ш	
	Required	d information is; given in item P15 or added to this document,				

available at (add URL):

(see legal reference).

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).

The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol

P5

P5.1

P5.2\* P5.3\*

**P6** P6.1\*

Product packaging

Treatment information

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	80X2, 80X3, 80X4	Logo	Lanava
Issue date *	2017/3/29		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			Ħ
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	- $+$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		H	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		+	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		$\overline{H}$	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\square$	П	
P7.8*	Upgrading can be done using commonly available tools		Ħ	
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Metal Material type: Aluminu	m		
P7.12	Insulation materials of external electrical cables are PVC free.			$\boxtimes$
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	d		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	า 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:  Marking: >PC+ABC<			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name, CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR16			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "	)		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0.6%.  or  b) The weight of recycled material is 4 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	80X2, 80X3, 80X4	Logo	Lenovo
Issue date *	2017/3/29		Lei Iovo.

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and subs	stance requirements	(continued)			
P7.21*	Biobased plastic m	naterial content is used	d in the product (See N	OTE B7):		$\boxtimes$
	*	c parts' weight > 25 g,	es below shall be answ the biobased plastic m	ered; aterial content (calcula	ted as a percentage of	
	or	, ,				
D7 00*	, ,	the biobased plastic r				<u> </u>
P7.22*		ree from mercury, i.e. specify: Number of lar	less than 0,1 mg/lamp mps: and maxim	um mercury content pe	r lamp: mg	
P8	Batteries					
P8.1*	Battery chemical c					$\boxtimes$
P9		tion (See NOTE B8)				
P9.1			ls or energy consumpti		I B. C /Ot I I . C	
Energy mo	ode "	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-	-max)	65 W	65 W	65 W	Full load	
Catego	ry NBI1					
Short Idle Enabled	State - WOL	5.03 W	5.034 W	5.043 W	Reference	
Long Idle Enabled	State - WOL	2.715 W	2.715 W	2.76 W	Reference	
Sleep (S3	) - WOL Enabled	0.381 W	0.387 W	<b>0.437</b> W	Reference	
Sleep (S3	) - WOL Disabled	0.377 W	0.383 W	0.434 W	Reference	
Off (S5) -	WOL Enabled	0.208 W	0.219 W	0.274 W	Reference	
Off (S5) -	WOL Disabled	0.205 W	<b>0.216</b> W	0.271 W	Reference	
		17.221 W	17.274 W	17.661 W	Reference	
Catego	ry NBI2					
Short Idle Enabled	e State - WOL	4.24 W	4.24 W	4.262 W	Reference	
Long Idle Enabled	State - WOL	2.105 W	2.109 W	2.146 W	Reference	
Sleep (S3	) - WOL Enabled	0.365 W	0.372 W	0.425 W	Reference	
Sleep (S3	) - WOL Disabled	0.365 W	0.372 W	0.425 W	Reference	
Off (S5) -	WOL Enabled	0.195 W	<b>0.207</b> W	<b>0.261</b> W	Reference	
Off (S5) -	WOL Disabled	<b>0.195</b> W	<b>0.207</b> W	<b>0.261</b> W	Reference	
		14.533 W	14.584 W	14.955 W	Reference	
Catego	r <b>y</b>					
Enabled	State - WOL	W	W	W	Reference	
Long Idle Enabled	State - WOL	W	W	W	Reference	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Sleep (S3)	- WOL Enabled	W	W	W	Reference		
Sleep (S3)	- WOL Disabled	W	W	W	Reference		
Off (S5) - WOL Enabled		W	W	W	Reference		
Off (S5) - I	WOL Disabled	W	W	W	Reference		
		W	W	W	Reference		
FPS No-lo	ad	0.053 W	0.052 W	0.149 W			
(External power	supply / charger plugged in the connected from the product.)	0.000 **	0.002 **	0.743 VV			
PTEC *	ergy Consumption	W	W	W			
ETEC *	ergy Consumption	14.533 kWh/year	14.584 kWh/year	14.955 kWh/year			
	ergy Consumption	14.555 KVVII/yeai	14.304 KVVII/yeai	14.955 KVVII/yeai			
		ncy Level (Internationa	I Efficiency Marking P	rotocol) * : V			
Display res	solution * : 1920*10	80 megapixels					
Default tim	e to enter energy sa	ave mode: 30 minutes					
P9.2*	Information about	the energy save funct	ion is provided with the	e product.			
P9.3	Energy efficiency	class (monitors only):	<u> </u>	<u> </u>			
P10	Emissions						
	Noise emission -	- Declared according t	o ISO 9296 (See NOT	E B9)			
P10.1		Mode description			nit A-weighted sound power level, $L_{WA,c}$ (B)		
	Idle * HDD:Idle *2.8						
	Operation *	HDD: Operating	_	* 4.3			
	Other mode						
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)						

Model nu	mber *	80X2, 80X3,	80X4			Logo	Long		
Issue dat	e *	2017/3/29				-	Leno	VO,	ъ
Product	environi	mental attrib	utes - Market requirer	ments (continued)			Require	ment	met
Item							Yes	No	n.a.
	Electro	magnetic emis	sions						
P10.4	Comput program		s the requirement for low	frequency electromag	netic fields of the foll	lowing voluntar	ry 🗌		
P12			uting products						
P12.1*	.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.								
P12.2*	The phy	sical input devi	ce meets the requirement	s of ISO 9995 and ISC	9241-410.			$\boxtimes$	
P13	Packag	ing and docun	nentation						
P13.1*	Product packaging material type(s): paper Product packaging material type(s): EPE Product packaging material type(s): LDPE  weight (kg): 0.338 weight (kg): 0.084 weight (kg): 0.020								
P13.2*	Product	plastic primary	packaging is free from P\	/C.				$\boxtimes$	
P13.3*			orrugated fiberboard pack per content: <b>80</b> %	kaging, specify the co	ntained percentage	of minimum	post-		
P13.4*		media for user tronic, ⊠Pape	and product documentation, ☐Other	on (tick box):					
P13.5	Ùser an	, ,	this item if paper documer mentation on paper media	,					
	Element	chlorine-free tal chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The pro	duct meets the	requirements of the follow	ing voluntary program	(s):				
	ENERG Eco-labo Eco-labo		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:			

Energy consumption of specific configuration may vary; description of the tested product configuration:

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Additional information (See NOTE B10)

P15

P9

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# **Lenovo ErP Lot3 Information Sheet** - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 520S-14IKB,Lenovo ideapad 520SH-14IKB,Lenovo ideapad 520SL-14IKB,Lenovo ideapad 520SR-14IKB,Lenovo ideapad 520SR-14IKB,Lenovo ideapad 520SE-14IKB,Lenovo XiaoXin CHAO7000,Lenovo 小新潮7000,Lenovo ideapad 320S-14IKB,Lenovo ideapad 320SL-14IKB,Lenovo ideapad 320SE-14IKB,Lenovo ideapad 320SE-14IKB	Logo
Model Number	80X2, 80X3, 80X4	Lonovo
Issue Date	2017/3/29	Lenovo
Additional information		

d)	year of manufacture:				2017	
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	h switchable graphic	es mode with UMA driving	the display.	` '	
")	Etec value (kWh) per ErP Lot 3 Catego enable	ory and capability ad	justments applied when a	III discrete graphics	cards (dGfx) are	
		Category A (according to ErP Lot	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	4	4			
ents	Additional internal storage	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)	
	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)	
	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)		G3			
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.18	7.38			
	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
g)	Idle state power demand (Watts);			Cat	t.A: 2.828 Cat. B: 2.14	
ר)	Sleep mode power demand (Watts); Cat.A: 0.416 Cat					
)	Sleep mode with WOL enabled power demand (Watts) (where enabled);  Cat.A: 0.416 Cat. E					
)	Off mode power demand (Watts);  Cat.A: 0.2445 Cat. B 0					
k)	Off mode with WOL enabled power demand (Watts) (where enabled);  Cat.A: 0.2445 Cat. B 0					
1)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):					
	10% 20% 50%					
n)	external power supply efficiency (if applicable)*:					
	Average active efficiency: 45W:88.40%	%;88.64%;88.53%;6	5W:89.23%,89.31%,88.	93%		
	*internal note: show values for all available external power supplies					

(p-1)	(p-1) Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:  NA							
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  EPA "Test Method for Calculating the Energy Efficiency of Single-voltage External AC-DC and AC-AC  Power Supplies" dated August 11, 2004							
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  IEC 61960 measurement methodology							
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC 62623/ IEC EN50564:2011 measurement methodology							
(q)	Sequence of steps for achieving a stable condition with respect to power demand::  IEC 62623/ IEC EN50564:2011 measurement methodology							
(r)	Description of how sleep and/or off mode was selected or programmed:  Energy-star requirement							
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  **Energy-star requirement**							
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):							
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  NA							
(v)		re the display sleep mode is set to activate after	,	10				
(w)	Information on the energy-saving potential of power management functionality:  **Based on user manual**  **Based on user m							
(x)	user information on how to enable the power management functionality:  Based on user manual							
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:							
	230V/50Hz, Total Harmonic Distortion <2 %							
Addition	Notebook Battery		Detter fiel were replaced by					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{\rm 1)}$						
Internal/built-in Battery								
External/detachable Battery								
Bios Backup Battery								
Other:								
Additional information								
\								

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.