



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		_
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LETIOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	<u> </u>
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (base	d on product specification or test results based obtained from sample testing), that the product conforms to the
statements given in this decl	aration.
Type of product *	Notebook
Commercial name *	Lenovo ideapad 3305-15 Intel/AMD
Model number *	81F5, 81F9, 81FB
Issue date *	2018.5.8
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	81F5, 81F9, 81FB	Logo	Lonovo
Issue date *	2018.5.8		LEITOVO

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC)	,		
	hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal			
	reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT)			
	in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain	\boxtimes		
	containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see	\square		
	legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol.	\boxtimes		
	Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\square		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		\boxtimes	
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		Ш
	The Declaration of Conformity can be requested at (add link or e-mail address):			
	https://www3.lenovo.com/us/en/social_responsibility/EU_DoC_notebooks			
P3.2*	The product complies with the Eco design requirements for energy-related products,	\boxtimes		Ш
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	\boxtimes		Ш
	available at (add URL):			
	http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks/			
P5	Product packaging Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent	\boxtimes		
	chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).		Ш	Ш
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see			
	legal reference).			_
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81F5, 81F9, 81FB	Logo	Lonovo	-
Issue date *	2018.5.8		LEI IOVO.	

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7 1*	Design, Disassembly, recycling Parts that have to be treated congretally are positive anarolals.			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		<u> </u>	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes	Ц_	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 4 years			
P7.10	Service is available after end of production for: 2 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: <i>PC+ABS</i> Material type: <i>AL5052</i> Material type: <i>AL5252</i>			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight	\boxtimes		$\overline{\Box}$
	(1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl			_
	chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	6		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\square	
	Marking: Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
P7.17				
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO , CAS #: 35948-25-5		ш	ш
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISC 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:	\boxtimes		
	1. Chemical name: Bisphenol A Diphosphate , CAS #: 181028-79-5 (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the	$\overline{\boxtimes}$		$\overline{\Box}$
	following Risk phrases; Confidential and Hazard statements: Confidential	_	_	
	The source(s) for these classifications is/are found at (add URL(s)): European Council Directive			
	67/548/EEC , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			\boxtimes
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81F5, 81	F9. 81FB			Logo	_		
Issue date *	2018.5.8					Len	DVC	ТМ
Product environn	nental at	tributes - Market r	equirements (conti	nued)		Requir	emen	t met
Item			•	•		Yes	No	n.a.
Material	and substa	nce requirements (con	tinued)					
P7.21* Biobased	plastic mat	erial content is used in	the product (See NOTE B	7):			\boxtimes	
a) Of t		parts' weight > 25 g, th	elow shall be answered; e biobased plastic materi	ial content (calculated as	a percentage of total			
· ·		e from mercury, i.e. less	, 0, 1			\boxtimes		
If mercur	y is used sp	ecify: Number of lamps	: and maximum m	ercury content per lamp:	mg			
P8 Batteries								
P8.1* Battery cl	hemical cor	mposition: <i>Li-ion</i>						
	<u> </u>	(See NOTE B8)						
	product the	following power level	ls or energy consumpti	ons are reported:	_			
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standar modes and test me	0,		
Peak (On-max)		65 W	65 W	65 W	Full load			
Category I1								
Short Idle State - WOL	Enabled	4.23 W	4.15 W	4.31 W	Use for ENERGY ST registration (P _{idle})	AR V6		
Long Idle State - WOL	Enabled	1.99 W	2.1 W	2.01 W	Use for ENERGY ST registration (P _{idle})	AR V6		
Sleep (S3) - WOL Disab	oled	0.4 W	0.41 W	0.45 W	Reference			
Off (S5) - WOL Enabled	d	0.17 W	0.18 W	0.2 W	Use for ENERGY ST registration(P _{off})	AR V6		
Category I2								
Short Idle State - WOL	Enabled	5.6 W	5.59 W	5.83 W	Reference			
Long Idle State - WOL	Enabled	3.73 W	3.7 W	3.85 W	Reference			
Sleep (S3) - WOL Disab	oled	0.45 W	0.45 W	0.48 W	Reference			
Off (S5) - WOL Disable	d	0.17 W	0.17 W	0.2 W	Reference			
EPS No-load (External power supply / charger plu outlet but disconnected from the pr	ugged in the wall	0.03 W	0.03 W	0.03 W				
DTCC *		14/	14/	14/				

	Noise emission –	Declared according to ISO 9296 (See NOTE B9)		
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)	
	Idle	* NA	* NA	
	Operation	* NA	* NA	
		Declared A-weighted sound pressure level (dB) $L_{p{ m Am}}$	(operator position desktop – idle)	
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p{ m Am}}$	(operator position desktop – operating)	
	Measured accordi	ng to: SO 7779 ECMA-74		
		Other (only if not covered by EC	CMA-74)	

Poff: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled

14.91 kWh/year

20.6 kWh/year

 $E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 +$

x 0.30)

P_{sleep} x 0.35 + P_{long_Idle} x 0.10+ P_{short_Idle}

14.4 kWh/year

19.68 kWh/year

14.46 kWh/year

19.74 kWh/year

External Power Supply Efficiency Level (International Efficiency Marking Protocol) *:

Information about the energy save function is provided with the product.

: 1.049 megapixels

Energy efficiency class (monitors only):

Default time to enter energy save mode: **25** minutes

Typical Energy Consumption

Annual Energy Consumption

Emissions

Display resolution *

ETEC *

P9.2*

P9.3

P10

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nur	<u>'</u>	81F5, 81F9, 81I	FB			Logo	Lenc	WO	
Issue date	*	2018.5.8					Leil	VO	тм
Product	environme	ental attribut	es - Market requirements (co	ntinued)			Require	ment	met
Item							Yes	No	n.a.
	Electromag	gnetic emissions							
P10.4	•		e requirement for low frequency elect AC adapter only)	romagnetic fields of t	ne following	voluntary			
P12	Ergonomic	s for computing	products						
P12.1*	The display	meets the ergor	nomic requirements of ISO 9241-307 f	or visual display techr	ologies.				
P12.2*	The physica	al input device m	eets the requirements of ISO 9995 and	d ISO 9241-410.			\boxtimes		
P13	Packaging a	and documentat	ion						
P13.1*	Product pa	ckaging material	type(s): Paper weight (kg): 0.065 type(s): Carton weight (kg type(s): Plasitic weight (kg						
P13.2*	Product pla	istic primary pacl	kaging is free from PVC.						
P13.3*	•	t primary corrugations to the content of the conten	ated fiberboard packaging, specify the %	contained percentag	e of minimur	n post-consumer			
P13.4*		dia for user and p nic, Paper,	oroduct documentation (tick box): Other						
P13.5	•	roduct document	tem if paper documentation used) tation on paper media is chlorine-free	::					
	Totally chlo	orine-free							
	Elemental o	chlorine-free							
	Processed (chlorine-free							
P14	Voluntary _I	programs							
P14.1	The produc	t meets the requ	irements of the following voluntary p	rogram(s):					
	ENERGY ST. Eco-label: Eco-label:		Criteria version: 6.1 Criteria version: 1680.1-2009 Criteria version:	Date: 2018.3.20 Date: 2009/12/9 Date:		ategory: <i>I1,I2</i> ategory: <i>silver</i> ategory:			
P15	Additional	information (See	NOTE B10)						
P9			cific configuration may vary; descript						
	contained i time of con	n this document.	presentations, guarantees, assurance . All information provided by supplier plier shall have no obligation to upda purposes only. See a Lenovo Account I	in this document is pr te such information. T	ovided based he informati	d on supplier's kn on provided here	owledge ava	ilable a	at the
P9	0,		otebooks & Tablet Computers for the //index.cfm?fuseaction=find a pro		**************************************	oodo=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 330S-15 Intel/AMD	Logo
Model Number	81F5, 81F9, 81FB	Lenovo
Issue Date	2018.5.8	Lenovo.
Additional information		

(e)	Etec value (kWh) per ErP Lot 3 Category a system is tested with switchable graphics			e graphics cards (dGfx) are <mark>disabled</mark> and if t
f)	Etec value (kWh) per ErP Lot 3 Category a	nd capability adjustments	applied when all discrete	e graphics cards (dGfx)	are enable
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	8	8		
s ts	Additional internal storage	NO (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
ustmeni g testin	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
capabil	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: MT40A512M16LY- 075:E (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	G1	G3		
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	13.48	11.7		
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);				4.56
h)	Sleep mode power demand (Watts);				0.45
(i)	Sleep mode with WOL enabled power der	nand (Watts) (where enal	oled);		0.45
(j)	Off mode power demand (Watts);				0.21
(k)	Off mode with WOL enabled power dema	. , ,	**		0.21
(1)	Internal power supply efficiency at 10 %, 3 10% 20% 50% 10	20 %, 50 % and 100 % of r 10% Average	ated output power (if app	licable):	
(m)	External power supply efficiency (if applic Average active efficiency: 89.18% , 87.5 8	,	39.92%, 88.32%		
, ,	*internal note: show values for all available external po	•			
(o)	Minimum number of loading cycles that t	he batteries can withstan	d (applies only to noteboo	ok computers):	800
(p-1)	Measurement methodology used to deter	mine information mention	ned in points (I) – interna	I PSU efficiency:	

(p-2)	(p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)				
(p-3)	-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin				
(p-4)	p-4) Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623				
(q)	Sequence of steps for achieving a stable condition with respect to power demand:: **Power on -> Wait 5 minutes -> Stable condition**				
(r)	Description of how sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> S				
(s)	(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: NA				
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30	
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA	
(v)	v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes):				
(w) Information on the energy-saving potential of power management functionality: **Refer to User Guide** **Refer to Us					
(x) User information on how to enable the power management functionality: **Refer to User Guide** **Refer to User Guide					
(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301					
Additional Notebook Battery Information:					
		Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a	
Internal/built-in Battery		X			
External/detachable Battery				Ī	
Bios Backup Battery					
Other:					
Additional information					
1)					

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistav/jistgħux tijdi/jigu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.