

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	ablet PC			
Commercial name *	IdeaTab A1000L-F			
Model number *	60041,Z0A1			
Issue date *	2013-7-23			
Intended market *	☑ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🛛	

Model number *	IdeaTab A1000L-F		
Issue date *	2013-7-23	Logo	lenovo

Product	duct environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
5.1.11	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		<u> Ц</u>	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			
P1.8*	aromatic amines. (See legal reference and Note B1) Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.		Ш	
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			
F2.1	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square	П	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			Ī
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀		
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	IdeaTab A1000L-F		
Issue date *	2013-7-23	Logo	lenovo.

Product		equire	ment	met
Item				n.a.
	, , ,		Ш	Ш
P7				
P7.1*	Parts that have to be treated separately are easily separable		П	
P7.2*			Ħ	Ħ
P7.3*			Ħ	Ħ
P7.4*			Ħ	Ħ
P7.5			Ħ	Ħ
P7.6*			Ħ	Ħ
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square	П	
P7.8*	Upgrading can be done using commonly available tools	$\overline{\boxtimes}$	T	
P7.9.	Spare parts are available after end of production for: 5 years			$\overline{\Box}$
P7.10				Ī
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	71	<u>F</u>		
	·			
*mandatory to fill in. Additional information regarding each item may be found under P14.				
P7.15				
	Marking:			
P7.17	Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
P7.18	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:			
	Alt. 2			
P7.19				
P7.20				
	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	\boxtimes		
	`			<u> </u>
P8 2	Batteries meet the requirements of the following voluntary program/s: US RBRC			1 1

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nur	nber *	Idea	aTab A1000L-F					
Issue date	*	2013-7-2	3			Logo	lenovo.	
Dun desat								
Item	Product environmental attributes - Market requirements (continued) Yes No n.						net n.a.	
	Energy	oncumn	ation				TES INO I	ı.a.
P9								
9.1			pped w/ WOL Enable		mptions are reporte	ed. 3ee P14		\boxtimes
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *			
Peak (On-	max)		N/AW	N/A W	N/A W	N/A		\boxtimes
Categor	y B				l			
Idle State	- WOL En	abled	N/AW	N/AW	N/A W	Use for Energy Sta	r V5 registration(P _{idle})	\boxtimes
Sleep (S3)) - WOL Er	nabled	N/A W	N/A W	N/AW	Use for Energy Sta	r V5 registration(P _{sleep})	X
Sleep (S3)) - WOL Di	isabled	N/A W	N/A W	N/A W	Reference		\boxtimes
Off (S5) - I	WOL Enak	oled	N/A W	N/A W	N/A W	Use for Energy Sta	r V5 registration(P _{off})	\boxtimes
Off (S5) - I	WOL Disa	bled	N/AW	N/A W	N/A W	Use for EuP		X
EPS No-loa	ad		N/A W	0.069 W	0.09 W			
(External p	ower supp	oly /						_
charger plu	ugged in th	e wall						
	disconnecte	ed from						
the produc	t.)							
TEC	_		kWh/week	kWh/week	kWh/week			\boxtimes
Typical En	ergy Const	umption						
ETEC *			N/A kWh/year	N/A kWh/year	N/A kWh/year	$E_{TEC} = (8760/1000)$	$x (P_{off} \times 0.6 + P_{sleep} \times)$	\boxtimes
Annual En	ergy Consi	umption	To the transfer of the transfe		- Willing Gal	$0.1 + P_{idle} \times 0.3$	X (1 on X oro 1 1 sleep X	
			P _{off} : Off Mode(S5) - WOL Enabled; P _{sleep} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled					
Display res	solution :	1024*60	00 Megapixels					
Print Spee	d :		Images per minu	te				X
Default tim	e to enter	energy sa	ave mode: 0.5 minute	es			[
P9.2*	Information	on about	the energy save fund	tion is provided with	the product.			\boxtimes
P9.3*	The prod	uct meets	s the energy requiren	nents of the following	g voluntary program	/s:		
ENERGY STAR® ve		version: Prod	duct category:				\boxtimes	
	Others sp	pecify:						X
P10	Emission							
			 Declared according 	to ISO 9296				
P10.1	Mode		Mode description		Declared		A-weighted	
					A-weighted sound power	sound pressure	level $L_{p\mathrm{Am}}$ (dB)	
						Operator position	Bystander positions	
						Desktop	1 □	
						or Desk side	(only if product is not	
							operator attended)	

Other (only if not covered by ECMA-74 with L_{pAm} measurement distance The product meets the acoustic noise requirements of the following voluntary program/s:

Measured according to: ISO7779 ECMA-74

Idle

P10.2

Operation Other mode \boxtimes

Model nu	mber *	IdeaTab A1000L-F				
Issue date	e *	2013-7-23	Logo	leno	VO	i.
Product	environr	nental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
	Chemic	al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				
P10.4		emission rate (print phase) is (mg/h):				
	, ,	Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for :				X
	[Oust Ozone Styrene Benzene	rvoc 🗌			
	Electron	nagnetic emissions				
P10.6	Compute program	er display meets the requirement for low frequency electromagnetic fields of the follo /s:	owing voluntary			\boxtimes
P11		nable materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi	red (see P4.3).			\boxtimes
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the 1.	e requirements	of		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergono	mics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	jies.	X		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		$\overline{\boxtimes}$		
P13	Packagi	ng and documentation				
P13.1*	Product	packaging material type(s): paper weight (kg): 0.638kg packaging material type(s): plastic weight (kg): 0.006kg packaging material type(s): weight (kg):				
P13.2*	Product	plastic packaging is free from PVC.		X		
P13.3*		media for user and product documentation (tick box): ic , Paper , Other				
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-col (Japan only 70%)	nsumer recycled			
P14	Addition	nal information (See Note B4)				
P7.17	informat knowled provided informat	Supplier makes no representations, guarantees, assurances or warranties whether ion contained in this document. All information provided by supplier in this document ge available at the time of completion, and supplier shall have no obligation to updat here is approximate and provided for informational purposes only. See a Lenovo A ion. It does not contain free TBBPA in printed circuit boards(without components)	t is provided bas te such informat ccount Represe	ed on sup ion. The in	plier's forma	
P9	See Ene	ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, et ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate we	c.) for the lates	t informat	ion:	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19