

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.	
Internet site *	ttp://www.lenovo.com/social_responsibility/us/en/environment.html		
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC				
Commercial name *	.enovo M30-70				
Model number *	20446; 80H8				
Issue date *	2015-01-12				
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	20446; 80H8		
Issue date *	2015-01-12	Logo	lenovo.

Product	duct environmental attributes - Legal requirements			met
Item				n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2 P2.1*	Batteries If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		╁	一一
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	20446; 80H8		
Issue date *	2015-01-12	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Re	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
D7.4*	Disassembly, recycling Death that have to be treated a grantaly are assily as a saily a			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	Щ.		<u>Ц</u>
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Щ	Щ.
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
D7 40	Material type: PC+ABS-FR(40) Material type: Material type:		<u> </u>	
P7.12	Electrical cable insulation materials of power cables are PVC free.	 		Щ.
P7.13	Electrical cable insulation materials of signal cables are PVC free			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		Щ	<u>Ц</u>
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			Ш
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: <i>FR(40)</i>			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
D7.10	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 5.2%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and may mercury content per lamp: mg			
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg			
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8 2	Batteries meet the requirements of the following voluntary program/s: US RBRC			\dashv

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	20446; 80H8		
Issue date *	2015-01-12	Logo	lenovo.

	oduct environmental attributes - Market requirements (continued) Requirement met							
Item							n.a.	
9.1 For the product the following power levels or energy consumptions are reported: See P14								
Energy mode		Power level at	Power level at			ence / Standard for energy mod	des and test	
Peak (On-ma	av)	100 V AC	115 V AC	40 W		load		
		40 W	40 00	40 00	T un	Todu		
Category I	rate - WOL Enable	ed 7.03656 W	6.6774 W	6.1434 W	Uso f	or ENERGY STAR V6 registra	tion (B.)	
	ate - WOL Enable		5.97948 W	5.96964 W		or ENERGY STAR V6 registra		
	WOL Enabled	0.435396 W	0.438408 W	0.482976 W		or ENERGY STAR V6 registra		
	WOL Disabled	0.4300 W	0.4320 W	0.4870 W	Refer		(Fsleep)	
Off (S5) - WC		0.243108 W	0.24816 W	0.290748 W		or ENERGY STAR V6 registra	tion/P	
Off (S5) - WC		0.328 W	0.330 W	0.374 W		or EuP	(Foff)	
Category I		0.320 VV	0.330 W	0.374 W	0367	or Eur		
	ate - WOL Enable	ed W	W	W	lleo f	or ENERGY STAR V6 registra	tion (P.)	
	ate - WOL Enable		W	W		or ENERGY STAR V6 registra		
-	WOL Enabled	W	W	W		or ENERGY STAR V6 registra		
	WOL Disabled	W	W	W	Refer		ItIOII (Psleep)	┞
Off (S5) - WC		W	W	W		ence or ENERGY STAR V6 registra	tion/D \	片
		W	W	W			IUON(P _{off})	Н
Off (S5) - WC)L Disabled			0.137 W	USE I	or EuP		\vdash
	ver supply / charge	0.086 W	0.089 W	0.137 VV				
plugged in the	e wall outlet but							
disconnected	from the product.))						
PTEC *		W	W	W				
Typical Energ	y Consumption							
TEC *								
-	y Consumption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Energ	y Consumption	25.69 kWh/year	24.67 kWh/year	23.49 kWh/year		= $(8760/1000) \times (P_{off} \times 0.25 + P_{off})$ ortidle $\times 0.3 + P_{long idle} \times 0.1$	sleep X 0.35	
	,,		,, ,	,	- since	Triale 11 1119 1 long rate 11 1119		
B: 1			WOL Enabled; P _{slee}	: Sleep Mode(S3)) - WOL	Enabled; P _{idle} : Idle State - WOL E	nabled	
	ution* : 1920*120							
Print Speed *		mages per minute						
		ve mode: 25 minutes						Щ
		ne energy save function is	•	-				
E	NERGY STAR® v	the energy requirements version: Version 6.0 Tie		oluntary program oct category: B	/s:			
	thers specify:							
N	oise emission – l	Declared according to IS	O 9296					
P10.1 M	lode M	lode description		Declared A-weighted		Declared A-weighted		
				sound power		sound pressure level $L_{p{\sf An}}$		
				level L_{WAd}	(B) O		der positions	
						Desktop (only if p	roduct is not	
<u> </u>		UDDAN		* 0.0		or Desk side operation	or attended)	
l ——	dle *	HDD:Idle HDD: Operating		* 3.2 * 3.2		24.3 26.7		┤
	other mode	noo. Operating		J.2		20.7		┧╙
	leasured according	g to: 🛛 ISO7779 🔲 EC	CMA-74	1				
		Other	only if not covered			measurement distance	m)	
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:								

Model nu	mber *	20446; 80H8				
Issue date	e *	2015-01-12	Logo	leno	VO.	
Product	environn	nental attributes - Market requirements (continued)		Require	ement	t met
Item		·		Yes	No	n.a
	Chemica	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes
P10.4	Typical e	emission rate (print phase) is (mg/h):				X
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	Il emission requirements of the following voluntary program/s are met for :				X
		Oust Ozone Styrene Benzene	TVOC			
		nagnetic emissions				
P10.6	program	er display meets the requirement for low frequency electromagnetic fields of the follows: MPR-II	wing voluntary			
P11		able materials for printing products				
P11.1*	-	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi	, ,			\boxtimes
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets th 1.	e requirements	of		\times
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergonor	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	ies.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		X		
P13	Packagi	ng and documentation				
P13.1*	Product Product	packaging material type(s): Corrugated Carton weight (kg): 0.350 packaging material type(s): Polyethylene Cushions weight (kg): 0.083 packaging material type(s): Others weight (kg): 0.123				
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes		
P13.3*	Specify r	media for user and product documentation (tick box):				
	Electron	ic $igtimes$, Paper $igtimes$, Other $igcirc$				
P13.4*	For pape fiber: 0	er user and product documentation, please specify contained percentage of post-col %	nsumer recycled			
P14		nal information (See Note B4)				
	informati knowled	Supplier makes no representations, guarantees, assurances or warranties whether early contained in this document. All information provided by supplier in this documen ge available at the time of completion, and supplier shall have no obligation to updathere is approximate and provided for informational purposes only. See a Lenovo A on.	is provided bas te such informat	sed on sup ion. The in	plier's forma	
P9		rgy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	&pgw_code=C	0		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo M30-70	Logo
Model Number	80H8, 20446	_
Issue Date	2015-01-12	lenovo.
Additional information		

	Product environmental attributes					
(d)	year of manufacture:	2014				
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:					
	Category (according to ErP Lot 3): A Etec: 19.95					
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:					
	Category (according to ErP Lot 3): NA Etec: NA					
(g)	idle state power demand (Watts);	6.81				
(h)	sleep mode power demand (Watts);	0.49				
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);					
(j)	off mode power demand (Watts);	0.31				
(k)	off mode with WOL enabled power demand (Watts) (where enabled);					
(1)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):					
	10% 20% 50% 100% Average					
(m)	external power supply efficiency (if applicable):					
	Average 40W: 87.59%,88.37%,89.26%; 65W:87.97%,87.37%,88.45%;					
	*internal note: show values for all available external power supplies					
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300 cycles				
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU					
	efficiency: NA					
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:					
	Energy-star requirement					
(p-3)	the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:					
	IEC 61960 measurement methodology					

(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:								
				Energ	gy-star requirement				
(q)	sequence of steps for achieving a stable condition with respect to power demand::								
				Base	ed on user manual				
(r)	description of how sleep and/or off mode was selected or programmed:								
				Base	ed on user manual				
(s)	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:								
				Base	ed on user manual				
(t)	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):								
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):								
(v)	the length of time before the display sleep mode is set to activate after user inactivity (in minutes):								
(w)									
				Base	ed on user manual				
(x)	(x) user information on how to enable the power management functionality:								
				Base	ed on user manual				
(z)		ipply system, — inf			age in V and frequency in Hz, — total harmonic distortion of the cumentation on the instrumentation, set-up and circuits used				
			230V/	/50Hz, To	tal Harmonic Distortion <2 %				
Addition No	otebook Batt	tery Information:							
Yes		No		n/a	This notebook computer is operated by battery/ies that cannot replaced by a non-professional user.	cannot be accessed and			
(Battery replaceable	not use	r (Battery replaceable)	user		The battery[ies] in this product cannot be ea	asily replaced			
					by users themselves				
Additional	information								