

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place <b>Building 2 / 5J3</b> <b>Morrisville, North Carolina 27560</b> alcarter@lenovo.com	lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

	based on product specification or test results based obtained from sample testing), that the product ts given in this declaration.
Type of product *	Notebook PC
Commercial name *	Lenovo M495
Model number *	<i>M/T: 3770</i>
Issue date *	2012, July 02
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	M/T: 3770		
Issue date *	2012, July 02	Logo	lenovo

Product	Product environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\square$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\square$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			$\square$
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\square$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$
	pentachlorophenol and derivatives (see legal reference).			
D4 0*	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference).	$\bowtie$		
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\square$		
	http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
P2.2*	provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			
Do	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3.1*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference).			
			⊢⊢	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		⊢⊢	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	$\boxtimes$		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			$\boxtimes$
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\square$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	-H	H	X
-	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	$\square$		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	$\boxtimes$		
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

wodeln	number *	M/T: 3770				
Issue da	ate *	2012, July 02 Logo	lend	vo		
Produc	t onviron	mental attributes - Market requirements - Environmental conscious design	Require	montr	mot	
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6		nt information	100	110	ma.	
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).	$\square$			
P7	Design					
		mbly, recycling			_	
P7.1*		at have to be treated separately are easily separable				
P7.2*	Plastic materials in covers/housing have no surface coating.					
P7.3*		arts >100g consist of one material or of easily separable materials.				
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\square$			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	$\square$			
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools				
P7.9.	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type:				
P7.12	M	aterial type:       PC+ABS-FR(40)       Material type:       Material type:         I cable insulation materials of power cables are PVC free.       Material type:       Material type:			_	
			<u> </u>		⊢	
P7.13		I cable insulation materials of signal cables are PVC free			ᆜ	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	Note B2		ee			
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)				
P7.17		Il specifications of flame retardants in printed circuit boards >25g (without components): PA (additive) , TBBPA (reactive) , Other; chemical name: <i>DOPO(9,10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide)</i> , CAS #: <i>35948-25-5</i>				
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: <i>FR(40)</i>				
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%:	in 🗌			
	Provide complete 1. Chem 2. Chem	<ul> <li>ht: No legal limits exist, this is a market requirement.</li> <li>a list of all used flame retardants including MSDS for each flame retardant. The list must conta e chemical name, CAS number and supplier.</li> <li>ical name: , CAS #: , Supplier:</li> <li>ical name: , CAS #: , Supplier:</li> </ul>	in			
	Alt. 2	ical name: , CAS #: , Supplier: Il specifications of flame retardants in plastic parts >25g according ISO 1043-4: <i>FR(40)</i>	$\square$			
P7.19	Plastic p	arts >25g according iSO 1043-4. <b>Fr(40)</b> arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	$\square$			
P7.20	Of total p	plastic parts' weight >25g, recycled material content is 10 %.				
P7.21	Of total p	plastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light sou	Irces are free from mercury	$\boxtimes$			
P8	Batterie					
P8.1*	Battery of	hemical composition: Lithium Ion/Lithium Manganese Dioxide				
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	<b>M/T</b> :	3770						
Issue date *	2012, Ju	ıly 02				Logo	lenovo	<b>)</b> .
Product enviro	nmental at	ttributes - Market	requirements (c	ontinued)			Requiremer	nt me
tem				ontinacaj			Yes No	
P9 Energ	y consump	tion						
-		e following power lev	els or energy consu	mptions are reporte	ed:			
Energy mode		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference and test me		rd for energy mode	s
Peak (On- max)		<b>65/90</b> W	65/90 W	65/90 W	Full load			
Category A								
Idle State - WOL Enabled		9.48 W	9.05 W	9.44 W			AR Registration(P <sub>idle</sub> )	
Sleep (S3) - WOL		1.10 W	1.08 W	1.55 W	Use for EN	IERGY STA	AR Registration(P <sub>sleep</sub> )	
Sleep (S3) - WOL	Disabled	W	W	W	Reference			
Off (S5) - WOL Ei	nabled	0.58 W	0.59 W	0.74 W	Use for EN	IERGY STA	AR Registration(Poff)	
Off (S5) - WOL Di	isabled	0.39 W	0.39 W	0.57 W	Use for Eu	Р		
Category B			•	·				
Idle State - WOL	Enabled	9.28 W	9.43 W	9.34 W	Use for EN	IERGY STA	AR Registration(P <sub>idle</sub> )	
Sleep (S3) - WOL	Enabled	1.25 W	1.17W	1.39 W	Use for EN	IERGY STA	AR Registration(P <sub>sleep</sub> )	
Sleep (S3) - WOL	Disabled	W	W	W	Reference			
Off (S5) - WOL Er	nabled	0.63 W	0.62 W	0.78 W	Use for EN	IERGY STA	AR Registration(Poff)	
Off (S5) - WOL Di	isabled	0.35 W	0.35 W	0.45 W	Use for Eu	Р		
EPS No-load		0.19 W	0.19W	0.33 W				
(External power su charger plugged ir outlet but disconne the product.)	the wall							
P <sub>TEC</sub> Typical Energy Co	nsumption	W	W	W	(Workstation L $P_{TEC} = 0.35$		0 *P <sub>sleep</sub> + 0.55* P <sub>idle</sub>	
TEC Typical Energy Co	nsumption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Energy Co	nsumption	<b>28.92</b> (A) <b>28.76</b> (B)	<b>27.8</b> (A) <b>29.05</b> (B)	<b>30.02</b> (A) <b>29.86</b> (B)		<b>760/1000)</b>	b, and Notebook Levels) * (P <sub>off</sub> * T <sub>off</sub> + P <sub>sleep</sub>	*
Display resolution	: 1366 x 7	68 Megapixels						
Print Speed	: In	nages per minute						
		ave mode: 20 minute	S					
	•••	the energy save fund		the product.				╷╵╞╴
P9.3* The pr ENER	oduct meets	s the energy requiren version: Version 5.0 VERGY STAR for Ex	nents of the followin 0 dated July 1, 2009	g voluntary program Product category:	A, B	<u>,</u>		
P10 Emiss				Englosity offic		-		
Noise		- Declared according	to ISO 9296					
P10.1 Mode	1	Mode description		Declared A-weighted sound power level $L_{WAd}$ (B)	sound Operator pos	sition 🔀	A-weighted evel $L_{p{\rm Am}}$ (dB)	P1 0.1
					De: or Desk			
Idle	tion	* HDD: Idle		* 3.0		2		_
Opera Other		* HDD: Operating		* 4.0		3.	2	_
	ired accordii	ng to: 🔀 ISO7779 [	ECMA-74					_
	accordi	Other		ed by ECMA-74 with	n L <sub>pAm</sub> measu	irement dis	tance m)	
P10.2 The pr	roduct meets	s the acoustic noise i						

Model nu	mber *	M/T: 3770				
Issue date	e *	2012, July 02	Logo	leno	VO.	
Product	environn	nental attributes - Market requirements (continued)		Require	nent	met
Item		· · · ·		Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:				X
P10.4		emission rate (print phase) is (mg/h):				X
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	al emission requirements of the following voluntary program/s are met for :	TVOC			
	Electror	nagnetic emissions				
P10.6	Compute	er display meets the requirement for low frequency electromagnetic fields of the follo /s: <b>MPR-II</b> (3 pin AC adapter only)	wing voluntary	$\square$		
P11		able materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi	red (see P4.3).			$\mathbf{X}$
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the 1.	e requirements	of		
P11.3*	2-sided (	(duplex) printing/copying is an integrated product function.				$\mathbf{X}$
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	jies.	$\boxtimes$		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		$\times$		
P13	Packagi	ng and documentation				
P13.1*	Product	packaging material type(s): Corrugated Cardboard weight (kg): 0.682 packaging material type(s): Recycled Polyethylene (RLDPE) weight (kg): 0.192 packaging material type(s): Others(Plastic Bags) weight (kg): 0.022				
P13.2*	Product	plastic packaging is free from PVC.		$\boxtimes$		
P13.3*		nedia for user and product documentation (tick box): ic $\mathbf{X}$ , Paper $\mathbf{X}$ , Other $\mathbf{I}$				
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-con ( <i>Japan only 70%</i> )	nsumer recycled			
P14		nal information (See Note B4)				
	informati knowled provided informati		t is provided bas te such informati ccount Represer	ed on supp on. The info	lier's ormati	
P9		ERGY STAR Qualified Notebooks & Tablet Computers for the latest informatio ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls	n:			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19