

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	PAD				
Commercial name *	Lenovo Miix 2 10				
Model number *	20359;80DV				
Issue date *	2013-11-28				
Intended market *	🛛 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🔀	

Model number *	Lenovo Miix 2 10		
Issue date *	2013-11-28	Logo	lenovo

	t environmental attributes - Legal requirements	Require		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\square$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\square$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			$\square$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment	$\square$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\square$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\mathbf{X}$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	Lenovo Miix 2 10			
Issue da	ate *	2013-11-28 Logo	len	ovo	
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Requir	ement	met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes		n.a.
P6		nt information		-	
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).	$\times$		
P7	Design	mbly, recycling			
P7.1*		at have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.			Ħ
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		Η	Ħ
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			H
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools		- H	$\dashv$
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		<u> </u>	- [-]
F7.0					
P7.7*		lifetime ng can be done e.g. with processor, memory, cards or drives			
					<u> </u>
P7.8*		ng can be done using commonly available tools			<u> </u>
P7.9.		arts are available after end of production for: 5 years			<u> </u>
P7.10		s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type:			
D7 10		type: PC+ABS-FR(40) Material type: Material type:			
P7.12		I cable insulation materials of power cables are PVC free.	<u> </u>		<u> </u>
P7.13		I cable insulation materials of signal cables are PVC free			
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	Note B2		See	$\square$	
P7.16	Marking:	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)			
P7.17	TBBPA	al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) >25g accordin 3-4: <b>Brominated Epoxy Resin See P14</b>	g 🗌		
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations above 0.1%:	in 🗌		
	Provide complete 1. Chem 2. Chem	nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must con e chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:	tain		
	Alt. 2	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	$\square$		
P7.20		plastic parts' weight >25g, recycled material content is 0.0%.			
P7.21		plastic parts' weight >25g, biobased material content is 0%.			
P7.22		urces are free from mercury	$\square$		
P8	Batterie				
P8.1*	-	chemical composition: Lithium Ion			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenc	ovo Miix 2 1	0				
Issue date *	2013-11-		-		Logo	lenovo	
	mental at	tributes - Market	requirements (co	ontinued)		Requirement	
Item P9 Energy	consump	tion				Yes No	n.a.
		e following power lev	els or energy consu	motions are reporte	d: See P14		
		oped w/ WOL Enable					
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Stand and test method *	dard for energy modes	
Peak (On-max)		N/AW	<b>N/A</b> W	N/A W	Full load		
Category B					I		
Idle State - WOL E	inabled	N/AW	N/AW	N/A W	Use for Energy St	tar V5 registration(P <sub>idle</sub> )	
Sleep (S3) - WOL	Enabled	<b>N/A</b> W	<b>N/A</b> W	N/AW	Use for Energy St	tar V5 registration(P <sub>sleep</sub> )	
Sleep (S3) - WOL	Disabled	N/A W	<b>N/A</b> W	<b>N/A</b> W	Reference		
Off (S5) - WOL En	abled	<b>N/A</b> W	<b>N/A</b> W	<b>N/A</b> W	Use for Energy St	tar V5 registration(P <sub>off</sub> )	
Off (S5) - WOL Dis	abled	N/AW	<b>N/A</b> W	N/A W	Use for EuP		
EPS No-load		<b>N/A</b> W	<b>N/A</b> W	N/A W			
(External power sup charger plugged in outlet but disconner the product.)	the wall						
TEC		kWh/week	kWh/week	kWh/week			$\boxtimes$
Typical Energy Cor	sumption						
ETEC * Annual Energy Cor	sumption	N/A kWh/year	N/A kWh/year	N/A kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$		
		Poff: Off Mode(S5) - V	VOL Enabled; P <sub>sleep</sub> : S	Sleep Mode(S3) - WOL	Enabled; P <sub>idle</sub> : Idle St	tate - WOL Enabled	<u> </u>
Display resolution	: 1280*80	0 Megapixels					
Print Speed	:	Images per minu	te				
	er energy sa	ave mode: 25 minute					
		the energy save fund		the product.			╘
		the energy requiren	•	•	/s:		
ENERG	GY STAR®	version: Version 5.0	) dated July 1, 2009	Product category:	В		
		ergy Star for Exter	nal Power Supplies	Eligibility Criteria	Version 2		
P10 Emissi Noise		Declared according	to ISO 9296				
P10.1 Mode		Mode description		Declared A-weighted sound power			
					Operator position 🔀	Bystander positions	1
				in a constant	Desktop 🔀	(only if product is not	
					or Desk side	operator attended)	
Idle				* 2.7		16.3	
Operati		HDD: Operating		* NA		NA	
Other n							-
Measur	ed accordin	ng to: 🔀 ISO7779	_ ECMA-74	ed by ECMA_74 with	n L <sub>pAm</sub> measurement	t distance m)	
P10.2 The pro	duct meets	the acoustic noise r			-		

Model nu	umber *	Lenovo Miix 2 10				
Issue dat	te *	2013-11-28 L	ogo	eno	10.	
Product	environ	mental attributes - Market requirements (continued)	R	equirer	nent	met
Item				Yes	No	n.a.
	Chemic	al emissions from printing products				
P10.3*	Test per	rformed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				$\boxtimes$
P10.4	Typical e	emission rate (print phase) is (mg/h):				$\square$
		Dust Ozone Styrene Benzene TVOC				_
P10.5	Chemica	al emission requirements of the following voluntary program/s are met for :				$\boxtimes$
	[	Dust 🗌 Ozone 🗌 Styrene 🗌 🛛 🛛 T\	voc 🗌	_		_
		magnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the follow //s: MPR-II	ving voluntary	$\boxtimes$		
P11	1 0	nable materials for printing products				
P11.1*		y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally require	ed (see P4.3).			
P11.2*		containing post-consumer recycled fibers can be used, provided that it meets the			H	
–	EN1228					
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				$\boxtimes$
P12	Ergono	mics for computing products				
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologie	es.	$\boxtimes$		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				Ē
P13	Packag	ing and documentation				
P13.1*	Ŭ	packaging material type(s): Corrugated Carton weight (kg): 0.3				
		packaging material type(s): Polyethylene Cushions weight (kg): 0				
		packaging material type(s): Others weight (kg):0.25				
P13.2*		plastic packaging is free from PVC.		$\boxtimes$		
P13.3*		media for user and product documentation (tick box):				
		nic 🔀, Paper 🔀, Other 📃				
P13.4*		er user and product documentation, please specify contained percentage of post-cons 1% (Japan only 70%)	sumer recycled			
P14		nal information (See Note B4)				
		: Supplier makes no representations, guarantees, assurances or warranties whether e				
		tion contained in this document. All information provided by supplier in this document i				
		lge available at the time of completion, and supplier shall have no obligation to update d here is approximate and provided for informational purposes only. See a Lenovo Acc				lion
	informat			live of f	nore	
P7.17		t does not contain free TBBPA in printed circuit boards(without components)>2.	5a.			
P9		ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.		nformati	on:	
-		ownloads.energystar.gov/bi/gplist/laptops_prod_list.xls (insert appropriate web				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

## Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Miix 2 10	Logo
Model Number	20359;80DV	_
Issue Date	2014/6/20	lenovo
Additional information		

P7.1.1	Product er	nvironmental a	attributes							
(d)	year of n	nanufacture:					Avail	ible on product label		
(e)					ied when <b>all disc</b> able graphics mo			19.29		
(f)	E TEC v enabled		ErP Lot 3 Catego	ry and cap	ability adjustmen	ts applied whe	en all discrete graphics	cards (dGfx) are		
(g)	idle state	idle state power demand (Watts);								
(h)	sleep mo	ode power demai	nd (Watts);					1.77		
(i)	sleep mo	ode with WOL en	abled power den	nand (Wat	ts) (where enable	d);		1.77		
(j)	off mode	off mode power demand (Watts);								
(k)	off mode	with WOL enab	led power demar	nd (Watts)	(where enabled);			0.13		
(I)	internal	power supply effi	ciency at 10 %, 2	20 %, 50 %	and 100 % of ra	ted output pov	ver (if applicable): N/A			
	10%	20%	50%	100%	Average					
(m)	external	power supply eff	iciency (if applica	able):						
	10%	20%	50%	100%	Average	;				
	or level:									
(o)	the minii	num number of I	oading cycles the	at the batte	eries can withstan	d (applies onl	y to notebook computers	): 500 cycles		
(f)	the elect		em, — informatio				al harmonic distortion of tion, set-up and circuits			
	total har	test voltage in V and frequency in Hz 230V/50Hz total harmonic distortion of the electricity supply system≤2% Information and documentation on the instrumentation, set-up and circuits used for electrical testing								
	Instr.	Instrument	Instrument		Range Use					
	Code	I.D.	Туре		Or ***		Make and Model **			
	1	980800014	CHROMA	100-300	VAC 50-60Hz 40	0Hz, 5A, 500	, 61502			

	2	990	800321	YOKOGAWA	600V, 10A, 5KW	WT 210					
	3	990	105548	ISUZU	20-28 degree C 30-80%	TH-27R					
	4	71(	0Q03R	CASIO	Full Range	HS-3V					
	5	990	0105627	TECPEL	0~20( m/sec)	AVM-714					
(p-1)	the n efficie		nent meth	odology used to	determine information mentioned in	points (I) – internal	PSU				
(p-2)	(p-2) the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:										
	emole	noy.			level V						
(p-3)	(p-3) the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries: Charge battery with standard charge method and discharge battery with 0.5Cmin discharging current until battery voltage reaches 3.0V										
(p-4)					ermine information mentioned in maxin ct IT Eco Declaration:	num, idle, sleep, off m	lode				
	<b>P</b>				EN62623						
(q)	seque	ence of st	eps for acl	hieving a stable co	ndition with respect to power demand::	:					
				Power on ->	Wait 5 minutes ->Stable condition						
(r)	descr	iption of h	now sleep	and/or off mode wa	as selected or programmed:						
				Begin menu ->	> Power -> Select sleep or off mode						
(s)	seque off mo		vents requi	red to reach the m	ode where the equipment automaticall	y changes to sleep ar	nd/or				
				Settings-> Re	estore default settings for this plan						
(t)					e the computer automatically reache able power demand requirements for s						
(u)					nactivity in which the computer auto and requirement than sleep mode (in r		N/A				
(v)	the <b>le</b>	ngth of t	ime befor	e the display slee	p mode is set to activate after user ir	nactivity (in minutes):	10 minutes				
(w)	inform	nation on	the energy	/-saving potential c	of power management functionality:						
					N/A						
(x)	user i	nformatio	on on how	to enable the powe	r management functionality:						
					Refer to User Guide						
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:											
230V/50Hz											
			r <mark>y Informa</mark>		executed by bottom/free thet are a fill						
Yes	No	n/a	This note user.	EDOOK COMPUTER IS	operated by battery/ies that cannot be	e accessed and repla	cea by a non-professional				
			The ba	ttery[ies] in th	is product cannot be easily re	eplaced by users	s themselves				