

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html	
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	TABLET				
Commercial name *	Lenovo Miix 2 11				
Model number *	20327;80CU				
Issue date *	2014-02-18				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model nu	umber *	Lenovo Miix 2 11 20327;80CU			
Issue da	te *	2014-02-182014-02-18 Logo	lend	ovo	
Product	t enviror	mental attributes - Legal requirements	Require	men	tmet
Item			Yes	No	n.a.
P1	Hazard	ous substances and preparations			
P1.1*	chromiu	s do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent im, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See erence and Note B1)			
P1.2*	Product	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Product hydrobr trichlorc	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Product	s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated yl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Product	s do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in n containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile a Tris-(az	and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) iridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). nt: Legal reference has no maximum concentration values.),		
P1.7*	Textile a	and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split c amines. (See legal reference and Note B1)	t 🗌		\boxtimes
P1.8*	Wooder pentach	n parts do not contain arsenic and chromium as a wood preservation treatment as well as lorophenol and derivatives (see legal reference). nt: Legal reference has no maximum concentration values.			
P1.9*	Parts wi	th direct and prolonged skin contact do not release nickel in concentrations above 0.5 am/cm ² /week (see legal reference). nt: Max limit in legal reference when tested according to EN1811:1998.	\boxtimes		
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): ww.lenovo.com/social responsibility/us/en/materials.html	\boxtimes		
P2	Batterie				
P2.1*	If the pr more th marked provided	oduct contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is d in user manual. (See legal reference)	3		
P2.2*	accumu	cells used in the product do not contain more than 2% by weight of mercury. Other batteries or lators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference			
P2.3*	design o	s and accumulators are easily removable by either users or service providers (as dependent on the of the product). Exception: Batteries that are permanently installed for safety, performance, medic integrity reasons do not have to be "easily removable". (See legal reference)			
P3		EMC connection to the telephone network and labeling			
P3.1*	The pro	duct complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	referenc				
P3.3*	with leg	ct is intended for connection to a public telecom network or contains a radio transmitter, it complie ally required standards for radio and telecommunication devices (see legal reference).	es 🔀		
P3.4*	The pro	duct is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4		nable materials			
P4.1*	legal ret	to conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see erence and Note B1).			
P4.2*		ner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			
P4.3*	product	/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these nents is available (see legal reference).			
P5		t packaging			
P5.1*	Packag hexaval	ing and packaging components do not contain more than 0.01% lead, mercury, cadmium a ent chromium by weight of these together.	nd 🔀		
P5.2*	Plastic	backaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	Protoco	duct packaging material is free from ozone depleting substances as specified in the Montre I (see legal reference). nt: Legal reference has no maximum concentration values.	eal 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model II	umber *	Lenovo Miix 2 11 Lenovo Miix 2 11 20327;	80CU		
Issue date *		2014-02-182014-02-18 Logo	lenc	vo	
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	met
tem		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a
P6		nt information			
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disasse	mbly, recycling	_		
P7.1*		at have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.			
² 7.3*		arts >100g consist of one material or of easily separable materials.			
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		⊢⊢	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools		<u> </u>	
				<u> </u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			
		lifetime			_
P7.7*		ng can be done e.g. with processor, memory, cards or drives		<u> </u>	
P7.8*	Upgradir	ng can be done using commonly available tools			
P7.9.	Spare pa	arts are available after end of production for: 5 years			
P7.10	Service i	s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type:			
		type: PC+ABS-FR(40) Material type: Material type:			
P7.12		I cable insulation materials of power cables are PVC free.		\square	
P7.13		I cable insulation materials of signal cables are PVC free		\square	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (S	ee	\square	
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)	\boxtimes		
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: Brominated Epoxy Resin See P14	9		
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%:	in 🗌		
	1. Chem 2. Chem 3. Chem Alt. 2	ent: No legal limits exist, this is a market requirement. ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:			
	FR(40)	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	R40, R4	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		plastic parts' weight >25g, recycled material content is 0%.			
P7.21		plastic parts' weight >25g, biobased material content is 0%.			
P7.22	If mercu	urces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp: mg			
28	Batterie				_
P8.1*	Battery c	hemical composition: Lithium Ion			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenov	o Miix 2 11	Lenov	o Miix	2 11	20327	:80CU	
Issue date *	2014-02-18					Logo	lenovo	
Product environme	ental attribu	ites - Market regi	irements (con	tinued)		•	Requirement me	et .
Item		internet in an internet in a second		inidou)			Yes No	
P9 Energy co	onsumption							
•		wing power levels or	r energy consump	tions are reporte	ed: See P14			
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / method *	Standard for	r energy modes and test	
Peak (On-max)		NAW	NA W	NAW	Full load			
Category 11/2/3		1	1	1				1
Short Idle State - WC	L Enabled	NA W	NA W	NA W	Use for EN	ERGY STAR	R V6 registration (P _{idle})	
Long Idle State - WO	L Enabled	NA W	NA W	NA W	Use for EN	ERGY STAR	R V6 registration (P _{idle})	
Sleep (S3) - WOL En	abled	NA W	NA W	NA W	Use for EN	ERGY STAR	R V6 registration(P _{sleep})	
Sleep (S3) - WOL Dis	abled	NA W	NA W	NA W	Reference			
Off (S5) - WOL Enabl	led	NA W	NA W	NA W	Use for EN	ERGY STAR	R V6 registration(Poff)	
Off (S5) - WOL Disab	led	NA W	NA W	NA W	Use for Eul	•		
Category D 1/2		J	I	L	I			
Short Idle State - WC	L Enabled	NA W	NA W	NA W	Use for EN	ERGY STAR	R V6 registration (P _{idle})	
Long Idle State - WO	L Enabled	NA W	NA W	NA W	Use for EN	ERGY STAR	R V6 registration (P _{idle})	
Sleep (S3) - WOL En	abled	NA W	NA W	NA W	Use for EN	ERGY STAR	R V6 registration (P _{sleep})	
Sleep (S3) - WOL Dis	abled	NA W	NA W	NA W	Reference			
Off (S5) - WOL Enabl	led	NA W	NA W	NA W	Use for EN	ERGY STAR	R V6 registration(Poff)	
Off (S5) - WOL Disab	led	NA W	NA W	NA W	Use for Eul	2		Ē
EPS No-load		NA W	NA W	NA W				
(External power supply plugged in the wall out disconnected from the	tlet but							
PTEC *		W	W	W				
Typical Energy Consu	mption							
TEC *		kWh/week						
Typical Energy Consu	mption		kWh/week	kWh/week				
ETEC * Annual Energy Consu	mption	NA kWh/year	NA kWh/year	NA kWh/year	E _{TEC} = (876) + P _{short idle}		P _{off} x 0.25 + P _{sleep} x 0.35 _{idle} x 0.1)	
		Poff: Off Mode(S5) -	WOL Enabled: P	: Sleen Mode/S3	- WOL Enabled	d: P Idle S	State - WOL Enabled	
Display resolution* :	1280*800 Meg		Liaucu, Psle	_{пр} . оксер шоце(33)		a, i idle. iule 3		
Print Speed * :	0	per minute						
Default time to enter e	0	•						
		nergy save function i	s provided with th	e product				┻╋
P9.3* The produ	ct meets the e	energy requirements	of the following v	oluntary program	n/s:			
		on: Version 6.0 Tie Star for External P		t category: <mark>NA</mark> Iigibility Criteria	Version 2			H
P10 Emission								
		ared according to IS	O 9296	Declared		Dealaran	A-weighted	
P10.1 Mode	IVIOUE	description		A-weighte			e level $L_{p{\sf Am}}$ (dB)	
				sound pow	er			
				level L_{WAd}	()	r position 🔀 Desktop 🔀		
						Deskiop 🔼 Desk side 🗌	(only if product is not	
Idle	* HD	D:ldle		* 2.5			operator attended) 15.3	
Operation		D: Operating		* 2.5			15.2	ΗH
Other mod					Energy		ternal Power Supplies	
Measured	according to:	🔀 ISO7779 🗌 EC	CMA-74					
		Other (or	nly if not covered	by ECMA-74 with	n L _{pAm} measur	rement dista	nce m)	

P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:	

Model number *		Lenovo Miix 2 11 Lenovo Miix	211	20327;8	OCU		
Issue date	*	2014-02-18		Logo	leno	VO .	
Product	environn	nental attributes - Market requirements (continued)			Require	ment	met
Item					Yes	No	n.a.
	Chemica	al emissions from printing products					
P10.3*			ther specify:				\square
P10.4	Typical e	mission rate (print phase) is (mg/h):					\boxtimes
		Dust Ozone Styrene Benzene	TVOC				
P10.5	Chemica	I emission requirements of the following voluntary program/s	are met for :	_			\boxtimes
		Dust Ozone Styrene Benzer	ie 🔄	TVOC			
		nagnetic emissions					
P10.6		er display meets the requirement for low frequency electromagne /s: MPR-II	tic fields of the fol	lowing volunta	y 🔀		
P11		able materials for printing products					
P11.1*	•	Data Sheet (SDS) is available for the ink/toner preparation, ever		•	·		\square
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided	d that it meets th	ne requirement	is of		\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					\boxtimes
P12		nics for computing products					
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visua	l display technolo	ogies.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9	241-410.		\boxtimes		
P13	Packagi	ng and documentation					
P13.1*	Product	packaging material type(s): Corrugated Carton weight (kg): packaging material type(s): Polyethylene Cushions we packaging material type(s): Others weight (kg): 0.30	0.37 eight (kg): 0.03				
P13.2*	Product	plastic packaging is free from PVC.			\boxtimes		
P13.3*		nedia for user and product documentation (tick box): c \square , Paper \square , Other \square					
P13.4*		r user and product documentation, please specify contained per	centage of post-co	onsumer recyc	led		
P14		al information (See Note B4)					
	informati knowled provided informati		er in this docume obligation to upd y. See a Lenovo	nt is provided b ate such inform	based on sup nation. The in	plier's format	
P9		rgy Star Qualified Notebooks & Tablet Computers for the lat ww.energystar.gov/index.cfm?fuseaction=find_a_product.sh		p&pgw_code=	:CO		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Miix 2 11	Logo
Model Number	20327;80CU	_
Issue Date	2014/6/20	lenovo
Additional information		

P7.1.1	Product environmental attributes	
(d)	year of manufacture:	2014/2/18
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:	12.20
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete grap enabled:	hics cards (dGfx) are
	Category N/A EtecN/A	
(g)	idle state power demand (Watts);	3.74
(h)	sleep mode power demand (Watts);	0.67
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.7
(j)	off mode power demand (Watts);	0.34
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.34
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
	or level: level V	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook comp	uters):
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortic the electricity supply system, — information and documentation on the instrumentation, set-up and circ used for electrical testing:	
	230V/50Hz	
(p-1)	the measurement methodology used to determine information mentioned in points (I) – interna efficiency:	al PSU
(p-2)	the measurement methodology used to determine information mentioned in points (m) – externa efficiency: meet level V	al PSU

(p-3)	the n batter		nent methodology used to determine information mentioned in points (o) - loadingcycles	
			N/A	
(p-4)			ent methodology used to determine information mentioned in maximum, idle, sleep, off mode ed in Point P9.1 in the Product IT Eco Declaration:	
		IEC 6262	23 Edition 1.0 2012-10 - Desktop and notebook computers - Measurement of energy consumption	
(q)	seque	ence of st	eps for achieving a stable condition with respect to power demand .:	
			Based on user manual	
(r)	descr	iption of I	now sleep and/or off mode was selected or programmed:	
			Based on user manual	
(s)	seque off m		vents required to reach the mode where the equipment automatically changes to sleep and/or	
			Based on user manual	
(t)			f idle state condition before the computer automatically reaches sleep mode, or another n does not exceed the applicable power demand requirements for sleep mode (in minutes):	25
(u)		•	ime after a period of user inactivity in which the computer automatically reaches a hat has a lower power demand requirement than sleep mode (in minutes):	N/A
(v)	the le	ength of t	ime before the display sleep mode is set to activate after user inactivity (in minutes):	10
(w)	inforn	nation on	the energy-saving potential of power management functionality:	
			Based on user manual	
(x)	user i	nformatio	n on how to enable the power management functionality:	
			Based on user manual	
(z)	the el	ectricity s	s for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of supply system, — information and documentation on the instrumentation, set-up and circuits cal testing:	
			230V/50Hz	
Additio	n Notebo	ok Batte	ry Information:	
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a user.	non-professional
			The battery[ies] in this product cannot be easily replaced by users them	selves