



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	LCHOVO
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo N24/Lenovo 300e
Model number *	81AF, 81FY
Issue date *	2017-4-7
Intended market *	☐ Global ☐ ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nur	mbor*	81AF, 81FY	Logo			
		-	Logo	Lend	Wa	
Issue date	*	2017-4-7		Len		тм
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	, , ,			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlor (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$		
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail on the control of the cont	contact):			
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See leg	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)			$\boxtimes$	
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): www3.lenovo.com/us/en/social_responsibility/EU_DoC_notebooks	gal reference).			
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products, al reference).				

given in item P15 or added to this document,

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)

The product packaging material is free from ozone depleting substances as specified in the Montreal

available at (add URL):

http://www.lenovo.com/social\_responsibility/us/en/datasheets\_notebooks/

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

hexavalent chromium by weight of these together.

Required information is;

Product packaging

used (see legal reference).

Treatment information

Protocol (see legal reference).

P5

P5.1

P5.2\*

P5.3\*

P6

P6.1\*

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81AF, 81FY	Logo	Lonovo	
Issue date *	2017-4-7		Lei IOVO.	

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 3 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: >ABS+PC< Material type: Material type:  Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		<u> </u>	<del>-</del>
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in part	d	Ш	
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	N		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #: 35948-25-5			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	n		
	concentrations above 0,1%:			
	1. Chemical name: <i>Bisphenol A Diphosphate</i> , CAS #: 181028-79-5 (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		$\boxtimes$	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; Confidential and Hazard statements: Confidential			
	The source(s) for these classifications is/are found at (add URL(s)): European Council Directive 67/548/EEC , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 7.1%.  or  b) The weight of recycled material is 54.7 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81AF, 81FY	Logo	Lonovo
Issue date *	2017-4-7		LEI IOVO"

Product environmenta	l attributes - Market r	equirements (cont	inued)	Requirement met
Item		•	<b>,</b>	Yes No n.a.
Material and s	ubstance requirements	(continued)		
P7.21* Biobased plasti	ic material content is used	d in the product (See N	IOTE B7):	
	one of the two alternative astic parts' weight > 25 g			ulated as a nercentage
		6.	material content (calc	diated as a percentage
or b) The weigh	nt of the biobased plastic i	material is α		
P7.22* Light sources a	re free from mercury, i.e.	less than 0,1 mg/lamp		
P8 Batteries	sed specify: Number of lar	mps: and maxin	num mercury content p	er lamp: mg
	al composition: Li-ion			
·	mption (See NOTE B8)			
	the following power level	ls or energy consumpt	ions are reported:	
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On-max)	45 W	45 W	45 W	Full load
Category I1				
Short Idle State - WOL	5.250 W	5.240 W	5.430 W	Use for ENERGY STAR V6
Enabled				registration (P <sub>idle</sub> )
Long Idle State - WOL Enabled	2.360 W	2.380 W	2.530 W	Use for ENERGY STAR V6 registration (P <sub>idle</sub> )
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P <sub>sleep</sub> )
Sleep (S3) - WOL Disable	d 0.270 W	0.280 W	0.330 W	Reference
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)
Off (S5) - WOL Disabled	0.270 W	0.260 W	0.290 W	Use for ErP
	W	W	W	Reference
Category				
Short Idle State - WOL Enabled	W	W	W	Reference
Long Idle State - WOL Enabled	W	W	W	Reference
Sleep (S3) - WOL Enabled	, w	W	W	Reference
Sleep (S3) - WOL Disable	<b>d</b> W	W	W	Reference
Off (S5) - WOL Enabled	W	W	W	Reference
Off (S5) - WOL Disabled	W	W	W	Reference
	W	W	W	Reference
Category				
Short Idle State - WOL Enabled	W	W	W	Reference
Long Idle State - WOL Enabled	W	W	W	Reference
Sleep (S3) - WOL Enabled	, w	W	W	Reference

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Sleep (S3	3) - WOL Disabled	W	W	W	Reference
Off (S5) -	WOL Enabled	W	W	W	Reference
Off (S5) -	WOL Disabled	W	W	W	Reference
		W	W	W	Reference
EPS No-Id	oad er supply / charger plugged in the	0.050 W	0.050 W	0.050 W	
wall outlet but d	disconnected from the product.)	W	W	10/	
PTEC * Typical Fi	nergy Consumption	VV	VV	W	
ETEC *	nergy Consumption	17.23 kWh/year	<b>17.26</b> kWh/year	<b>18.02</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x 0.10+ P <sub>short_Idle</sub> x 0.30)
					bled; P <sub>idle</sub> : Idle State - WOL Enabled
	11.7	, ,	al Efficiency Marking F	Protocol) * : VI	
Display re	esolution * : 1.049 me	egapixels			
Default tin	me to enter energy sa	ave mode: 20 minute	S		
P9.2*	Information about	the energy save fund	ction is provided with th	e product.	
P9.3	Energy efficiency	class (monitors only)	:		
P10	Emissions				
			to ISO 9296 (See NOT		
P10.1		Mode description			mit A-weighted sound power level, L <sub>WA,c</sub> (B)
		' NA		* NA	
	- p	' NA		* NA	
			und pressure level (dB) $L_{ ho}$		position desktop – idle)
	Other mode	Declared A-weighted so	und pressure level (dB) $L_{p}$	Am (operator p	position desktop – operating)
	Measured accordi	ng to: ISO 7779	ECMA-74 (only if not covered by	by ECMA-74)	

Model nu	mber *	81AF, 81FY			Logo	Leno	1/0	
Issue dat	e *	2017-4-7				Leil	VO	тм
Product	environn	nental attribute	es - Market requirements (co	ntinued)		Require	ment	met
Item						Yes	No	n.a.
		nagnetic emissi						
P10.4		. ,	he requirement for low frequency of AC adapter only)	electromagnetic field	s of the following volunt	tary		
P12		nics for comput						
P12.1*	The disp	lay meets the erg	onomic requirements of ISO 9241	-307 for visual displa	ay technologies.	$\boxtimes$		
P12.2*	The phys	sical input device	meets the requirements of ISO 99	95 and ISO 9241-41	0.	$\boxtimes$		
P13	Packagi	ng and docume	ntation					
P13.1*	Product	packaging materi	al type(s): <b>Corrugated</b> weight (k al type(s): <b>EPE</b> weight (k al type(s): <b>Gift BOX</b> weight (k	g): <b>0.064</b>				
P13.2*			ckaging is free from PVC.	-,		$\boxtimes$		
P13.3*		luct primary correr recovered fiber	ugated fiberboard packaging, spe content: 83 %	cify the contained p	percentage of minimum	n post-		
P13.4*	Specify r		d product documentation (tick box)	):				
P13.5	User and		s item if paper documentation used intation on paper media is chlorine					
	•	hlorine-free al chlorine-free						
	Processe	ed chlorine-free				Ħ		
P14	Voluntai	ry programs						
P14.1			quirements of the following volunta	ry program(s):				
		Y STAR® el: <i>EPEAT</i> el:	Criteria version: 6.1 Criteria version: 1680.1-2009 Criteria version:	Date: <b>2017.4.7</b> Date: <b>2009/12/9</b> Date:	Product category: <i>I1</i> Product category: <i>Sil</i> Product category:	ver		
P15	Addition	al information (	See NOTE B10)					
P9			specific configuration may vary					
	informati knowledg provided informati	on contained in the ge available at the here is approximon.	o representations, guarantees, ass nis document. All information provi e time of completion, and supplier ate and provided for informational	ded by supplier in th shall have no obligat purposes only. See	is document is provided tion to update such info a Lenovo Account Rep	l based on supp rmation. The inf	olier's formati	ion
P9		rgy Star Qualified	Notebooks & Tablet Computers f	or the latest informat	ion:	-		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo N24/Lenovo 300e	Logo	
Model Number	81AF, 81FY		Lenovo
Issue Date	2017-4-7		reliovo.
Additional information			

(d)	Year of manufacture:				
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	switchable graphics n	node with UMA driving	the display.	` ,
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	III discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	4			
nents sting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	8.38			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);				2.53
h)	Sleep mode power demand (Watts);				0.33
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.33
j)	Off mode power demand (Watts);				0.29
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		0.29
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if applied	cable)*:			
	Average active efficiency: 45W:89.23%,	88.18%			
0)	*internal note: show values for all available external po Minimum number of loading cycles that t	ower supplies he batteries can withs	tand (applies only to n	otebook computers):	800
(p-1)	Measurement methodology used to dete	rmine information mer	tioned in points (I) – ir	nternal PSU efficiency	:

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  EPA"Test Method for calculating the Energy Eifficiency of Single-Voltage External AC-DC and AC-AC  Power Suppler" dated August 11,2014			
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC61916 measurement methodology			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC62321/IEC EN50564:2011 measurement methodology			
(d)	Sequence of steps for achieving a stable condition with respect to power demand::  IEC62321/IEC EN50564:2011 measurement methodology			
(r)	Description of how sleep and/or off mode was selected or programmed:  refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode:  ACPI system level G2/S5 ('soft off') state			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  refer to power management, 30mins automatically reaches sleep mode			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10			10
(w)	Information on the energy-saving potential of power management functionality:  refer to user manual			
(x)	User information on how to enable the power management functionality:  refer to user manual			
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301			
Additional Notebook Battery Information:				
Addition	al Notebook Batter	f	Detter Feel and a seele	1 - 1 -
		Battery[ies] <u>not</u> user replaceable  The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Additional information				
<u> </u>				
1) The battervfies] in this product cannot be easily replaced by users themselves.				

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissá. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.